

IN REPLY REFER TO:



COPY TO O.C.C.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
P. O. Box 965  
Farmington, New Mexico

July 5, 1956

Pacific Northwest Pipeline Corporation  
143 1/2 West Main Street  
Farmington, New Mexico


Re: New Mexico 012698  
14-08-001-439

Gentlemen:

Your "Subsequent Report of Abandonment", dated July 25, 1955, covering your well No. 23-12 Mesa San Juan 29-6 Unit, located in the SW 1/4 sec. 12, T. 29 N., R. 6 W., N. M. P. M., Rio Arriba County, New Mexico, is hereby approved.


Very truly yours,  
P. T. McGrath  
District Engineer

(Orig. Sgd.) P. T. McGrath



PTMcGrath:ac

Inspected by:  
P.T. McGrath  
July 5, 1956

Form 9-331a  
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New MexicoLease No. 012698Unit San Juan Unit 29-6  
14-08-001-439

3 - U.S.G.S.  
1-W.R. Johnston  
1-File

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 25, 1955

San Juan Unit 29-6  
Well No. Mesa 23-12s located 1780 ft. from S line and 1610 ft. from W line of sec. 12

SW/4 Sec. 12 29N 6W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the <sup>Ungraded ground</sup> ~~drill floor~~ above sea level is 6551 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlog jobs, cementing points, and all other important proposed work)

Ran retainer to 304', cemented w/200 sx regular cement at 11:00 pm 7/21/55, final pressure 500 pse. Ran free pt. ind. and dia-log jet cutter made cut, and recovered 1700' OD. 20 & 23 # casing, then filled hole with heavy mud. Then set 25 sx cement plug from 1782 to 1717 then filled with heavy mud to surface casing, set 25 sx plug at bottom of surface casing then filled with heavy mud and set 10 sx plug at surface with a 4"X4' prescribed marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pacific Northwest Pipeline CorporationAddress 413-1/2 West Main StreetFarmington, New MexicoBy /s/ T. A. DuganTitle District Engineer