Form 9-831 a (Feb. 1951)

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office New Mexico
Lease No. 03166
Unie San Juan 25-5 Unit

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRUI	
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<b>U:-S:</b> GEOL <mark>OGI</mark> AL S
(INDICATE ABOVE BY CHECK MARK NATI	FARMINGTON, KEW I
·	october 30, 19.59
ell No. 22-3(MD) is located 1790 ft. from {S	line and the from W line of
W/4 Sec. (1/4 Sec. No.) (Twp.) (Rang	H.M. P.M. (Meridian)
lanco M.V. & Wildort Dak. Rio Arr (Field) (County or Sub-	division) (State or Perritorn) 5
ne elevation of the derrick floor above sea level is	s 6559 ft. OIL CON. COM.
	OF WORK
ate names of and expected depths to objective sands; show sizes, we ing points, and all other i	ights, and lengths of proposed casings; indicate mudding jobs, cement- mportant proposed work)
gud date October 23, 1959.  n October 24, 1959 Total Depth 336'.  an 10 joints 13 3/6", 46.00%, fi-40 case egular cement, 2% Calcium Chloride, 2%	mportant proposed work)
gud date October 23, 1959. In October 24, 1959 Total Dopth 336'. Ian 10 Joints 13 3/6", 46.00%, fi-40 cas	sing (314') set at 327' with 215 sacks
gud date October 23, 1959.  n October 24, 1959 Total Depth 336'.  en 10 joints 13 3/0", 46.00%, fi-40 casegular cement, 2% Calcium Chloride, 2%  eld circulated to surface.  eld 500%/30 minutes.	sing (314') set at 32/' with 215 sacks Gel, and 1/2 cu. ft. Strata=Crete "6" per
gud date October 23, 1959.  n October 24, 1959 Total Depth 336'.  en 10 joints 13 3/0", 46.00%, f-40 casegular cement, 2% Calcium Chloride, 2%  enth circulated to surface.  eld 500%/30 mimutes.	sing (314') set at 32/' with 215 sacks Gel, and 1/2 cu. ft. Strata-Crete "6" per
gud date October 23, 1959.  n October 24, 1959 Total Depth 336'.  an 10 joints 13 3/0", 46.00%, fi-40 casegular cement, 2% Calcium Chloride, 2% calcium Chlo	sing (314') set at 32' vith 215 sacks Gel, and 1/2 cu. ft. Strata=Crete "6" per
and date October 23, 1959.  a October 24, 1959 Total Depth 336'.  an 10 joints 13 3/0", 46.00%, 5-40 casegular cement, 2% Calcium Chloride, 2% calcium Chlor	sing (314') set at 32/' with 215 sacks Gel, and 1/2 cu. ft. Strata=Crete "6" per