DEC 3 0 1997

Meter Number: 70404 ocation Name:SAN JUAN 29-6 #14-7 Location:TN-29 RG-06

> SC-07 UL-B 4 - Fee

NMOCD Zone: OUTSIDE Hazard Ranking Score:00

RATIONALE FORERISK-BASED CLOSURE OF PRODUCTION PITS **LOCAT**ED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10⁻⁹ to 10⁻¹³ cm/sec Sandstone 10⁻¹² to 10⁻¹⁶ cm/sec Shale 10⁻¹² to 10⁻¹⁵ cm/sec Clay

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 70404 Location: SAN JUAN 29-6 # 14-7 Operator #: 7035 Operator Name: PHILLIPS P/L District: Bloomfills Coordinates: Letter: B Section 7 Township: 29 Range: 6 Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 5:17:94 Area: 10 Run: 51				
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside (2) Depth to Groundwater Less Than 50 Feet (20 points) Greater Than 100 Ft (0 points) Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; is it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (3) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (3) Horizontal Distance to Surface Water Body Less Than 200 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: POINTS				
REMARKS	Remarks: DNLY PIT ON LOCATION. PIT IS DRY. PIT HAS TANK NEXT TO IT. LOCATION IS ON TOP OF SMITH PASS. REDLINE AND TOPO CONFIRMED LOCATION IS DUTSIDE V.Z.				

Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 70404 Location: SAN Juan 29-6 # 14-7 Coordinates: Letter: B Section_7 Township: 29 Range: 6 Or Latitude Longitude Date Started: 7-14-94 Run: 10 51					
FIELD OBSERVATIONS	Sample Number(s): Feet Sample Depth: Feet Final PID Reading PID Reading Depth Feet . Yes No Groundwater Encountered					
CLOSURE	Remediation Method: Excavation					
	Soil Disposition: Envirotech Other Facility Name: Pit Closure Date: 7-14-94 Pit Closed By: BET					
REMARKS	Remarks: EPNG lines marked soil Gray Glight Hyprocorb					
	Signature of Specialist: Margan Xellian (SP3191) 03/16/94					



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	SAMPLE	IDENTIFICA				
	Field	I ID		Lab ID		
SAMPLE NUMBER:	MK 13	945	945474			
MTR CODE SITE NAME:	70404		N/A			
SAMPLE DATE ! TIME (Hrs):	7-14-94		1445			
SAMPLED BY:	N/					
DATE OF TPH EXT. ANAL.:		1/19/94	7/19/94			
TYPE DESCRIPTION:			Brawn Grey Clay			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				¥:)		
REMARKS: _						
		RESULTS		i. i		
	DECLUIT	LINUTE	QUALIFIERS		TIEDO	
PARAMETER	RESULT UI	UNITS	DF	QUALI	M(g)	V(mi)
BENZENE		MG/KG				
TOLUENE		MG/KG			:	
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	522	MG/KG			2.09	28
HEADSPACE PID	294	PPM				
PERCENT SOLIDS		di %				
e Surrogate Recovery was at	TPH is by EPA Method 4	118.1 and BTEX is by EPA % for this sampl		was accep	otable.	

= Dilution Factor Used

:rrative:

delan

	************** Test Method for d Grease and Petroleum Hydrocarbons in Water and Soil	· · · · · · · · · · · · · · · · · · ·
	Parkin-Elmer Model 1600 FT-IR Analysis Report ************************************	· 李
2 t t 3 t 1 (1) 17 (7)	arkijinakij	
	en de la serie de la granda de l La granda de la gra	

- · ·