District I P O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM \$8211 District III 1000 Rio Brazos Rd, Azzec, NM \$7410

State of New Mexico

Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE

OIL CONSERVATION DIVISION ENTRY AND 1 COPY TO SANTA PE OFFICE

Santa Fe, New Mexico 87504-2088 DEPUTY OIL & GAS INSPECTOR

SEP 11 1 1995

PIT REMEDIATION AND CLOSURE REPORT

	1 /1/2 CV C		
Operator: Williams Field Services	Telephone: 801-584-6999		
Address: 295 Chipeta Way Salt	Lake City, UT 84158		
Facility Or: ST 29-5 # 59 Well Name			
H Location: Unit or Qtr/Qtr Sec SE NE Sec 31 T29N R 5W County RIO ARRIGA			
Pit Type: Separator Dehydrator_X Other			
Land Type: BLM, State, Fee, Other PRIVATE . ESTATE ENRIQUE ESPINOZA			
(Attach diagram)	gth 31 , width 24 , depth 4½'		
Footage from reference			
	····		
Direction from refere	ence: 10 Degrees \underline{x} East North $\underline{\times}$ of		
	West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)		
high water elevation of ground water)	DECEIVAGE		
Wellhead Protection Area:	SEP 1 9 1994 Yes (20 points)		
(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	OUL COM, DAY, DIEL 3		
Distance To Surface Water: (Horizontal distance to perennial	Less than 200 feet (20 points)		
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) O		
	RANKING SCORE (TOTAL POINTS):		

Date Remediation St	:arted:	Dated Completed:
Remediation Method: (Check all appropriate	Excavation	Approx. cubic yards
sections)		Insitu Bioremediation
	Other	
		
Remediation Location: Onsite Offsite (ie. landfarmed onsite,		
(ie. landfarmed onsite, name and location of offsite facility)		
General Description	Of Remedial Acti	lon:
		th OCD and BLM guidance document.
Ground Water Encoun	tered: No X	Yes Depth
Final Pit: Sample location Standard Triangle from pit floor (if multiple samples,		Standard Triangle from pit floor.
attach sample results and diagram of sample Samp	Sample depth	3'
locations and depths)	Sample date 6	-17-94 Sample time 4:35p
	Sample Results	<u> </u>
	Benzene(ppm)
	Total BTEX(
		pace(ppm) 29
	TPH <u>4,000</u>	
	·	
Ground Water Sample:	Yes No _	X (If yes, attach sample results)
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMATION	N ABOVE IS TRUE AND COMPLETE TO THE BEST
DATE 5-6-54		
SIGNATURE 7/1/Same	PRINTEI AND TIT	

П



ORGANIC ANALYSIS REPORT

AMERICAN WEST ANALYTICAL **LABORATORIES**

Client: Mile High Environmental Date Sampled: June 17, 1994

Date Received: June 21, 1994 Set Description: Fifty-Four Solid Samples Set Identification #: 18830 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Date Extracted: June 29, 1994

Infrared Absorption)

Lab Sample ID. Number:

18830-24

Field Sample ID. Number: Vulnerable Area Pits (GOB)

SJ 29-5 #59/86672

Date Analyzed: June 30, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm)

(801) 263-8686 Fax (801) 263-8687

463 West 3600 South

Salt Lake City, Utah

84115

Compound:

Detection Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

50.

4,000.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Laboratory Supervisor

Report Date 7/6/94

1 of 1