

JOHN E. SCHALK
P. O. BOX 25825
ALBUQUERQUE, NEW MEXICO 87125


✓
AREA CODE 505
TELEPHONE 247-2294

November 9, 1978

Re: Schalk 29-4 #15
Section 27, T29N, R4W
Rio Arriba, New Mexico

<u>DATE</u>	<u>FOOTAGE</u>	<u>DEVIATION</u>
9/23/78	765'	1/2°
9/23/78	1267'	3/4°
9/24/78	1780'	1°
9/24/78	1880'	1°
9/24/78	2503'	1-1/4°
9/25/78	3005'	1-1/2°
9/26/78	3538'	1-3/4°
9/27/78	3791'	1-3/4°
9/29/78	4374'	2°

JOHN E. SCHALK



Larry H. Williams
Agent

STATE OF NEW MEXICO
COUNTY OF BERNALILLO

On this 9th day of November, 1978, before me,
a Notary Public, personally appeared Larry H.
Williams, Agent of John E. Schalk Company, and
who is personally known to me, and makes oath
that the matters set forth in the foregoing
statement are true.

My Commission Expires:

March 7, 1979


Notary Public

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.6.

5. LEASE DESIGNATION AND SERIAL NO.

USA NM 18326

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Schalk 29-4

9. WELL NO.

15

10. FIELD AND POOL, OR WILDCAT

Choza Mesa Pic. Cliffs

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Sec. 27, T29N, R4W

12. COUNTY OR
PARISH

Rio Arriba

13. STATE

New Mexico

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

JOHN E. SCHALK

3. ADDRESS OF OPERATOR

P.O. BOX 25825, ALBUQ., NM 87125

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1080' FSL, 1130' FEL., Sec. 27, T29N, R4W

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)	18. ELEVATIONS (DF, REB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
9/22/78	9/29/78	10/14/78	7225 GR	7225 GR

20. TOTAL DEPTH, MD & TVD	21. PLUG. BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
4414	4397		→	A11	

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3992-4240 Pictured Cliff

No

26. TYPE ELECTRIC AND OTHER LOGS RUN 1) Compensated Neutron-Formation Density 27. WAS WELL CORED
2) Dual Induction - Laterlog No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	32#	295'	11"	150 sacks. /50 sxs	
4-1/2"	10.5#	4,397'	7-7/8"	566 sxs.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4097	

31. PERFORATION RECORD (Interval, size and number)

3953, 3955, 3959, 4023-4029, 4125,
4129, 4196, 4198, 4205-4211, 4226,
4228, 4230, 4238, 4240.

1 shot / 2 ft. .4" Hole

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
	Stable Foam Frac
	859,000 Nitrogen
	107,500# Sand 10/20
	508 bbl. H2O

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
10/14/78		Flowing				Shut-In	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10/14/78	3	3/4"	→				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
136#	396#	→					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

OPERATOR

DATE 10/20/78

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
OJO ALAMO	3487	3640				
KIRTLAND	3640	3909				
FRUITLAND	3909	3992				
PIC. CLIFFS	3992					