

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

SF-078343

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 29-5 Unit

8. Well Name and No.

SJ 29-5 Unit #84

9. API Well No.

30-039-21781

10. Field and Pool, or Exploratory Area

Gob. Pictured Cliffs

11. County or Parish, State

Rio Arriba, NM

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

5525 Hwy. 64, NBU 3004, Farmington, NM 87401 505-599-3454

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit F, 1540' FNL & 1740' FWL
Section 5, T-29-N, R-5-W

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Permanently abandon well per attached procedure by 12/31/95.

RECEIVED
JUN 16 1995
OIL CON. DIV.
DIST. 3

RECEIVED
BLM
JUN -8 PM 2:51
C/O FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct

Signed

Ed Hasely

Ed Hasely

Title Envir./Regulatory Engineer

Date 6-7-95

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NMOCD

APPROVED

JUN 13 1995

DISTRICT MANAGER

29-5 #84
P&A Procedure

1. Spot 50' (1.5 sx) cement on CIBP at 3580'.
2. Load hole with corrosion - inhibited fluid.
3. Spot 100' (3 sx) cement across Fruitland top inside 2-7/8" casing.
4. Spot 100' (3 sx) cement across Kirtland top inside 2-7/8" casing.
5. Spot 100' (3 sx) cement across Ojo Alamo top inside 2-7/8" casing.
6. Perf 1' @ 4 spf 50' below top of Nacimiento. Pump 100' (40 sx including 100% excess) cement outside 2-7/8" casing and 100' (3 sx) cement across Nacimiento top inside 2-7/8" casing.
7. Perf 1' @ 4 spf at 172'. Pump 100' (30 sx, including 100% excess in open hole) cement outside 2-7/8" casing and 172' (6 sx) cement to surface inside 2-7/8" casing.
8. Cut off wellhead. Install abandonment marker. Restore location.

29-5#84 Sec 5-29N-SW
Spud: 8/28/78 Comptd. 1/27/81
6630' GL KB 10'

6/6/95

BETH

8-5/8" 24# J-55 @ 122'
Cmt to Surf w/ 90 sx CLB

TBC 2650' (TS)

CLBP @ 3580'
3589' - 3595', 1 spf frac w/ 26,300# 10/20 sd
in 483 bbl slick wtr.

PBTD 3650'
3728' - 3756' sqzd

2-7/8" 6.4# J-55 @ 3822'
Cmt'd w/ 170 sx

TD 3822'

RECEIVED
BLM
95 JUN -8 PM 2:51
070 FARMINGTON, NM