

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Box 1980, Hobbs, NM

District III

P.O. Box 1980, Hobbs, NM

Benjamin J. Foust
DEPUTY OIL & GAS INSPECTOR

JUN 24 1997

State of New Mexico
 Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
 P.O. Box 2088
 Santa Fe, New Mexico 87504-2088

SUBMIT COPY TO
 APPROPRIATE
 DISTRICT OFFICE
 AND 1 COPY TO
 SANTA FE OFFICE

PIT- REMEDIATION AND CLOSURE REPORT

Approved
 Operator: Phillips Petroleum Company Telephone: (505) 599-3400

Address: 5525 Hwy. 64, NBU 3004, Farmington, NM 87401

Facility Or: San Juan 29 - 5 Unit # 91

Well Name

Location: Unit or Qtr/Qtr Sec B NWNE Sec 35 T 29N R 5W County Rio Arriba

Pit Type: Separator X Dehydrator _____ Other _____

Land Type: BLM X State _____ Fee _____ Other _____

Pit Location: Pit dimensions: Length 45 ft width 34 ft depth 3 ft (avg)
 (Attach diagram)

Reference: wellhead X other _____

Footage from reference: 50 ft

Direction from reference: 50 Degrees X East of North X
 _____ West _____ South _____

Depth to Ground Water:
 (vertical distance from
 contaminants to seasonal
 highwater elevation of
 ground water)

Less than 50 feet (20 points)
 50 ft to 99 feet (10 points)
X Greater than 100 feet (0 points) 0

Wellhead Protection Area:
 (less than 200 feet from a private
 domestic water source, or: less than
 1000 feet from all other water sources)

Yes (20 points)
X No (0 points) 0

Distance to Surface Water:
 (Horizontal distance to perennial
 lakes, ponds, rivers, streams, creeks,
 irrigation canals and ditches.)

Less than 200 feet (20 points)
 200 feet to 1000 feet (10 points)
X Greater than 1000 feet (0 points) 0

P:\pits\PrC@WK3

RANKING SCORE (TOTAL POINTS):

0

RECEIVED
 APR 24 1997
OIL CON. DIV.
DIST. 3

Date Remediation Started: 8/22/94

Dated Completed: 4/6/95

Excavation X

Approx. cubic yards 65

Landfarmed X

In situ Bioremediation _____

Other _____

Remediation Method:

Onsite X

Offsite _____

(Check all appropriate sections)

General Description of Remedial Action- Based on the initial assessment, soils were excavated to bedrock. The excavated soils were landfarmed on location. The landfarm tested clean on 4/6/95. The landfarmed soils were then used to fill the excavation

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit:

Closure Sampling:

(if multiple samples, attach sample results

and diagram of sample locations and depths)

Sample location Individual samples were collected from each wall, and the bottom of the excavation.

Sample depth 2.5 feet

Sample date 10/12/94

Sample time 11:23

Sample Results

Benzene(ppm) ND

Total BTEX (PPM) 0.077

Field Headspace (ppm) _____

TPH 155

Ground Water Sample: Yes _____ No X (if yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.


DATE 4-22-97

PRINTED NAME Bob Wirtanen

SIGNATURE Robert A. Wirtanen

and TITLE -Sr. Safety & Environmental Specialist

SOIL TYPE: C - Clay, M - Silt, S - Sand, G - Gravel Plasticity: L - Nonplastic, H - Plastic Grading: P - Poorly, W - Well



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	T-1 @ 5.5'	Date Analyzed:	8-22-94
Project Location:	San Juan 29-5 #91	Date Reported:	8-22-94
Laboratory Number:	GAC0673	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	42,715	998


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	7,420	6,960	6


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: T-3 @ 3'
Project Location: San Juan 29-5 #91
Laboratory Number: GAC0674

Project #: 93163
Date Analyzed: 8-22-94
Date Reported: 8-22-94
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	ND	10


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	7,420	6,960	6

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228


Analyst


Review

CLIENT: PHILLIPS PETROLEUMENVIROTECH Inc.PIT NO: PA2285796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

C.O.C. NO: _____

FIELD REPORT: CLOSURE VERIFICATION

JOB No: 93163PAGE No: 1 of 1LOCATION: NAME: San Juan 29-5 WELL #: 91 PIT: Sep
QUAD/UNIT: B SEC: 35 TWP: 29N RNG: 5W BM: NM CNTY: R.A ST: NM
QTR/FOOTAGE: 1140' FNL & 1840' FEL CONTRACTOR: CimarronDATE STARTED: 10/11/94
DATE FINISHED: 10/11/94ENVIRONMENTAL SPECIALIST: CJC/HMBSOIL REMEDIATION: EXCAVATION APPROX. 45 FT. x 34 FT. x 3 FT. DEEP.
DISPOSAL FACILITY: On-site landfarm CUBIC YARDAGE: 170
LAND USE: Forest Service LEASE: SF-078917FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 50 FEET N 50° E FROM WELLHEAD.
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'
NMDCD RANKING SCORE: 0 NMDCD TPH CLOSURE STD: <5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

6 @ 3' 825 10.13 20 1 31 60
FIELD 418.1 CALCULATIONS

SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
5 @ 2'	820	10.25	20	10	172	3356
3 @ 2'	821	10.35	20	10	296	5720
4 @ 2'	822	10.12	20	10	212	4190
1 @ 2'	823	10.05	20	10	187	3721
2 @ 2'	824	10.29	20	10	162	3149


1cm=10'
SCALE

0 FEET

PIT PERIMETER

OVM
RESULTS


PIT PROFILE



TRAVEL NOTES:

CALLOUT: _____

ONSITE: _____



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: 1 @ 2'
Project Location: San Juan 29-5 # 91
Laboratory Number: GAC0823

Project #: 93163
Date Analyzed: 10-11-94
Date Reported: 10-12-94
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	3,721	100

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% Diff.
	118 *	108	9


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228

C. J. Collins
Analyst

M. J. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	2 @ 2'	Date Analyzed:	10-11-94
Project Location:	San Juan 29-5 # 91	Date Reported:	10-12-94
Laboratory Number:	GAC0824	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	3,149	97

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	118 *	108	9


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228

Charles Collins
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	3 @ 2'	Date Analyzed:	10-11-94
Project Location:	San Juan 29-5 # 91	Date Reported:	10-12-94
Laboratory Number:	GAC0821	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	5,720	97

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	118 *	108	9


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228

C. Jack Collins
Analyst

Mavis D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:
Sample ID:
Project Location:
Laboratory Number:

Phillips Petroleum
4 @ 2'
San Juan 29-5 # 91
GAC0822

Project #: 93163
Date Analyzed: 10-11-94
Date Reported: 10-12-94
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	4,190	99

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	118 *	108	9


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	5 @ 2'	Date Analyzed:	10-11-94
Project Location:	San Juan 29-5 # 91	Date Reported:	10-12-94
Laboratory Number:	GAC0820	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	3,356	98

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% Diff.
	118 *	108	9


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	6 @ 3'	Date Analyzed:	10-11-94
Project Location:	San Juan 29-5 # 91	Date Reported:	10-12-94
Laboratory Number:	GAC0825	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	61	10

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% Diff.
	118 *	108	9

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228

C. Jack Collins
Analyst

Morris D. Young
Review

PIT NO: PA228

C.O.C. NO: 3958

FIELD REPORT: CLOSURE VERIFICATION

93163

PAGE No: 1 of 1

LOCATION: NAME: San Juan 29-5 WELL #: 91 PIT: Sep

DATE STARTED: 10-12-94

QUAD/UNIT: B SEC: 35 TWP: 29 RNG: 5W BM: NM CNTY: RA ST: NM

DATE FINISHED: 10-12-94

QTR/FOOTAGE: 1140' FNL & 1840' FEL CONTRACTOR:

ENVIRONMENTAL HMB
SPECIALIST:

SOIL REMEDIATION: EXCAVATION APPROX. 45 FT. x 34 FT. x 3 (avg.) FT. DEEP.

DISPOSAL FACILITY: On-site landfarm CUBIC YARDAGE: 170

LAND USE: Forest Service LEASE: SF-078917

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 50 FEET N 50° E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMCD RANKING SCORE: 0 NMCD TPH CLOSURE STD: <5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

FIELD 418.1 CALCULATIONS

SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
#7 @ 2 $\frac{1}{2}$ '	826	10.04	20		78	155.38

SCALE

0



20 FEET

PIT PERIMETER

OVM

RESULTS


PIT PROFILE

[illegible]

TRAVEL NOTES:

CALLOUT:

ONSITE:



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: 7 @ 2.5'
Project Location: San Juan 29-5 # 9
Laboratory Number: GAC0826

Project #: 93163
Date Analyzed: 10-12-94
Date Reported: 10-17-94
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	155	10

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	98 *	96	1


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA228

C. Jack Collins
Analyst

Mavis D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:		Project #:	93163
Sample ID:	5@5'	Date Reported:	11-03-94
Laboratory Number:	7975BTEX.	Date Sampled:	10-11-94
Chain of Custody	3958	Date Received:	10-11-94
Sample Matrix:	Soil	Date Extracted:	10-21-94
Preservative:	Cool	Date Analyzed:	11-02-94
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	13.4
Toluene	56	26.7
Ethylbenzene	ND	13.4
p,m-Xylene	21.1	20.0
o-Xylene	ND	20.0

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	82 %
	Bromofluorobenzene	99 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: San Juan 29-5 # 91

Rex L. Griffin
Analyst

Stacy W. Sandler
Review

[illegible]

ENVIROTECH INC.
5796 U.S. Highway 64-3014
Farmington, New Mexico 87401
(505) 632-0615

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: PA228
C.O.C #: 4150

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 93163
PAGE No: 1 of 1

FACILITY LOCATION: San Juan 29-5 #91
SOURCE LOCATION: Sec. 35 T29N R5W Rio Arriba Co. NM
SOURCE LOCATION:
SOURCE LOCATION:
FACILITY CLASSIFICATION: Landfarm PIT TYPE: Sep

DATE STARTED: 4-6-95
DATE FINISHED: 4-6-95

ENVIRONMENTAL
SPECIALIST: CJC

SOIL REMEDIATION: QUANTITY: 65 cy # OF COMP. SAMPLES: 1
DIMENSIONS: 63' x 29' x 0.5' & 63' x 27' x 0.5'

VISIBLE OBSERVATIONS:
SAMPLING PLAN: 1 8-point composite

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX 15 YARDS N FROM WELLHEAD.


DEPTH TO GROUNDWATER: >100
NEAREST WATER SOURCE/TYPE: >1000
NEAREST SURFACE WATER: >1000
MAX TPH PER NMOC: 5000 ppm

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

CLOSE

FACILITY DIAGRAM

GRID SCALE: 20'



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)
C1	147

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED:	RESULTS PPM:
C1	TPH	3170
	BTEX	0.07

4
NORTH




WELLHEAD



SURFACE
FLOW DIR.



ESTIMATED
GROUNDWATER
FLOW DIR.



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS


Client:	Phillips	Project #:	93163
Sample ID:	29-5 #91	Date Reported:	04-13-95
Laboratory Number:	8334	Date Sampled:	04-06-95
Chain of Custody No:	4150	Date Received:	04-06-95
Sample Matrix:	Soil	Date Extracted:	04-12-95
Preservative:	Cool	Date Analyzed:	04-12-95
Condition:	Cool and Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----	-----	-----
Total Petroleum Hydrocarbons	3170	10.0


ND = Parameter not detected at the stated detection limit.

Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978.


Comments:



Analyst



Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Phillips	Project #:	93163
Sample ID:	S.J. 29-5 #91	Date Reported:	04-13-95
Chain of Custody:	4150	Date Sampled:	04-06-95
Laboratory Number:	8334	Date Received:	04-06-95
Sample Matrix:	Soil	Date Analyzed:	04-12-95
Preservative:	Cool	Date Extracted:	04-12-95
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	13.1
Toluene	ND	13.1
Ethylbenzene	ND	13.1
p,m-Xylene	28.1	13.1
o-Xylene	45.2	13.1

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	109 %
	Bromofluorobenzene	111 %

Method: Method 5030, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments:

Kevin L. O'Brien
Analyst

Harry W. Sander
Review

CHAIN OF CUSTODY RECORD

Client/Project Name		Project Location		ANALYSIS/PARAMETERS									
Phillips / 93163													
Sampler: (Signature) C. Jack Collins		Chain of Custody Tape No.											
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix	No. of Containers								Remarks
29-5 #59	4-6-95	1448	8332	Soil	1	X							
29-5 #9-26	" "	1537	8333		1	X							
29-5 #91	" "	1611	8334		2	X	X						
29-6 #58A	" "	1126	8335		1	X							
29-5 #41	" "	1421	8336		1	X							
29-5 #58	" "	1342	8337		1	X							
29-6 #100	" "	1312	8338		1	X							
29-6 #25A	" "	1224	8339		1	X							
29-5 #55A	" "	1024	8340		1	X							
Relinquished by: (Signature) C. Jack Collins		Date	Time	Received by: (Signature) Nathan Spence									
Relinquished by: (Signature)		4-6-95	1741	Received by: (Signature)									
Relinquished by: (Signature)				Received by: (Signature)									

ENVIROTECH INC.
 5796 U.S. Highway 64-3014
 Farmington, New Mexico 87401
 (505) 632-0615