

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

30-639-21342

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒OTHER ☐SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Northwest Pipeline Corporation

3. ADDRESS OF OPERATOR

P.O. Box 90, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

800' FSL & 1460' FEL

At proposed prod. zone

As above

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drip, unit line, if any)

800'

16. NO. OF ACRES IN LEASE

NA

17. NO. OF ACRES ASSIGNED
TO THIS WELL

320

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DEEPENING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

NA

19. PROPOSED DEPTH

5994'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DE, RT, GR, etc.)

6660' GR

22. APPROX. DATE WORK WILL START*

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9 5/8"	36	200'	125 sks.
8 3/4"	7"	20	3944'	150 sks.
6 1/4"	4 1/2" Liner	10.5	3794'-T.D.	210 sks.

Selectively perforate and stimulate the Mesa Verde formation.

A BOP will be installed after the surface casing has been run and cemented. All subsequent operations will be conducted through the BOP.

The E/2 of Section 8, is dedicated to this well.

Gas in dedicated.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

D. H. Baroncelli

TITLE

Production Engineer

DATE

2/14/77

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*OK**14*

*See Instructions On Reverse Side

DHM/ks

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-107
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator Northwest Pipeline Corporation			Lease San Juan 29-5 Unit		Well No. 21A
East Section 0	West Section 8	Township 22N	Range 5W	County Rio Arriba	
Actual Location of Well: 800 feet from the South line and 1160 feet from the East line. Ground Elevation 6660 Elevation of Formation Mesa Verde Foot Blanco Depth of Drilling 320					

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

D.H. Maroncelli

Name

D.H. Maroncelli

Position

Production Engineer

Company

Northwest Pipeline Corp.

Date

January 27, 1977

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

January 25, 1977

Registered Professional Engineer and/or Land Surveyor

Fred E. Horn, Jr.

Fred E. Horn, Jr.

Certificate No.

3050

NORTHWEST PIPELINE CORPORATION

MULTI - POINT SURFACE USE PLAN

for the San Juan 29-5 Unit

Well Number 21A

1. Existing Roads: See attached topographic map. All existing roads used, shall be maintained in a serviceable condition at all times during the drilling operation.
2. Planned Access Roads: See attached topographic map. Maximum grade is approximately 1%. The road surface will not exceed twenty feet in width. Upon completion of drilling operations, the access road will be adequately drained to control run off and soil erosion. Drainage facilities may include ditches, water bars, culverts or any other deemed necessary. All activities will be confined to the access road and drill pad.
3. Location of Existing Wells: See attached topographic map.
4. Location of Tank Batteries; Production Facilities; and Production, Gathering and Service Lines: See attached topographic map for locations of existing and proposed gas gathering lines. The pipeline will be constructed adjacent to the access road.
5. Location and Type of Water Supply: Water needed for the drilling operation will be hauled from the San Juan 29-6 Unit Water Well in the SW/4 28, T29N, R6W.
6. Source of Construction Materials: No additional materials will be needed.
7. Methods for Handling Waste Disposal: All garbage, debris, and trash will be buried at least three feet deep. A portable toilet will be supplied for human waste. After drilling operations have been completed the reserve pit will be fenced and the liquid portion will be allowed to evaporate before the location is cleaned up and leveled. The earthen pits will not be located on natural drainages and will be constructed in such a manner so that they will not leak. Any evaporator pit containing toxic liquids will be fenced.
8. Ancillary Facilities: There will be no camps or airstrips associated with the drilling of this well.
9. Well Site Layout: See attached layout sheet.
10. Plans for Restoration of the Surface: Upon completion of drilling, the location will be cleaned, and leveled so that no cut or fill banks will be steeper than 3:1.

All of the area disturbed in connection with the drill site will be seeded as close as possible for any above ground equipment while still allowing for access to the equipment. Seeding will be done within one year after drilling is completed and during the period from July 1 through September 15. Seeding will be done with seed Mixture #1.

All equipment above ground will be painted a non-glare, non-reflective, non-chalking color that simulates the natural color the site. For this well code number 959-34127, Green.

11. Other Information: If, during operations, any historic or prehistoric ruin, monument or site, or any object of antiquity is discovered, then work will be suspended and the discovery will be reported to the District Manager of the BLM.

When drilling with gas, the line used to discharge and burn off the gas will be located so as not to damage vegetation in the area, and if necessary an earthen screen will be constructed to protect the vegetation. All liquids from the line will be contained at the site unless otherwise specified by the surface agency's representative.

The area covered by the location and proposed access road is gently sloped with scattered brush and some grasses.

12. Operator's Representative: J.P. Slattery, P.O. Box 90, Farmington, N.M., 87401.
Phone: 327-5351 Extension 62.

13. Certification:

I hereby certify that I have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge true and correct; and, that the work associated with the operations proposed herein will be performed by Northwest Pipeline Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

3-10-77

Date

J.P. Slattery

J.P. Slattery
Drilling Engineer

JPS/ks



OPERATIONS PLAN

San Juan 29-5 Unit #21A

Rio Arriba County, New Mexico

I. LOCATION: SE/4 Sec. 8, T29N, R5W

LEASE NUMBER: SF 078305

FIELD: Blanco Mesa Verde

ELEVATION: 6660' GR

II. GEOLOGY:

A. Formation Tops:

San Jose:	Surface	Cliff House:	5435'
Ojo Alamo:	2812'	Menefee:	5513'
Kirtland:	2962'	Point Lookout:	5794'
Fruitland:	3279'	Total Depth:	5994'
Pictured Cliffs:	3624'		
Lewis:	3744'		

B. Logging Program: Gamma Ray-Induction and Density at T.D.

C. Coring Program: None

D. Testing Program: None

III. DRILLING:

A. Anticipated starting date and duration of activities: March 10, 1977.
Operations will take approximately 14 days.

B. BOP: Blind rams and pipe rams, 10", 900 series, double gate, rated at 3000 PSI.

C. Mud Program:

(a) Spud Mud: Water, lime and gel.

(b) Surface to 3744'

Viscosity: 32-38 sec/qt.

Weight: 8.8-9.2 #/gal.

Water Loss: 8-20 cc.

Ph: 8.5-9.5

(c) From 3744' to 3944'

Viscosity: 36-45 sec/qt.

Weight: 8.5-9.5 #/gal.

Water Loss: 6-12 cc

Ph: 8.5-9.5

(d) From 3944' to total depth with gas.

IV. MATERIALS:

A. Casing Program:

<u>Hole Size</u>	<u>Depth O.H.</u>	<u>Casing Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>
12 1/4"	200'	9 5/8"	36# K-55	200'
8 3/4"	3944'	7"	20# K-55	3944'
6 1/4"	3944'-T.D.	4 1/2"	10.5# K-55	3794'-T.D.


B. Tubing Program: 5940', 2 3/8", 4.7#, J-55 tubing with seating nipple on top of bottom joint. Expendable check valve on bottom.

V. CEMENTING:

- A. Surface Casing 9 5/8" - Use 125 sks. Cl. "B" w/1/4# gel flake/sk. & 3% calcium chloride (100% excess to circ.). WOC 12 hrs. Test surface csg. to 600 PSI for 30 min.
- B. Intermediate Casing - Use 100 sks. Cl. "B" 65/35 poz w/12% gel & 15.52 gal. water/sk. Tail in w/50 sks. Cl. "B" w/2% calcium chloride (80% excess to cover Ojo Alamo). WOC 12 hrs. Run temp. survey after 8 hrs. Test csg. to 600 PSI.
- C. Production Liner 4 1/2" - Use 210 sks. Cl. "B" w/4% gel & 1/4 cu. ft. of fine Gilsonite/sk. Precede cmt. w/20 bbls. water mixed w/3 sks. gel (70% excess to circ. liner). Set liner pack off & reverse out excess cmt. Run 6 1/4" bit to top of liner & pressure test (test 12 hrs. after plug is down) Lay down DP & run 3 7/8" bit on & 2 3/8" EUE tubing to clean out liner. Perforate 18 hrs. after plug is down.

DHM

DHM/ks



REHABILITATION AGREEMENT

Lease No.: SF078035 ; Well Name and No.: San Juan 29-5 Unit #21A ;
Location: SW 1/4 SE 1/4 Sec. 8, T. 29 N., R. 5 W.

Northwest Pipeline Corporation Oil Company intends to drill a well on surface owned by Gomez Brothers. The lessee/operator agrees to complete the following rehabilitation work if the well is a producer:

☒ Yes ☐ No Maintain access road and provide adequate drainage to road.

☒ Yes ☐ No Reshape and reseed any area in excess of the pump and support facilities.

Other requirements: _____

The following work will be completed when the well is abandoned:

☒ Yes ☐ No Site will require reshaping to conform to existing topography.

☒ Yes ☐ No Pit will be fenced until dry, then filled to conform to topography.

☒ Yes ☐ No Entire disturbed area will be reseeded. If yes, the following seed mixture will be used:

Mixture #1

☒ Yes ☐ No Access road will be rehabilitated and reseeded using the same seed mixture as above.

☐ Yes ☐ No Access road will remain for landowner's use.

Other requirements: _____

Landowner

Name: Gomez Brothers
Address: _____
City: Lumberton
State: New Mexico
Telephone: _____
Date: 3-4-77

Operator/Lessee

Name: Northwest Pipeline Corporation
Address: P.O. Box 90
City: Farmington
State: New Mexico
Telephone: 327-5351
Date: 3-4-77



☒ Yes ☐ No I certify rehabilitation has been discussed with the surface owner. [Signature]

This agreement covers rehabilitation requirements only and does not affect any other agreements between the lessee/operator and surface owner.


NORTHWEST PIPELINE CORPORATION

LOCATION LAYOUT

300' 170' 180' 130' 130'



DATE: 3-4
SCALE: 1 CM =



Vicinity Map for
NORTHWEST PIPELINE CORPORATION
#21A San Juan 29-5 Unit
800' FSL 1160' FSL Sec 8-29N-5W
Rio Arriba County, New Mexico