

NEW MEXICO ENERGY, MINERALS & NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION 2049 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131

ADMINISTRATIVE ORDER DHC-2132

Phillips Petroleum Company 5525 Highway 64 Farmington, New Mexico 87401

Attention: Mr. Mark W. Stodola

San Juan 29-5 Unit No. 32M

API No. 30-039-25817

Unit D, Section 29, Township 29 North, Range 5 West, NMPM, Rio Arriba County, New Mexico

Blanco-Mesaverde (Prorated Gas - 72319) and

Basin-Dakota (Prorated Gas - 71599) Pools

Dear Mr. Stodola:

Reference is made to your recent application for an exception to Rule 303.A. of the Division Rules and Regulations to permit the above described well to commingle production from the subject pools in the wellbore.

It appearing that the subject well qualifies for approval for such exception pursuant to the provisions of Rule 303.C., and that reservoir damage or waste will not result from such downhole commingling, and correlative rights will not be violated thereby, you are hereby authorized to commingle the production as described above and any Division Order which authorized the dual completion and required separation of the zones is hereby placed in abeyance.

The maximum amount of gas which may be produced daily from the well shall be determined by Division Rules and Regulations or by the gas allowable for each respective prorated pool as printed in the Division's San Juan Basin Gas Proration Schedule.

The applicant shall consult with the supervisor of the Aztec District Office of the Division upon completion and testing of the well in order to establish a fixed allocation of production from each of the commingled zones. Upon approval by the Division's District Office, the applicant shall submit the allocation formula to the Santa Fe Office of the Division.

REMARKS: The operator shall notify the Aztec District Office of the Division upon implementation of the commingling process.

Pursuant to Rule 303.H., the commingling authority granted herein may be rescinded by the Division Director if conservation is not being best served by such commingling.

Approved at Santa Fe, New Mexico on this 25th day of November, 1998.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

LORI WROTENBERY

Director

SEAL

LW/DRC

cc: Oil Conservation Division - Aztec

Bureau of Land Management-Farmington

DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

1000 Rio Brazos Rd. Aztec, NM 87410-1693

DISTRICT III

OL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Form C-107-A New 3-12-96

APPROVAL PROCESS:

X Administrative __Hearing EXISTING WELLBORE

APPLICATION FOR DOWNHOLE COMMINGLING

___ YES X_ NO 5525 Hwy. 64, Farmington, N.M. 87401 Operator Phillips Petroleum Co.

San Juan 29-5	32M D Se Well No. Unit Ltr.	C. 29, T29N, R5W	Rio Arriba
GRID NO. <u>017654</u> Property Code	009256 API NO. 30-	Spacing U 039-25817 Federal 2	init Lease Types: (check 1 or more) . State, (end/or) Fee
The following facts are submitted in support of downhole commingling:	Upper Zona	Intermediate Zone	Lower Zone
Pool Name and Pool Code	Blanco Mesa Verde 72319		Basin Dakota 71599
2. Top and Bottom of Pay Section (Perforations)			
3. Type of production (Oil or Gas)	Gas	PEGEINE	Gas
4. Method of Production (Flowing or Artificial Lift)	Flowing	NOV - 2 1998	Flowing
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current	a. (Current) 800 psia (est.)	DIST. 3	a. 1050 psia (est.)
Gas & Oil - Flowing: Measured Current Measured Current All Gas Zones: Estimated Or Measured Original	b. (Original) 1234 psia(est.)	b	b. 2981 psia(est.)
6. Oil Gravity (*API) or Gas BTU Content	1150 BTU/SCF		1020 BTU/SCF
7. Producing or Shut-In?			
Production Marginal? (yes or no)	Yes		Yes
If Shut-In, give date and oil/gas/ water rates of last production Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.	Date: Rates:	Date: Rales:	Date: Rates:
 If Producing, give date andoil/gas/ water rates of recent test (within 60 days) 	Date: Rates:	Date: Rates:	Date: Rates:
Fixed Percentage Allocation Formula - % for each zone	Oil: Gus: %	Oil: Gas: %	Oil: Gas: %
10. Are all working, overriding, at If not, have all working, over Have all offset operators been 11. Will cross-flow occur? X flowed production be recover. 12. Are all produced fluids from at 13. Will the value of production be 14. If this well is on, or community United States Bureau of Lance 15. NMOCD Reference Cases for 16. ATTACHMENTS: C-102 for each zo Production curve for zones with no Data to support all Notification list of Notification list of	nd royalty interests identical in riding, and royalty interests been given written notice of the proves. Yes No If yes, are fluids and will the allocation formulated and will the allocation formulated with, state or federal land Management has been notified. Rule 303(D) Exceptions: The to be commingled showing or each zone for at least one year ocation method or formulated and offset operators.	all commingled zones? en notified by certified mail? posed downhole commingling? compatible, will the formations tula be reliableX Yes le with each other?X Yes X No (If Yeach, either the Commissioner of the control of this application.	Yes X No X Yes No No No Will any cross- No (If No, attach explanation) Yes No (see attachmores, attach explanation) Public Lands or the XYes No 770 Addication. Regional Section (see attachmores) Regional Section (see attachmores)
I hereby certify that the information \mathcal{M}	ion above is true and complete	to the best of my knowledge	and belief.
SIGNATURE Mark	Modola	TITLE Reservoir Eng	r. DATE 10/29/98
TYPE OR PRINT NAMEMark	Stodola	TELEPHONE NO. (<u>505</u>) <u>599</u> –3455

District II #11 South First, Artesia, NM 88210 District III 1000 Rio Benzin Rd., Adec, NM 87410 District IV

5280

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fc, NM 87505-

Instructions on bac Submit to Appropriate District Offic State Lease - 4 Copic Fee Lease - 3 Copie

MENDED REPOR

2040 South Pacheco, Santa Fe, NM 87505 WELL LOCATION AND ACREAGE DEDICATION PLAT 1 Pool Name Pool Code 'All Number 30-045-25817 72319 Blanco Mesaverçe SAN JUAN 29-5 UNIT · Well Number 1 Projectly Cinic 009256 32M 1 Elevation ⁴ Operator Name оскій к_е. 017654 6730 PHILLIPS PETROLEUM COMPANY 10 Surface Location North/South line East/West line County Feet from the Feet from the Lot Idn Township Range Section Ul. or lot no. 790 WEST RIO ARRIBA NORTH 820 5W 29 29N D Different From Surface 11 Bottom Hole Location If Lot Idn North/South Line Feet from the East/West line County Feet from the Range UL or lot no. D " Consolidation Code " Order No. " Joint or Infill 11 Dedicated Acres 320 W/2 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION ¹⁷ OPERATOR CERTIFICATION 5287.921 16 I hereby certify that the information contained herein is 820 true and complete to the best of my knowledge and belief 790 SF-078282 Signature Richard Allred Printed Name Drilling Superintendent N. DIV. 9-30-98 Date Sec 29 5280 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 11/12/97 Date of Survey Signature and Scal of Professional Surveyer: 5293.20**'**

District II 811 South First, Artesia, NM 88210 District III 1000 Rio Benzus Rd., Aztec, NM 87410

2040 South Pacheco, Santa Fe, NM 87505

District IV

OIL CONSERVATION DIVISION, 2040 South Pacheco Santa Fe, NM 87505

Instructions on bac Submit to Appropriate District Offic State Lease - 4 Copic Fee Lease - 3 Copic

☐ AMENDED REPOR

CONTROL ELL.

		W	ELL L	OCATIO	N AND AC	REAGE DED			
	11 Numb 39-258			11001 Co. 71599	de	Basin Dakota			
11roperty 0092			•	s	Propert AN JUAN 29	operty Name 'Well Number 1 29-5 UNIT 32M			
'OCRID 0176		1	,	PHILL	•	roleum Company 'Elevation 6730'			
L.,		*			10 Surface	Location			
UI, or lot no.	Section 29	Township 29N	Runge SW	Lot Idn	Feet from the 820	North/South line NORTH	Feet from the	East/Wot line WEST	RIO ARRIBA
	<u>-</u>		11 Bo	ttom Hole	e Location I	f Different Fro	om Surface	,	
UI, or lot no.	Section	Township	Hange	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acre 320 W/2	1	ու քոլոլ (, c	onsolidatio	n Code " O	rder No.				
O ALLOWA	BLE WIL					UNTIL ALL INT			SOLIDATED OR A

¹⁷ OPERATOR CERTIFICATION 5287.921 I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief 790 SF-078282 Richard Allred OIL CON. DIV. Printed Name Drilling Superintendent Title 9-30-98 Date Sec 29 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 11/12/97 Date of Survey Signature and Scal of Professional Surveyer:

October 30, 1998

New Mexico Oil & Gas Conservation Div. 2040 South Pacheco Santa Fe, New Mexico 87505-6429

Downhole Commingling Allocation Method for the San Juan 29-5 Unit # 32M

Dear Sirs:

Phillips is proposing to utilize the ratio method on the subject well. In accordance with the Commingling Order #R-10770, the Dakota will be tested by itself until a stabilized rate is obtained. The Mesaverde will then be completed. Both zones will be tested together, at which time a suitable allocation will be determined.

Attached are the Dakota and Mesaverde Decline Curve Forecast and Normalized History with Type Curve for the San Juan 29-5 Unit.

Sincerely,

PHILLIPS PETROLEUM COMPANY

Mark W. Stodola

Mark W. Stodola Reservoir Engineer

MS/pc

cc: OCD - Aztec

BLM - Farmington

NM Commissioner of Public Lands - Santa Fe

Attachment


OCD Form C-107A (3/12/96)

Item No. 12 - additional explanation:

Based on water analysis from the Mesaverde and Dakota zones and discussions with the chemical treating/analysis company the water from these two zones are compatible. Lab analysis of the individual waters from both the Mesaverde and Dakota formations resulted in positive scaling indices for barium sulfate. There was a slight increase in the barium sulfate scaling index of the combined waters relative to the scaling index of the individual waters.

None of the waters, combined or individual, had meaningful scaling tendencies and combined with the fact that typical water production from either of these zones in San Juan 30-5 are 0-1 BWPD and no barium sulfate scale has been detected to date, no negative impacts to the formations are anticipated.


- b) the average current shut-in bottomhole pressure within the Mesaverde and Dakota formations are approximately 843 psi and 1,224 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 29-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 29-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) in those instances where a newly completed zone is commingled with an existing producing interval with an established decline, the subtraction method will be utilized for a period of +/- 12 months. Subsequent to this time, and assuming that the production rate has stabilized, a fixed allocation will be determined and utilized; and,
 - b) in those instances where a well is newly drilled, the lower zone will be production tested for a period of two to four weeks or until a stabilized rate is obtained. Subsequent to that time, a stabilized rate from both commingled zones within the well will be obtained. A fixed allocation of production will then be determined utilizing the data obtained from the flow tests.
- (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.
- (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 29-5 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given wellbore in the San Juan 29-5 Unit is generally not common;
 - pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 29-5 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;
 - c) providing notice to each interest owner within the San Juan 29-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;



Decline Curve Forecast

Initial Production Rate	=	300 MCFD
Hyperbolic Exponent	=	0.33
Decline Rate	=	6.75 %

Year	Year #	Initial q	Final q	Average q	Cum.	Yearly
		MCFD	MCFD	MCFD	MCF	MCF
1999	1	300	281	290	105,912	105,912
2000	2	281	263	272	205,055	99,143
2001	3	263	247	255	297,993	92,938
2002	4	247	232	239	385,232	87,239
2003	5	232	218	225	467,227	81,995
2004	6	218	205	211	544,390	77,163
2005	7	205	193	199	617,091	72,702
2006	8	193	183	188	685,668	68,577
2007	9	183	172	177	750,426	64,758
2008	10	172	163	168	811,643	61,217
2009	11	163	154	159	869,572	57,929
2010	12	154	146	150	924,443	54,871
2011	13	146	139	143	976,468	52,025
2012	14	139	132	135	1,025,839	49,371
2013	15	132	125	129	1,072,734	46,895
2014	16	125	119	122	1,117,315	44,581
2015	17	119	113	116	1,159,732	42,417
2016	18	113	108	111	1,200,122	40,390
2017	19	108	103	105	1,238,611	38,490
2018	20	103	98	101	1,275,318	36,707
2019	21	98	94	96	1,310,349	35,032
2020	22	94	90	92	1,343,806	33,457
2021	23	90	86	88	1,375,781	31,975
2022	24	86	82	84	1,406,361	30,579
2023	25	82	78	80	1,435,624	29,263
2024	26	78	75	77	1,463,645	28,021
2025	27	75	72	74	1,490,494	26,849
2026	28	72	69	71	1,516,235	25,741
2027	29	69	66	68	1,540,927	24,692
2028	30	66	64	65	1,564,627	23,700
2029	31	64	61	62	1,587,387	22,760
2030	32	61	59	60	1,609,257	21,869
2031	33	59	56	58	1,630,281	21,024
2032	34	56	54	55	1,650,503	20,222
2033	35	54	52	53	1,669,963	19,460
2034	36	52	50	51	1,688,698	18,736
2035	37	50	49	49	1,706,745	18,047
2036	38	49	47	48	1,724,136	17,391



Decline Curve Forecasting

Initial Production Rate	=	325 MCFD
Hyperbolic Exponent	=	0.33
Decline Rate	=	7.50 %

1	Yearly	Cum.	Average q	Final q	Initial q	Year #	Year
l	MCF	MCF	MCFD	MCFD	MCFD		
1	114,320	114,320	313	302	325	1	1999
1	106,250	220,570	291	281	302	2	2000
1	98,920	319,490	271	262	281	3	2001
1	92,248	411,739	253	244	262	4	2002
1	86,162	497,900	236	228	244	5	2003
1	80,598	578,498	221	214	228	6	2004
1	75,502	654,000	207	200	214	7	2005
1	70,826	724,826	194	188	200	8	2006
1	66,527	791,352	182	177	188	9	2007
1	62,568	853,920	171	166	177	10	2008
1	58,917	912,837	161	157	166	11	2009
1	55,543	968,381	152	148	157	12	2010
1	52,422	1,020,803	144	140	148	13	2011
1	49,530	1,070,333	136	132	140	14	2012
1	46,846	1,117,179	128	125	132	15	2013
1	44,353	1,161,532	122	118	125	16	2014
1	42,032	1,203,564	115	112	118	17	2015
1	39,871	1,243,435	109	106	112	18	2016
1	37,855	1,281,289	104	101	106	19	2017
1	35,972	1,317,261	99	96	101	20	2018
1	34,211	1,351,472	94	91	96	21	2019
İ	32,564	1,384,036	89	87	91	22	2020
1	31,020	1,415,057	85	83	87	23	2021
1	29,572	1,444,629	81	79	83	24	2022
1	28,213	1,472,842	77	76	79	25	2023
1	26,936	1,499,778	74	72	76	26	2024
	25,734	1,525,511	71	69	72	27	2025
	24,603	1,550,114	67	66	69	28	2026
E.L	23,536	1,573,650	64	63	66	29	2027
	22,531	1,596,181	62	60	63	30	2028
	21,581	1,617,762	59	58	60	31	2029
	20,685	1,638,447	57	55	58	32	2030
	19,837	1,658,284	54	53	55	33	2031
	19,034	1,677,318	52	51	53	34	2032
]	18,275	1,695,593	50	49	51	35	2033
]	17,555	1,713,148	48	47	49	36	2034
]	16,872	1,730,020	46	45	47	37	2035
]	16,224	1,746,244	44	44	45	38	2036