**DISTRICT I** 

P.O. Box 1980, Hobbs, NM 88241-1980

State of New Mexico Energy, Minerals and Natural Resources Department OIL CONSERVATION DIVISION

Form C-107-A New 3-12-96

DISTRICT II

SIGNATURE

TYPE OR PRINT NAME \_\_Mark Stodola

\$11 South First St., Artesia, NM 88210-2835

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

APPROVAL PROCESS:

X Administrative \_\_Hearing

EXISTING WELLBORE

DISTRICT III 1000 Rio Brazos Rd, Aztec, NM 87410-1693

APPLICATION FOR DOWNHOLE COMMINGLING \_\_\_ YES <u>X</u> NO 5525 Hwy. 64 Phillips Petroleum Company Farmington, N.M. 87401 Operato Address San Juan 29-5 64M E Sec. 21, T29N, R5W Rio Arriba Unit Ltr. - Sec - Twp - Rge Spacing Unit Lease Types: {check 1 or more} \_ API NO. 30-039-25834 OGRID NO. 017654 Property Code 009256 Federal \_ , State \_ The following facts are submitted in support of downhole commingling: Upper Intermediate Zone Lower Pool Name and Pool Code Blanco Mesa Verde Basin Dakota 72319 71599 2. Top and Bottom of Pay Section (Perforations) 3. Type of production (Oil or Gas) Gas لاز Gas 4. Method of Production (Flowing or Artificial Lift) Flowing Flowing (e)[][] 5. Bottomhole Pressure (Current) DIGIT 3 Oil Zones - Artificial Lift: Estimated Current 800 psia(est.) 1050 psia(est.) Gas & Oil - Flowing: Measured Current b. (Original) All Gas Zones:
Estimated Or Measured Original 1234 psia(est.) 2981 psia(est.) 6. Oil Gravity (\*API) of Gas BTU Content 1020 BTU/SCF 1150 BTU/SCF 7. Producing or Shut-In? Production Marginal? (yes or no) Yes If Shut-In, give date and oil/gas/ water rates of last production Date: Date Rates: Rates Rates Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data If Producing, give date andoil/gas/ water rates of recent test (within 60 days) Date: Date: Date: Rates Rates Rates: 8. Fixed Percentage Allocation Formula -% for each zone Gas Oil: Oil: % % % If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data. 10. Are all working, overriding, and royalty interests identical in all commingled zones? If not, have all working, overriding, and royalty interests been notified by certified mail? Have all offset operators been given written notice of the proposed downhole commingling?  $\begin{array}{c|c} \underline{X} \text{ Yes } \underline{X} \text{ No} \\ \underline{X} \text{ Yes } \underline{-} \text{ No} \end{array}$ Will cross-flow occur?  $\underline{x}$  Yes  $\underline{\hspace{0.5cm}}$  No  $\hspace{0.5cm}$  If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable.  $\hspace{0.5cm}\underline{X}$  Yes  $\underline{\hspace{0.5cm}}$  No (If No, attach explanation) 11. Will cross-flow occur? 12. Are all produced fluids from all commingled zones compatible with each other? \_X Yes \_\_ No (see attachment) 13. Will the value of production be decreased by commingling? (If Yes, attach explanation) \_Yes <u>X</u> No 14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. X Yes No 15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). 16. ATTACHMENTS:

\* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.

\* Production curve for each zone for at least one year. (If not available, attach explanation.)

\* For zones with no production history, estimated production rates and supporting data.

\* Data to support allocation method or formula.

\* Notification list of all offset operators.

\* Notification list of working, overriding, and royalty interests for uncommon interest cases.

\* Any additional statements, data, or documents required to support commingling. R-10770 I hereby certify that the information above is true and complete to the best of my knowledge and belief.

TITLE Reservoir Engr. DATE \_\_10/29/98

TELEPHONE NO. ( 505 ) 599-3455

[4] Hox 1980, Holdie, NAI 88241-1700 District II KII South First, Artesia, NM 88210 District III 1000 Rio Benzin Rd., Aztec, NM 87410

#### OIL CONSERVATION DIVISION 2040 South Pacheco (CE) Santa Fc, NM 87505

ALU CLIQUES 10, 1774 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies

Fee Lease - 3 Copies

AMENDED REPORT

District IV 2040 South Pachoco, Santa Fc, NM 87505 5380209 77 3:15 WELL LOCATION AND ACREAGE DEDICATION PLAT 1 Poul Cude 1.1.1. C. Pool Name 72319 <u>Blanco Mesaverde</u> 'Property Name
SAN JUAN 29-5 UNIT 4 Property Code Well Number 009256 64M Operator Name
PHILLIPS PETROLEUM COMPANY OCKID No. 'Elevation 017654 10 Surface Location (1), or lot no. Section Township Range Lot Ida Feet from the North/South line Feet from the East/West line County 29N 1850 NORTH 7901 E 21 5W WEST TO ARRIBA 11 Bottom Hole Location If Different From Surface UI, or lot no. Section Township Lot Ida Feet from the Range North/South line Feet from the East/West line County E 11 Dedicated Acres " Joint or Infill 14 Consolidation Code " Order No. 320 W/2 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 5286 60 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief 1850 Richard Allred NM-03188 Printed Name 790 Drilling Superintendent OIL CON. DIV. DIM 3 9-25-98 Date \$ec 21 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 11-10-97 Date of Survey Signature and Scal of Professional Surveyor: 5281.32'

Revised October 18, 1994 Instructions on back

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION AND 2040 South Pacheco Santa Fe, NM 87505

AMENDED REPORT

District IV 93 SEP 30 TH 3: 15 2040 South Pacheco, Santa Fe, NM 87505 WELL LOCATION AND ACREAGE DEDICATION PLAT Pool Code 'All Number 71599 Basin Dakota SAN JUAN 29-5 UNIT 1 Property Code Well Number 009256 64M OGRID No. Elevation 6619 PHILLIPS PETROLEUM COMPANY 017654 <sup>10</sup> Surface Location Ul, or lot no. Section Township Range Lot Ida Feet from the North/South line Feet from the East/West line County 21 29N 1850' NORTH 7901 E 5W WEST RIO ARRIBA 11 Bottom Hole Location If Different From Surface Lot Ida Feet from the Township Ul, or lot no. Section Range North/South line Feet from the East/West line County E 13 Dedicated Acres " Joint or Infill 14 Consolidation Code | 15 Order No. 320 W/2NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 5286 60' 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief 1850 NM-03188 Richard Allred Printed Name OIL COM. DIV. 790 Drilling Superintendent 9-25-98 Date \$ec 21 5280 18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 11-10-97 Date of Survey Signature and Scal of Professional Surveyor: 5281.32

October 30, 1998

New Mexico Oil & Gas Conservation Div. 2040 South Pacheco Santa Fe, New Mexico 87505-6429

Downhole Commingling Allocation Method for the San Juan 29-5 Unit # 64M

Dear Sirs:

Phillips is proposing to utilize the ratio method on the subject well. In accordance with the Commingling Order #R-10770, the Dakota will be tested by itself until a stabilized rate is obtained. The Mesaverde will then be completed. Both zones will be tested together, at which time a suitable allocation will be determined.

Attached are the Dakota and Mesaverde Decline Curve Forecast and Normalized History with Type Curve for the San Juan 29-5 Unit.

Sincerely,

Mark W. Stodola

Mark W. Stodola Reservoir Engineer

MS/pc

cc: OCD - Aztec

BLM - Farmington

NM Commissioner of Public Lands - Santa Fe

#### Attachment


### OCD Form C-107A (3/12/96)

## Item No. 12 - additional explanation:

Based on water analysis from the Mesaverde and Dakota zones and discussions with the chemical treating/analysis company the water from these two zones are compatible. Lab analysis of the individual waters from both the Mesaverde and Dakota formations resulted in positive scaling indices for barium sulfate. There was a slight increase in the barium sulfate scaling index of the combined waters relative to the scaling index of the individual waters.

None of the waters, combined or individual, had meaningful scaling tendencies and combined with the fact that typical water production from either of these zones in San Juan 30-5 are 0-1 BWPD and no barium sulfate scale has been detected to date, no negative impacts to the formations are anticipated.


- b) the average current shut-in bottomhole pressure within the Mesaverde and Dakota formations are approximately 843 psi and 1,224 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 29-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 29-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - a) in those instances where a newly completed zone is commingled with an existing producing interval with an established decline, the subtraction method will be utilized for a period of +/- 12 months. Subsequent to this time, and assuming that the production rate has stabilized, a fixed allocation will be determined and utilized; and,
  - b) in those instances where a well is newly drilled, the lower zone will be production tested for a period of two to four weeks or until a stabilized rate is obtained. Subsequent to that time, a stabilized rate from both commingled zones within the well will be obtained. A fixed allocation of production will then be determined utilizing the data obtained from the flow tests.
- (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.
- (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 29-5 Unit the applicant presented evidence and testimony which indicates that:
  - a) the interest ownership between two zones within a given wellbore in the San Juan 29-5 Unit is generally not common;
  - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 29-5 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;
  - c) providing notice to each interest owner within the San Juan 29-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;



# **Decline Curve Forecasting**

Initial Production Rate	=	325 MCFD
Hyperbolic Exponent	=	0.33
Decline Rate	=	7.50 %

_				···			
1	Yearly	Cum.	Average q	Final q	Initial q	Year #	Year
1	MCF	MCF	MCFD	MCFD	MCFD		
1	114,320	114,320	313	302	325	1	1999
1	106,250	220,570	291	281	302	2	2000
1	98,920	319,490	271	262	281	3	2001
1	92,248	411,739	253	244	262	4	2002
1	86,162	497,900	236	228	244	5	2003
1	80,598	578,498	221	214	228	6	2004
1	75,502	654,000	207	200	214	7	2005
1	70,826	724,826	194	188	200	8	2006
1	66,527	791,352	182	177	188	9	2007
1	62,568	853,920	171	166	177	10	2008
1	58,917	912,837	161	157	166	11	2009
1	55,543	968,381	152	148	157	12	2010
1	52,422	1,020,803	144	140	148	13	2011
1	49,530	1,070,333	136	132	140	14	2012
1	46,846	1,117,179	128	125	132	15	2013
1	44,353	1,161,532	122	118	125	16	2014
1	42,032	1,203,564	115	112	118	17	2015
1	39,871	1,243,435	109	106	112	18	2016
1	37,855	1,281,289	104	101	106	19	2017
1	35,972	1,317,261	99	96	101	20	2018
1	34,211	1,351,472	94	91	96	21	2019
1	32,564	1,384,036	89	87	91	22	2020
1	31,020	1,415,057	85	83	87	23	2021
1	29,572	1,444,629	81	79	83	24	2022
1	28,213	1,472,842	77	76	79	25	2023
1	26,936	1,499,778	74	72	76	26	2024
1	25,734	1,525,511	71	69	72	27	2025
1	24,603	1,550,114	67	66	69	28	2026
E.I	23,536	1,573,650	64	63	66	29	2027
1	22,531	1,596,181	62	60	63	30	2028
1	21,581	1,617,762	59	58	60	31	2029
1	20,685	1,638,447	57	55	58	32	2030
1	19,837	1,658,284	54	53	55	33	2031
	19,034	1,677,318	52	51	53	34	2032
	18,275	1,695,593	50	49	51	35	2033
	17,555	1,713,148	48	47	49	36	2034
	16,872	1,730,020	46	45	47	37	2035
1	16,224	1,746,244	44	44	45	38	2036



### **Decline Curve Forecast**

Initial Production Rate	=	300 MCFD
Hyperbolic Exponent	=	0.33
Decline Rate	=	6.75 %

Year	Year #	Initial q	Final q	Average q	Cum.	Yearly
j		MCFD	MCFD	MCFD	MCF	MCF
1999	1	300	281	290	105,912	105,912
2000	2	281	263	272	205,055	99,143
2001	3	263	247	255	297,993	92,938
2002	4	247	232	239	385,232	87,239
2003	5	232	218	225	467,227	81,995
2004	6	218	205	211	544,390	77,163
2005	7	205	193	199	617,091	72,702
2006	8	193	183	188	685,668	68,577
2007	9	183	172	177	750,426	64,758
2008	10	172	163	168	811,643	61,217
2009	11	163	154	159	869,572	57,929
2010	12	154	146	150	924,443	54,871
2011	13	146	139	143	976,468	52,025
2012	14	139	132	135	1,025,839	49,371
2013	15	132	125	129	1,072,734	46,895
2014	16	125	119	122	1,117,315	44,581
2015	17	119	113	116	1,159,732	42,417
2016	18	113	108	111	1,200,122	40,390
2017	19	108	103	105	1,238,611	38,490
2018	20	103	98	101	1,275,318	36,707
2019	21	98	94	96	1,310,349	35,032
2020	22	94	90	92	1,343,806	33,457
2021	23	90	86	88	1,375,781	31,975
2022	24	86	82	84	1,406,361	30,579
2023	25	82	78	80	1,435,624	29,263
2024	26	78	75	77	1,463,645	28,021
2025	27	75	72	74	1,490,494	26,849
2026	28	72	69	71	1,516,235	25,741
2027	29	69	66	68	1,540,927	24,692
2028	30	66	64	65	1,564,627	23,700
2029	31	64	61	62	1,587,387	22,760
2030	32	61	59	60	1,609,257	21,869
2031	33	59	56	58	1,630,281	21,024
2032	34	56	54	55	1,650,503	20,222
2033	35	54	52	53	1,669,963	19,460
2034	36	52	50	51	1,688,698	18,736
2035	37	50	49	49	1,706,745	18,047
2036	38	49	47	48	1,724,136	17,391