Then for for 1/8/1

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land the Oil and Gas Lease is No. B-10037-bh If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary tools to see the following strings of Casing and to complete this well in the pay with gas circulation. The status of plugging bond is. The status of plugging bond	
NTA FE, NEW MEXICO nthemen: You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as El Pago Baturel Cas Company Company or Operator) Son Juan 29-7 Unit (Lease) (Company or Operator) Ated. 990 feet from the South Line of Section. Section. 32 , T. 291 , N. NMPM NO P Line of Section. Balanco Pool, Balanco	
You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as ### PASO Setural Gas Company Company or Operator) Company or Operator) South Casses	
You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as Reso Statutal Cas Company	
Sen Juan 29-7 Unit (Company or Operator) (Company or Operator) (Lease)	
San Juan 29-7 Unit (Lease) (L	
West line of Section. 32 T 29 R R TW NMPM NMPM NMPM NMPM NMPM NMPM NMPM NMP	The well i
Note State	
If State Land the Oil and Gas Lease is No. B-10037-44 If patented land the owner is. Address We propose to drill well with drilling equipment as follows: Rotary tools to the pay with gas circulation. The status of plugging bond is. It is intended The status of plugging bond is. The status of plugging bond is. Drilling Contractor Great Western Drilling Contractor Great Western We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. We B 3/42-11, 8/2 W B-10037-41, HE WW B-10037-42, S/2 SW B-10037-44, HE SW B-1003	eet from th
If State Land the Oil and Gas Lease is No. B-10037-44 If patented land the owner is	
If patented land the owner is	Count
Address E F G H L K J I Drilling Contractor Great Western Drilling Contractor CASING PROGRAM We propose to use the following strings of Casing and to cement therm as indicated: Size of Hole Size of Casing Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The status of plugging bond is. Statewide The status of plugging bond is. Statewide CASING PROGRAM We propose to use the following strings of Casing and to cement therm as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 170 8 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. No By B-3642-11, 8/2 N B-10037-41, NE N B-10037-42, 8/2 SW B-10037-44, NE S	
We propose to drill well with drilling equipment as follows: Rotary tools Ro	
The status of plugging bond is. The status of plugging both is.	hrough
The status of plugging bond is Statewise L K J I Drilling Contractor Great Western We intend to complete this well in the S700 Or CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 Hew 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended fracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. We MY B SW E-3642-11, S/2 EN B-10037-41, HE WW B-10037-42, S/2 SW B-10037-44, HE SW B-	······································
Drilling Contractor Drilling Contractor We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Tracture the entire Ness Verde formation. The W/2 of Section 32 is dedicated to this well. We will be section 32 is dedicated to this well. We see the section 32 is dedicated to this well.	Manageria (St. Lan
We intend to complete this well in the Source Verde formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 Hew 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended cracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. We intend to complete this well in the Mesa Verde CASING PROGRAM New or Second Hand Depth Sack 170 170 170 181 182 M B-10037-42, 8/2 SW B-10037-44, NE SW B-100	
We intend to complete this well in the Source Verde formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 Hew 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended cracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. We intend to complete this well in the Mesa Verde CASING PROGRAM New or Second Hand Depth Sack 170 170 170 181 182 M B-10037-42, 8/2 SW B-10037-44, NE SW B-100	·····
We intend to complete this well in the S700 Elev. 6767'G 6777'DF CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Tracture the entire Mess Verde formation. We we intend to complete this well in the Messa Verde Tracture the entire Messa Verde formation. We we intend to complete this well in the Messa Verde The W/2 of Section 32 is dedicated to this well. We intend to complete this well in the Messa Verde To a single verde We intend to complete this well in the Messa Verde To a single verde The W/2 of Section 32 is dedicated to this well. We intend to complete this well in the Messa Verde To a single verd	<i>`∫(2)</i>
Flev. 6767'G 6777'DF formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. We will be section 32 is dedicated to this well. We will be section 32 is dedicated to this well.	<u> </u>
Flev. 6767'G 6777'DF formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. We will be section 32 is dedicated to this well. We will be section 32 is dedicated to this well.	35 3
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended reacture the entire Mass Verde formation. The W/2 of Section 32 is dedicated to this well. W RW B W SW E-3642-11, 8/2 RW B-10037-41, RE RW B-10037-42, 8/2 SW B-10037-44, RE SW B	C. See
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 170 8 3/4 9 5/8 25.4 Hew 170 8 3/4 7 20 Hew 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. Weight per Foot New or Second Hand Depth Sack 170 170 180 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. Weight per Foot New or Second Hand Depth Sack 170 5025 If is intended The W/2 of Section 32 is dedicated to this well.	The state of the s
12 3/4 9 5/8 25.4 New 170 8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. W MW B W SW B-3642-11, S/2 NW B-10037-41, NE NW B-10037-42, S/2 SW B-10037-44, NE SW B	s Cement
8 3/4 7 20 New 5025 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The W/2 of Section 32 is dedicated to this well. Which is a section 32 is dedicated to this well. Which is a section 32 is dedicated to this well.	125
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The w/2 of Section 32 is dedicated to this well. Which is a section 32 is dedicated to this well. Which is a section 32 is dedicated to this well.	500
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended tracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. W SW E-3642-11, 8/2 NW B-10037-41, NE NW B-10037-42, 8/2 SW B-10037-44, NE SW B	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended fracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. WW MW B WW B-10037-41, ME MW B-10037-42, S/2 SW B-10037-44, ME SW B	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) It is intended tracture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. W SW E-3642-11, 8/2 NW B-10037-41, NE NW B-10037-42, 8/2 SW B-10037-44, NE SW B	
racture the entire Mesa Verde formation. The W/2 of Section 32 is dedicated to this well. NW NW B NW B-3642-11, 8/2 NW B-10037-41, NE NW B-10037-42, 8/2 SW B-10037-44, NE SW B	to sand-
the W/2 of Section 32 is dedicated to this well. NW NW B NW B-3642-11, 8/2 NW B-10037-41, NE NW B-10037-42, 8/2 SW B-10037-44, NE SW B	
M SW E-3642-11, 8/2 EW B-10037-41, ME HW B-10037-42, 8/2 SW B-10037-44, ME SW B	
N SN E-3642-11, 8/2 MN B-10037-41, NE NN B-10037-42, 8/2 SN B-10037-44, RE SN B	-10037-4
	-10037-4
(C) = 2 (a 10 (C) Sincercly yours,	
oproved	mpany
(Company or Operator)	
By	
Position	
Send Communications regarding well to E. J. Coel	
Couling C Assorbif Name Box 997, Farmington, 1	lev Nex1
/ Addicas	
itle Oil and Gas Inspector Dist. #3.	

COMPANY Well Name & No Location 990 Being in TI	o. S	FROM '	IN 29-7	'UNIT	NO. 32				o. B-10037-lili	
Sec. <u>32</u> , T 29					ARRIBA	COUNTY,	NEW	MEX ICO		
Ground Elevatio	on	6767ª	9							
		 		-	1		· 1			
		! !		1	} 				•	
				SECTI	N 32					
		<u> </u>		 			- + 		N OF THE	
	890	,066			1		- +		OCT SO	;
			Scale ·	1 1 inches	equals 1	mile	· · · · · · · · · · · · · · · · · · ·		OIL C	and the second of the second
Surveyed	tify that ny superv	the abovesion a	ove plat	was prep	oared from	. field notes	s of a	ctual surv		-
Seal:									fessional and Surveyor.	•

Farmington, New Mexico

No Cari	STRICT OFF
No. Copies Rece	eived 7
DIST	RIBUTION
	NO.
Operator	2
Santa Fe	1
Proration Ciffigs	
State Land Office	1
U. S. G. S.	June
Transporter	
File	