5-2000CC 1-S.V. 3-El Paso 1-L.G. Truby 1-File

NEW MEXICO OIL CONSERVATION COMMISSION Sonta Fe, New Mexico

Form C-101 Revised (12/1/55)

Control Cont	PACIFIC ENTENDEST PIPELIES COMPARATION San Juan Unit 29-7 (Lease) (Company or Operator) Seet from the South inc and 990 feet from West "ne of Section 1th , T 29 Horth , R 7 West , NMPM. VE LOCATION FROM SECTION LINE) Blance Masavards Pool, Rio Arriba Couling State Land the Oil and Gas Lease is No. If patented land the owner is Housel Trujilla Address Pool, Rio Arriba Couling Pool, Rio Arriba Couling Pool, Rio Arriba Couling Pool, Rio Arriba Couling Pool of The status of plugging bond is State vide. L K J I Drilling Contractor Sage Prilling Company, Astac, Sev. If state Land the Oil and Gas Lease is No. If patented land the owner is Housel Trujilla Address Policy New propose to drill well with drilling equipment as follows: 0 to 5k20'. Rotary Rig. The status of plugging bond is State vide. L K J I Drilling Contractor Sage Prilling Company, Astac, Sev. ACSING PROGRAM OIL CON: COI CON: COI COINT. 3 Size of Rote Size of Castes Weight per Foot New or Second Hand Dorth Policy Size of Sale Size of Castes Size of Cast	San Juan Unit 29-7 (Lease: Well No. 54-14 in M The well ted 990 feet from the South line and 990 feet from the South To 29 North R 7 No	San Juan Unit 29-7 (Lease: (Company or Operator) (Company or Operator) (Lease: (Company or Operator) (Company	IL CONS	ERVATIC , NEW M			Dec	(Call)	
feet from the South line and 990 feet from the West "ine of Section 14 T 29 North R 7 Nest NMPM. IVE LOCATION FROM SECTION LINE) Blanco Masavarda Pool, Rio Arriba Company Rio Arriba Company Rio Research Research Rio	feet from the South line and South l	feet from the South line and 990 feet from the West Size of Casing and to complete this well in the Mess Terrise Formation at an approximate depth of CASING PROCRAM OF CASING	feet from the South line and 990 feet from the Viae of Section. 14 , T 29 North , R 7 Neat , NMPM. VE LOCATION FROM SECTION LINE) Blance Masswards Pool, Rio Arriba Could If State Land the Oil and Gas Lear is No. If patented land the owner is Homsel Trujille Address Dales, New Mexico We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Astac, Sev. 120'. ADDITIONAL Extra State of Casing and to cement them as indicated: Size of Bale Size of Casing Weight per Feet New of Second Bland Depth Sages 120'. Bey Sages In the above plans become advisable we will notify you immediately. ADDITIONAL ENTORMATION Brill Wester & min med to 3165', Brill Wester from 3165 to 542 Only Sages from 3165 to 542	PACI	FIC BOR	TOTAL PIPERIN	COPPORATION (Company	or Operator)		
Nest	West 'inc of Section 14	Neest Name of Section 14	We propose to use the following strings of Casing and to cement there as indicated: Size of Rade We propose to use the following strings of Casing and to cement there as indicated: Size of Rade Size of Casing Weight per Fore Weight per Fore New Offer Armando 110 Mey Weight per Fore New Offer Armando 110 Mey Weight per Fore Heart Size of Section 14 To 29 North R 7 New 1150 Rev 150 Per 15			(Lease)				•
If State Land the Oil and Gas Lease is No. If patented land the owner is Montel Truitile D C B A Address Dulen, New Nextco We propose to drill well with drilling equipment as follows: 0 to 5k20'. Rotary Rig. The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Astac, New Next Sage Drilling Company, Astac, Next Sage Drilling Comp	The status of plugging bond is.	We propose to drill well with drilling equipment as follows: Delice, Hev Mexico We propose to drill well with drilling equipment as follows: Drilling Contractor Sage Drilling Company, Axtec, Hev Mexico We intend to complete this well in the Hess Verse formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hade Size of Casing Weight per Feet New or Second Hand Depth Saccessian Beyth Saccessian Size of Casing Weight per Feet New or Second Hand Depth Saccessian Beyth Saccessian Size of Casing Size of Casing and to cement them as indicated: Size of Hade Size of Casing Feet Size of Casing Size of Casing and to cement them as indicated: Size of Hade Size of Casing Size of Casing Size of Casing and to cement them as indicated: Size of Hade Size of Casing Size of Casing Size of Casing and to cement them as indicated: Size of Hade Size of Casing Size o	State Land the Oil and Gas Lease is No.							
If State Land the Oil and Gas Lease is No. If patented land the owner is. Hannel Trujillo Address. Dales, New Maxico We propose to drill well with drilling equipment as follows: O to \$420'. Rotary Rig. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status of plugging bond is. State wide. In the status o	If State Land the Oil and Gas Lease is No. If patented land the owner is Monuel Trujillo Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. Rotary Rig. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Astec, Service formation at an approximate depth of Sage Office Consumption of Casing and to cement them as indicated: Size of Bade Size of Casing Weight per Post New or Second Hand Depth Sage Consumption of Casing and to cement them as indicated: 12-1/2 9-5/8 32-30 Nov 200' 150 sx. reg. 8-3/4 30 NOTE WARRESCO 100 New 5420' 150 reg.	If State Land the Oil and Gas Lease is No. If patented land the owner is Hannel Trujillo Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. Rotary Rig. The status of plugging bond is State vide. Drilling Contractor Sego Drilling Company, Astec, Service of Sego Drilling Company, Astec, Service of Sego Drilling Company, Astec, Sego Drilling C	If State Land the Oil and Gas Lease is No. If patented land the owner is Housel Trujillo Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. ROSERY Rig. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Artec, New JEC 7 1956 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New of Second Hand Depth Sacing Rig. 12-1/2 2-5/8 32.30 New 200' 159 sk. reg. 8-3/4 10-170 TOIST 13-11.5 New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INTORMATION Drill Wester & min med to 3165', Drill w/gas from 3165 to 542					•	•	<u> </u>
If patented land the owner is MARKEL Trujillo Address Dalce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. Rotary Rig. The status of plugging bond is State wide. It K J I Drilling Contractor Sage Drilling Company, Astac, New JEC. 7: 195 formation at an approximate depth of 5420' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Company 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 SOC MOTANGESCOO 100 New 3165' 150 84, 50 reg.	D C B A Address Dules, New Mexico We propose to drill well with drilling equipment as follows: O to 5\20'. Rotary Rig. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Astac, New Action of Casing and to complete this well in the State Variation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New or Second Hand Depth Sacration 12-1/2 9-5/8 32-30 New 200' 150 ex. reg. 8-3/4 30 NOTE WARRESTO 100 New 5420' 150 ex. reg. 5420' 150 reg.	D C B A Address Dulce, New Maxico We propose to drill well with drilling equipment as follows: O to 5420'. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Astec, New Mexico We intend to complete this well in the Mess Verse of Casing and to cement them as indicated: Size of Role Size of Casing Weight per Foot New or Second Hand Depth Society 12-1/2 9-5/8 32-30' New 200' 150 sx. reg. 8-3/4 10-1/5/1 150 150 reg. If changes in the above plans, become, advisable we will notify you immediately.	D C B A Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. Rotary Rig. The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Artac, New Mass Variation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Robe State of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 12-1/2 9-5/8 32.30f New 3165' 150 8%, 50 reg. 8-1/4 12-1/2 9-5/8 32.30f New 3165', Drill w/gas from 3165 to 542	IVE LO	CATION I	FROM SECTION LI	·	•		
D C B A Address Dales, New Mexico We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Astac, New Cliff M N O P We intend to complete this well in the Mess Verie)EC. 7 195 formation at an approximate depth of Sh20' Oll CON. CO CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Company 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 NOT WRISE() 100 New 3165' 150 85, 50 reg.	D C B A Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: O to 5\20'. Rotary Rig. The status of plugging bond is State vide. L K J I Drilling Contractor Sage Drilling Company, Astac, New Julian Co	D C B A Address Dulce, New Mexico We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Artec, New Mexico We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Cooking Weight per Freet New or Second Hand Depth Society 120' 150 sx. reg. 8-3/4 Society Rig. We propose to use the above plans become advisable we will notify you immediately. H changes in the above plans become advisable we will notify you immediately.	D C B A Address Dalce, New Mexico We propose to drill well with drilling equipment as follows: O to 5420'. Rotary Rig. The status of plugging bond is State wide. Drilling Contractor Sage Drilling Company, Astec, Service of Casing and to complete this well in the Mess Verde of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hale Size of Casing Weight per Feet New or Second Hand Depth Second 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 10 10 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1							
We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. The status of plugging bond is State wide. I K J I Drilling Contractor Sage Drilling Company, Astac, New Aller, Market State wide. We intend to complete this well in the Market Yerde Oil CON. CO CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Drepth Section 12-1/2 9-5/8 32-30 New 200' 150 sx. reg. 8-3/4 200' 150 sx. reg. 3165' 150 84, 50 reg.	We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. The status of plugging bond is	We propose to drill well with drilling equipment as follows: 0 to 5420'. Rotary Rig. I Rotary Rig. The status of plugging bond is State vide. I Rotary Rig. The status of plugging bond is State vide. I Drilling Contractor Sage Drilling Company, Astac, New Video Caspany, Astac, New Video	We propose to drill well with drilling equipment as follows: 0 to 5420'. ROTARY RIG. The status of plugging bond is. State wide. The status of plugging b	D	C i	В А				
The status of plugging bond is	The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Astac, New Action of Page Drilling Company, Astac, New A	The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Astac, New Cliff M N O P We intend to complete this well in the Mass Verse DEC. 7 1956 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hale Size of Casing Weight per Post New or Second Hand Depth Sackstrate 12-1/2 9-5/8 32-30f New 200' 159 sx. reg. 8-3/4 12-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/2 1-1/	The status of plugging bond is State wide. L K J I Drilling Contractor Sage Drilling Company, Astec, Jerus JEC. 7. 1956 M N O P We intend to complete this well in the Mass Yerds JEC. 7. 1956 formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Bale Size of Casing Weight per Feet New or Second Hand Devils 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 10-170 TOST 11.5 New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min and to 3165', Drill w/gas from 3165 to 542	<u> </u>	·	1	We propose to drill wel	with drilling equipment as	follows: 0 to	o 5420'.
The status of plugging bond is	The status of plugging bond is State vide. L K J I Drilling Contractor Sage Drilling Company, Artec, New Milling Milling Company, Artec, New Milling Milling Company, Artec, New Milling Milling Milling Company, Artec, New Milling Milling Company, Artec, New Milling Milling Company, Artec, New Milling Compa	The status of plugging bond is	The status of plugging bond is	_			Rotary Rig.			
We intend to complete this well in the Mass. Yerds formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30 New 200' 159 sx. reg. 8-3/4 200' 150 sx. reg.	We intend to complete this well in the Mass Yerds DEC 7 1956 formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Role Size of Casing Weight per Foot New or Second Hand Depth Security 12-1/2 9-5/8 32.30f Rev 200' 150 sx. reg. 8-3/4 100 100 100 110 160 150 150 reg.	We intend to complete this well in the Sees Version DEC. 7. 1956 formation at an approximate depth of Sh20! OH. CON. CON CASING PROGRAM DIST. 3 We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 12-1/2 9-5/8 32.30 New 200! 150 ex. reg. 8-3/4 30 370 70 57 11.5 New 5420! 150 reg. If changes in the above plans become advisable we will notify you immediately.	We intend to complete this well in the Mess Yerde JEC 7 1956 formation at an approximate depth of 5420' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 3165' 150 85, 50 reg. 11.56 New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INTORMATION Drill wywater & min med to 3165', Drill w/gas from 3165 to 542	E	r	G	The status of plugging	bond is State wide .		•••••••••
We intend to complete this well in the Mass. Yerds O	We intend to complete this well in the Mass Yerds DEC 7 1956 formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Role Size of Casing Weight per Foot New or Second Hand Depth Security 12-1/2 9-5/8 32.30f Rev 200' 150 sx. reg. 8-3/4 100 100 100 110 160 150 150 reg.	We intend to complete this well in the Sees Version DEC. 7. 1956 formation at an approximate depth of Sh20! OH. CON. CON CASING PROGRAM DIST. 3 We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 12-1/2 9-5/8 32.30 New 200! 150 ex. reg. 8-3/4 30 370 70 57 11.5 New 5420! 150 reg. If changes in the above plans become advisable we will notify you immediately.	We intend to complete this well in the Mess Yerde JEC 7 1956 formation at an approximate depth of 5420' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 3165' 150 85, 50 reg. 11.56 New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INTORMATION Drill wywater & min med to 3165', Drill w/gas from 3165 to 542							
We intend to complete this well in the State Verde JEC. 7. 195 formation at an approximate depth of State of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack Conference Size of Casing and to Casing Mere Society New or Second Hand Depth Sack Conference Size of Casing Mere Size of Casing Mere Society New or Second Hand Depth Sack Conference Size of Casing Mere Size of Casing Mere Society New or Second Hand Depth Sack Conference Size of Casing Mere Size of C	We intend to complete this well in the Mass Varie DEC. 7	We intend to complete this well in the See Verie JEC 7 1956 formation at an approximate depth of Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth See Verie 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 200' 150 sx. reg. 150 reg. 150 reg.	We intend to complete this well in the Mossa Yerde JEC. 7 1956 formation at an approximate depth of Sh20' OIL CON. CON. CON. CON. CON. CON. CON. CON.	L	K	JI	Drilling Contractor	Sage Drilling Com	PANY, Artec,	THE REAL PROPERTY.
We intend to complete this well in the Sh20' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack Conference 12-1/2 9-5/8 32.30 Nov 200' 159 sx. reg. 8-3/4 3165' 150 86, 50 reg.	We intend to complete this well in the Mass Verde DEC 7 1956 formation at an approximate depth of OIL CON: COI CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hele Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.39 New 200' 150 sx. reg. 8-3/4 Section 10-11.56 New 3165' 150 84, 50 reg. 6-1/4 DEFO TOES 10-11.56 New 5420' 150 reg.	We intend to complete this well in the Mass Yerds JEC 7 1956 formation at an approximate depth of 5420' Oil. CON. CON CASING PROGRAM DIST. 3 We propose to use the following strings of Casing and to cement them as indicated: Size of Bale Size of Casing Weight per Foot New or Second Hand Depth 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 Size of Casing Weight per Foot New or Second Hand Depth 8-3/4 Size of Casing Weight per Foot New or Second Hand Depth 8-3/4 Size of Casing Weight per Foot New or Second Hand Depth 8-3/4 Size of Casing Size of Casing and to cement them as indicated: 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 Size of Casing Size of Casing and to cement them as indicated: 15-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 Size of Casing Size of Casing and to cement them as indicated: 16-1/4 9-5/8 32.30 New 200' 150 sx. reg. 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2 17-1/2	We intend to complete this well in the State Parise DEC. 7. 1956 formation at an approximate depth of State CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole State of Casing Weight per Foot New or Second Hand Depth Second Hand 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 State of Foots Northways 200' 150 sx. reg. 8-3/4 State of Foots Northways 200' 150 sx. reg. 11.56 New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min and to 3165', Drill w/gas from 3165 to 542	T			***************************************			/ KLLLIVED
formation at an approximate depth of CASING PROGRAM CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 200' 150 sx. reg.	formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32-39 New 200' 150 sx. reg. 8-3/4 Section 100 Northways 100 100 New 3165' 150 84, 50 reg. 6-1/4 2017 1015 1015 111.56 New 5420' 150 reg.	formation at an approximate depth of CASING PROGRAM CASING PROGRAM DIST. 3 We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack Continuation 12-1/2 9-5/8 32.30 Rev 200' 159 sx. reg. 8-3/4 B-3/4 Depth Sack Continuation New or Second Hand Depth Sack Continuation 150 sx. reg. 150 85, 50 reg 6-1/4 10170 TO ST 11.54 Rev 5420' 150 reg.	formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sections 12-1/2 9-5/8 32.30 New 200' 159 sx. reg. 8-3/4 Solution FORMATION Brill w/water & min med to 3165'. Brill w/gas from 3165 to 542		N	O P	14'- ' 11	abi 11 i= ab - Mod	ta Yarda	JEC 7 1956
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sections 12-1/2 1 9-5/8 32.30 New 200' 159 sx. reg. 8-3/4 Sections HOTT AVAILABILET 150 84, 50 reg.	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32-30 New 200' 159 sx. reg. 8-3/4 Section 150 sx. reg. 8-3/4 Section 150 sx. reg. 12-1/4 Section 150 sx. reg. 150 sx. reg. 150 reg.	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Second Hand 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 6-1/4 10170 TOS 11.5f Hev 5420' 150 reg.	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sections: 12-1/2 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 6-1/4 10-17-10-17-17-17-17-17-17-17-17-17-17-17-17-17-	1	1	·		-1		
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Fort New or Second Hand Depth Section 12-1/2 1 9-5/8 32.30 Nov 200' 150 sx. reg. 8-3/4 Bey 3165' 150 84, 50 reg.	We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Section 12-1/2 9-5/8 32.30f New 200' 150 ax. reg. 8-3/4 9-5/8 150 Hey 3165' 150 85, 50 reg. 6-1/4 15/470 TO 57 10 11.5f New 5420' 150 reg.	We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Second Hand 12-1/2 9-5/8 32.30 Rev 3165' 150 84, 50 reg 6-1/4 Fig. 150 70 11.54 Hev Size of Casing and to cement them as indicated: New or Second Hand Depth Second Hand Dept	We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Second Hand 12-1/2 9-5/8 32.30 Hew 3165' 150 84, 50 reg 6-1/4 101710 TOIST 11.56 Hew 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min must to 3165', Drill w/gas from 3165 to 542					·		
12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 New 3165' 150 85, 50 reg.	12-1/2 3 9-5/8 32.30f New 200' 150 sx. reg. 8-3/4 MOPERATOR MOTTAVARIENCO NO New 3165' 150 85, 50 reg. 6-1/4 30 170 170 170 170 170 170 170 170 170 17	12-1/2 9-5/8 32.39 New 200' 150 sx. reg. 8-3/4 200' 150 sx. reg. 8-3/4 3165' 150 85, 50 reg 6-1/4 31670 TO 5 11.56 New 5420' 150 reg.	12-1/2 9-5/8 32.30 New 200' 150 sx. reg. 8-3/4 150 MOTTAVARIES(3) 110 Hev 3165' 150 84, 50 reg. 6-1/4 150 TOST 11.56 Hev 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill v/vater & min mml to 3165', Drill v/gas from 3165 to 542	We pro	opose to us	e the following strings	of Casing and to cement the	hem as indicated:		0131.3
8-3/4 3165' 150 84, 50 m	8-3/4 3165' 150 84, 50 reg 6-1/4 30 3770 TO 15 - 11.54' Nev 5420' 150 reg.	8-3/4 3165' 150 86, 50 reg 6-1/4 30670 TO ST 11.56 Rev 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately.	8-3/4 SOTAWARSON IN New 3165' 150 84, 50 reg 6-1/4 SOTAWARSON IN New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min must to 3165'. Drill w/gas from 3165 to 542	Size e	of Hele	Size of Casing	Weight per Foot	New or Second Hand	Depth	Secto Contact
8-3/4 3165' 150 84, 50 m	8-3/4 3165' 150 84, 50 reg 6-1/4 30 3770 TO 15 - 11.54' Nev 5420' 150 reg.	8-3/4 3165' 150 86, 50 reg 6-1/4 30670 TO ST 11.56 Rev 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately.	8-3/4 SOTAWARSON IN New 3165' 150 84, 50 reg 6-1/4 SOTAWARSON IN New 5420' 150 reg. If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min must to 3165'. Drill w/gas from 3165 to 542	12-1,	/2	9-5/8	32.30	Xev	2001	150 sx. reg.
		If changes in the above plans become advisable we will notify you immediately.	If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION Drill w/water & min and to 3165', Drill w/gas from 3165 to 542	8-3	/4 ****	Towns NO	OIL COMBERVATT	Jer	3165'	150 85, 50 reg.
6-1/4 5-5: 100 Fee 11.5 Rev 5420' 150 Peg.			ADDITIONAL INFORMATION Drill w/water & min med to 3165', Drill w/gas from 3165 to 542		/4	PICT OFFICE	11.9	Hev	54201	150 reg.
			ADDITIONAL INFORMATION Drill w/water & min med to 3165', Drill w/gas from 3165 to 542	<u>6-1</u> ,		1.50				
				If char	TIONAL	INTORMATION				
	Perf and free dE, Namefee and PL fernations separately v/40,000 gal water each.			If char	TIONAL :	INTORMATION ac CE, Namesee	and PL fernations	seperately v/40,00	00 gal water	each.
Perf and free CE, Namefee and PL fernations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 scres, is dedicated to the drilling block.	Perf and free CE, Namefee and PL fernations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block.	The W/2 of Section 14, containing 320 scres, is dedicated to the drilling block.		If char	TIONAL :	INTORMATION ac CE, Namesee	and PL fernations	separately v/40,00	00 gal water	each.
Perf and frac CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours,	Perf and frac CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours,	The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours,	proved 19.2.	If char ADDI Pari The	TIONAL :	INTORMATION ac CE, Namesee	and PL fernations	separately v/40,00	00 gal water	each.
Perf and frac CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, cept as follows: Pacific Northwest Pipeline Corporation	Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation	The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, rept as follows: Pacific Northwest Pipeline Corporation	proved	If char ADDI Perf The	TIONAL :	INTORMATION ac CE, Namesee	and PL fernations	separately v/40,00, is dedicated to the Sincerely yours,	00 gal water the drilling	block.
Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan	Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan	The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan	proved proved per as follows: Pacific Morthwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan	If char ADDI Pari The	TIONAL :	INTORMATION ac CE, Namesee	and PL fernations	separately v/40,00 , is dedicated to the Sincerely yours, Pacific Morthum Original sign	the drilling	block.
Perf and frac CH, Namefee and PL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 scree, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan	Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Company or Operator: Original signed by T. A. Dugan By	The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator: Original signed by T. A. Dugan By	Pacific Morthwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan By	If char ADDI Perf The	TIONAL :	INTORMATION ac CE, Namesee	and PL fermations realizing 320 scres	separately v/40,000, is dedicated to the Sincerely yours, Pacific Morthwell By Original signs	the drilling est Pipeline (Company or Operator and by T. A.	Corporation
Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation Original signed by T. A. Dugan T. A. Dugan Position District Engineer	Perf and free CE, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator: Original signed by T. A. Dugan T. A. Dugan Position District Engineer	The W/2 of Section 14, occataining 320 scree, is dedicated to the drilling block. Sincerely yours, Pacific Morthwest Pipeline Corporation (Company or Operator: Original signed by T. A. Dugan T. A. Dugan Position District Engineer	Pacific Morthwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan T. A. Dugan Position District Engineer	If char ADDI Perf The	ollows:	Section 14, oct	and FL fernations taining 320 scres	Sincerely yours, Pacific Morthum Original signs Position District Position District	the drilling ost Pipeline (Company or Operatorned by T. A.)	Corporation Dugan
The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan T. A. Dugan	Perf and frac CH, Namefee and FL formations separately v/40,000 gal water each. The W/2 of Section 14, containing 320 acres, is dedicated to the drilling block. Sincerely yours, Pacific Morthwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan Position District Engineer Send Communications regarding well to	The W/2 of Section 14, containing 320 scree, is dedicated to the drilling block. Sincerely yours, Pacific Northwest Pipeline Compared on Original signed by T. A. Dugan By. T. A. Dugan Position District Engineer Send Communications regarding well to	Pacific Horthwest Pipeline Corporation (Company or Operator) Original signed by T. A. Dugan By. T. A. Dugan Position District Engineer Send Communications regarding well to	If char ADDI Perf The	ollows:	Section 14, occurrence	and FL fernations taining 320 scres	Sincerely yours, Pacific Borthwe Original sig By To A. Position District Send Con	the drilling est Pipeline (Company or Operator (ned by T. A.) Dugan Let. Engineer munications regar	Carporation Dugan

		10	OIL CONSERVA	TION COMMIS	SION
•			ATTEC DIS	STRICT OFFIC	Ē
		• 1 -	na Con la Rec	wed 5	
	1	[D:511	BIBUTION	
	. 4	1	مدار فراوا والمستخدمين والماد والماد والماد	FUENISHED	
,		•		/	
•		•	Santa Fe	/	
		;	Proration Office		
		1	Sate Land Office		
			U. S. G. S.	2	
			Transporter		
			File	1	
			1116		
			The state of the s		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Well No	54-24	Section	Township 29 No	orth Rang	ge 7 West	NMPM
ocated	990	Feet FromSouth	Line, 990	Feet	From West	Line,
		ba Cou	nty, New Mexico. G	. L. Elevation _	6207	1
ome of D		rmation				reage
anne or r	founding 2 o		must be from outer bo			
	Γ					
	1	Southern Dr	ien.	!		
•						•
		i 				
		710				
		: [1/	 		
		1				ren .
		7.0		{ {	/RL	PEIAFDA
NO NO	TE.			1 1		7 1956
his sections to	on of			I I	PIL	CON. COM. DIST. 3
ised for g wells only	سأوج ويرجعوا	MOD WOLLDA COM	-	1		
	30	920		l		
	-	990	N POW line	 		
			State Highway	! !		and the control of th
	(fa	SCALE: 1"=1000'	1			01000
į,		oual Comp. ? Yes No	from	s is to certify t n field notes of	/ 5 2	Male By
		Question 1 is yes, are the d wells within the dedica	ted acreage?	er my supervisio		same are m
Yes		The state of the s	cori	rect to the best	of my know	Town the same of t
Name			Dat	e Surveyed _No	ovember 24, 19)56
Position 1	······································	S. Segimber Horthwest Pineline		any	V. Co	5 Fan
Represent	• •	andour. Foundation.	I. Her.		nest V. Echohav rveyor, N. Mex.	

OIL CONSERVAT	ION COMMISSION
AZTEC DIST	TRICT OFFICE
No. Ocpies Recei	
	IBUTION
	NO.
Operator	/
sante Fe	
Proration Office	
State Land Office	
u. s. G. s.	
Transporter	
File	

-

-

.