7.000.0.0 Form 9-381 a (Fab. 1951)

+

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Sails Fe
Lease No	073951
Unit	Bodge :

~**********	TICES ANI	D REPORTS ON WELLS	
SUNDRY NOT	ICES AIV		
NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT DIF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OF ACIDIZING.	
NOTICE OF INTENTION TO TEST WATER SHUT-	1	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAI	R WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	\$1,00 7
NOTICE OF INTENTION TO PULL OR ALTER CAS	SING	SUPPLEMENTARY WELL HISTORY.	17 May 17 May 1
NOTICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE	BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)	
	<u></u>	Jane 5	, 19. 53 .
ell No 1 is located 7	o ft. from	line and 1.550 ft. from $\frac{E}{V}$ line of	sec5
		े अपने केट प्रक्त रूप स्थान	- · · · · · · · · · · · · · · · · ·
(½ Sec. and Sec. No.)	Twp.) (Ran	ge) (Meridian)	
Nanco	Rio Arriba	Time Mexico	
(Field)	(County or Su	division) (State or Territory)	
ne elevation of the derrick floor a	hove sea level	6 61 21 ft	
	DETAILS	OF WORK	
ing	DETAILS e sands; show sizes, w points, and all other	OF WORK eights, and lengths of proposed casings; indicate muci important proposed work)	
It is intended to dri drilling the pay with gas two quarts of S.M.G. per f	DETAILS sands; show sizes, we points, and all other Li a well will circulation,	OF WORK eights, and lengths of proposed casings; indicate muclimportant proposed work) the retary tools through the Means and to shoot the entire Means depth 5260°.	esaverde, wrde with
It is intended to dri drilling the pay with gas two quarts of S.M.G. per f Casing Program: 9 5/8° at 160° w 7 at 4590° w	DETAILS sands; show sizes, we points, and all other Li a well wi circulation, bot. Total with 125 sach with 300 sach	of Work eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Me and to shoot the entire Mesan depth 52601. s of regular cement circulated s of regular cement.	esaverde, wrde with
It is intended to dri drilling the pay with gas two quarts of S.M.G. per f Casing Program: 9 5/8° at 160° w 7 at 4590° w	DETAILS sands; show sizes, we points, and all other Li a well wi circulation, bot. Total with 125 sach with 300 sach	OF WORK eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Me and to shoot the entire Mesay depth 5260'.	esaverde, verde with
It is intended to dri brilling the pay with gas two quarts of S.H.G. per f Casing Program: 9 5/8° at 160° w 7° at 4590° w The Hg of Se	DETAILS sands; show sizes, we points, and all other li a well wi circulation, cot. Total with 125 sach with 300 sach	of Work eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Means and to shoot the entire Means depth 5260'. s of regular cement circulated is of regular cement.	to surface.
It is intended to dri drilling the pay with gas two quarts of S.M.G. per f Casing Program: 9 5/8° at 160° w 7° at 4590° w	DETAILS sands; show sizes, we points, and all other li a well wi circulation, cot. Total with 125 sach with 300 sach ection 5 is conserved approval in write	of Work eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Means and to shoot the entire Means depth 5260'. s of regular cement circulated is of regular cement.	esaverde, verde with
It is intended to dri drilling the pay with gas two quarts of S.M.G. per f Casing Program: 9 5/6 at 160' w 7 at 4590' w The By of Se I understand that this plan of work must re company EL PASO MATERAL. ddress EXX 397	DETAILS sands; show sizes, we points, and all other Li a well wi circulation, cot. Total with 125 sach with 300 sach cotton 5 is conceive approval in writing the contract of the contract o	of Work eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Means and to shoot the entire Means depth 5260'. s of regular cement circulated is of regular cement.	to surface.
It is intended to dribrilling the pay with gas two quarts of S.M.G. per forms: 9 5/8 at 160' w The Mg of Se I understand that this plan of work must recompany RL PASO MATURAL.	DETAILS sands; show sizes, we points, and all other Li a well wi circulation, cot. Total with 125 sach with 300 sach cotton 5 is conceive approval in writing the contract of the contract o	of Work eights, and lengths of proposed casings; indicate muci important proposed work) th retary tools through the Means and to shoot the entire Means depth 5260'. s of regular cement circulated is of regular cement.	to surface. ECEIVED Commenced. CON. COM. DIST. 3

OIL CONSERVATION COMMISSION

(Corrected Copy)

Paso Matural Ga Operator	s Company Hedges Lease		Well No.
me of Producing	Formation Hesa Verd	Pool	Blance
Acres Dedicat	ed to the Well 320 31	5.5.4	. <i>(</i> .
cate Land Owne	rsnip Status. (Federa	OCH CONTRACTOR	RANGE
SECTION5	TOWNSHIP_		KANGE
	+		
		S.F 07895	1
		OILO	ON. COM.
		:	
	that the information g	iven above is tr	ue and compl
o the best of my	on this well Nam	a // N X . N	- /0 h//a

	STRICT OF THE	E
No. Copies Rec	reined 3	
DIST	THE HE TH	
	200. 1 (92 - 342)	
The trater		
lacis Fe		
Tremation Office		
iste Land Olñoe		
1.6.0.3.	/	
Transportor		
File		

. . <u>- ---</u>i.