## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

·5. I	LEASE
SF	078503-A
6.	IF INDIAN, ALLOTTEE OR TRIBE NAME
7.	UNIT AGREEMENT NAME
	Juan 29-7 Unit
8.	FARM OR LEASE NAME
	Juan 29-7 Unit
9.	WELL NO.
_7.8A	
10.	FIELD OR WILDCAT NAME
	naco MV
	SEC., T., R., M., OR BLK. AND SURVEY OR
	AREA Sec. 30, T-29-N, R-7-W
	COUNTY OR PARISH 13. STATE
	Arriba New Mexico
14.	AFI NO.
15	ELEVATIONS (SHOW DF, KDB, AND WD)
Į.	49' GL
<u> </u>	†2' CIL
(NC	OTE: Report results of multiple completion or zone change on Form 9–330.)
e all p	pertinent details, and give pertinent dates anally drilled, give subsurface locations and


SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME	
(Do not use this form for proposals to drill or to deepen or plug back to a different	San Juan 29-7 Unit	
reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME	
1. cil gas 🖼	San Juan 29-7 Unit	
well well other	9. WELL NO.	
2. NAME OF OPERATOR	78A	
EL PASO NATURAL GAS CO.	10. FIELD OR WILDCAT NAME	
3. ADDRESS OF OPERATOR	Blnaco MV	
BOX 990, FARMINGTON, NEW MEXICO	11. SEC., T., R., M., OR BLK. AND SURVEY OR	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 30, T-29-N, R-7-W	
below.)	NMPM	
AT SURFACE: 820'N, 1180'W	12. COUNTY OR PARISH 13. STATE	
AT TOP PROD. INTERVAL:	Rio Arriba New Mexico	
AT TOTAL DEPTH:	14. API NO.	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,		
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)	
	6349' GL	
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF		
FRACTURE TREAT		
REPAIR WELL	(NOTE: Report results of multiple completion or zone	
PULL OR ALTER CASING	change on Form 9-330.)	
MULTIPLE COMPLETE		
CHANGE ZONES		
ABANDON*		
(other)		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	re all pertinent details, and give pertinent dates,	
including estimated date of starting any proposed work. If well is c measured and true vertical depths for all markers and zones pertine	firectionally drilled, give subsurface locations and	
9/9/78: Spudded well. Drilled surface hole.		
Ran 5 joints 9 5/8", 36# K-55 surfa	ice casing, 204' set at 216'.	
Cemented with 224 cu. ft. cement.	Circulated to surface. WOC	
12 hours; held 600 #/30 minutes.		
10 10010, 1024 11. 7		

Set @

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

(This space for Federal or State office use)



SEP 1 8 1978