SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425. 30-039-2/8995. LEASE DESIGNATION AND SERIAL NO.

UNITED STATES DEPARTMENT OF THE INTERIOR

	GEOLG	JGICAL SURV	EY				SF 078945		
APPLICATIO	N FOR PERMIT	TO DRILL,	DEEP	EN, OR PL	UG B	ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
1a. TYPE OF WORK		DEEDEN		D			7. UNIT AGREEMENT NAME		
b. TYPE OF WELL	ILL 🗵	DEEPEN		PLUC	G BAC	.K 📋	_		
oir 🗀	VELL X OTHER			INGLE	MULTIPE	.e —	San Juan 29-7 Unit 8. FARM OR LEASE NAME		
2. NAME OF OPERATOR	VELL X OTHER		z	ONE X	ZONE				
El Pago Na	tural Gas Co	mກລກນ					San Juan 29-7 Unit		
3. ADDRESS OF OPERATOR		mpany		·-·					
PO Box 990, Farmington, NM 87401						34A 10. FIELD AND POOL, OR WILDCAT			
	Report location clearly an			State requirements	2 *)				
At surface	1130'N, 1		u., .	oute requirement	<i>.</i> ,		Blanco Mesa Verde		
At proposed prod. zon	·	010 W					11. SEC. T., R., M., OR BLK. AND SURVEY OR AREA Sec. 4, T-29-N, R-7-W NMPM		
14. DISTANCE IN MILES	AND DIRECTION FROM NE	AREST TOWN OR POS	T OFFIC	E.			12. COUNTY OR PARISH 13. STATE		
12 miles E	ast of Blanc	o. NM					Rio Arriba NM		
5. DISTANCE FROM PROP	OSED*	-	16. No	O. OF ACRES IN LE	ASE	17. NO. 0	F ACRES ASSIGNED		
LOCATION TO NEARES PROPERTY OR LEASE I	LINE, FT.	1010'		Unit		то тн	O THIS WELL 316.70		
8. DISTANCE FROM PROI			10 2	ROPOSED DEPTH		90			
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	3000 '	1 3. P		ן,	20. ROTARY OR CABLE TOOLS			
1. ELEVATIONS (Show wh				5650 '		Rotary			
6162'GR							22. APPROX. DATE WORK WILL START*		
		PROPOSED CASIN	IG ANI	CEMENTING P	ROGRA	M			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	тос	SETTING DEP	гн		QUANTITY OF CEMENT		
13 3/4"	9 5/8"	32.3#		200) '	224 c	u.ft. to circulate		
8 3/4"	7"	20.0#		3310) 1		u.ft.to cover Ojo Ala		
6 1/4"	4 1/2"line	∮ r 10.5#		3160-56	50'		u.ft.to fill to 3160'		
A 3000 psi	WP and 6000	psi test	dou	ble gate	prev	enter	Verde formation. equipped with ion on this well.		
						e de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición de la composición de la composición dela composición de la composición dela c			
This gas is	s dedicated.					j j			
						1			
						1			
						A Oil	in a state of the		
The $W/2$ of	Section 4 is	s dedicate	ed to	o this we	11.	Ä	Die		
ABOVE SPACE DESCRIBE one. If proposal is to determine the content of the content	drill or deepen directions	proposal is to deep ally, give pertinent	en or p data o	lug back, give dat n subsurface locat	a on pre ions and	sent produc measured	ctive zone and proposed new productive and true vertical depths. Give blowout		
i	7, 0.								
SIGNED	D. Juco	<u></u>	re	Dṛil	ling	Cler	k DATE August 31,19		
(This space for Feder	ral or State office use)					·			
PERMIT NO.				AP DATE TO	/as -				
						BIR)		
APPROVED BY		TITI	E	J II	- ·	<u> </u>	DATE		
CONDITIONS OF APPROVA	AL, IF ANY:			SFP	5 10-				
				- 1	J 197	8			

oh Frank

U. S. GEOLOGICAL SURVEY
*See Instructions On PROPRIEGO, COLO.

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-102 Supersedes C-128

WELL LOCATION AND ACREAGE DEDICATION PLAT Effective 1-1-65 All distances must be from the outer ha

Operator			Lease	or the Section.	
	ATURAL GAS CO	MPANY	SAN JUAN 29-7	UNIT (SF-07894	5) 3l ₁ A /
Unit Letter D	Section h	Township 29N	Hange 7W	County RIO ARRIBA	
Actual Footings Lock					
1130 Ground Level Elev.	feet from the Froducing Fo	North line and	1010 fe	et from the West	Hine Dedicated Acreuges
6162	Mesa Ver	rde	Blanco M	esa Verde	316.70 Acros
1. Outline the	e acreage dedic	ated to the subject w	ell by colored pencil	or hachure marks on t	he plat below.
interest an	d royalty),				hereof (both as to working
3. If more that dated by co	n one lease of o ommunitization,	different ownership is unitization, force-pool	dedicated to the well, ing, etc?	have the interests o	f all owners been consoli-
X Yes	□ No If a	nswer is "yes;" type	of consolidation	Unitization	
If answer is	s "no" list the	owners and tract deed	criptions which have a	naturally 1	ated. (Use reverse side of
this iona it	necessary.)		· · · · · · · · · · · · · · · · · · ·		
No allowabi	le will be assign	ed to the well until al	l interests have been	consolidated (by con	munitization, unitization,
51011.			d unit, eliminating su	ch interests, has been	approved by the Commis-
			. 1		CERTIFICATION
Ä		K			
				1 1	certify that the information con- rein is true and complete to the
	1			t i	y knowledge and belief.
1010	'· }		1		H. Lucos
第一一一	- +	🕅		Name	ng Clerk
)	1			Position	
s	F-078945			El Pas	o Natural Gas Co.
A	1		1	August	31, 1978
挡	1			Date	
(James 1992)		Sec.			and the state of t
	ł İ			I hereb	certify that the well-location.
	1	K	i		this plot was plotted from field
#34	i	N N		notes of under my	SEP surveys made by the or supervisions and 7:81 the same
) [RECEIV	[] is 11/2	He GANAL to the best lot my
]	- +		SEP-51978	U knowledge	on Dist. 3
s:	F-078919		3 19/8		20114
	í		U. S. GEGLOGICAL SURV	EY Date Surveye	STATE NO.
/3 /43	•		DURANGO, COLO.	liegister 1	1 2 1978 V
	1		!	and or the s	(2 had 6)
			.	Fred	Cherr Jr
e aso one pue	1320 1000 198		1500 1000 6		

P. O. BOX 990 FARMINGTON, NEW MEXICO 87401

PHONE: 505-325-2841

Multi-Point Surface Use Plan San Juan 29-7 Unit #34A

- 1. Existing Road -Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads - Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- Location of Existing Wells Please refer to Map No. 2. 3.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines - Please refer to Maps No. 1 and No. 2. Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply - Water for the proposed project will be obtained from 29-6 Water Well #1.
- 6. Source of Construction Materials - No additional materials will be required to build either the access road or the proposed location.
- 7. Methods of Handling Waste Materials - All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1, SEP

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

5 1978

7. contid,

- will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed mixture as designated by the responsible government agency will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted as designated by the responsible government agency.
- 11. Other Information The terrain is rolling hills and sandstone ledges with sagebrush and cedar growing. Cattle graze the proposed project site.
- 12. Operator's Representative W.D. Dawson, PO Box 990, Farmington, NM
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

D. C. Walker

Project Drilling Engineer

SED 5 107

Operations Plan San Juan 29-7 Unit #34A

I. Location: 1130'N, 1010'W, Section 4, T-29-N, R-7-W, Rio Arriba County, NM

Field: Blanco Mesa Verde

Elevation: 6162'GR

II. Geology:

Α.	Formation	Tops:	Surface	San	Jose	Lewis	3110'
			Ojo Alamo		1970'	Mesa Verde	4734'
			Kirtland		2162'	Menefee	4854'
			Fruitland		2640'	Point Lookout	5202 '
			Pic.Cliffs		2995 '	Total Depth	5650 '

- B. Logging Program: GR-Ind. and GR-Density at Total Depth.
- C. Coring Program: none
- D. Natural Gauges: 4724', 4844', 5190' and at Total Depth.
 Also gauge any noticeable increase in gas. Record all gauges in daily drilling report and on morning report.

III. Drilling:

A. Mud Program: mud from surface to 3310'. Gas from intermediate casing to Total Depth.

IV. Materials:

A. Casing Program	n: Hole Size	Depth	Casing Size	Wt.&Grade
	13 3/4"	200'	9 5/8"	32.3# H-40
	8 3/4"	3310 '	7"	20.0# K-55
	6 1/4"	3160-5650'	4 1/2"	10.5# K-55

B. Float Equipment: 9 5/8" surface casing - Pathfinder guide shoe (Part #2006-1-012).

7" intermediate casing - Pathfinder guide shoe (Part #1003-1-007) and Pathfinder self-fill insert float valve (Part #2010-6-007), 5 Pathfinder stabilizers (Part #107-10) every other joint above shoe. Run float two joints above shoe.

- 4 1/2" liner 4 1/2" liner hanger with neoprene packoff. Pathfinder geyser shoe (Part #2017-1-050) and Larkin flapper type float collar (fig. 404 M&F).
- C. Tubing: 5650' of 2 3/8", 4.7#, J-55 8rd EUE tubing with a common pump seating nipple one joint above bottom. Tubing will be open ended.
- D. Wellhead Equipment: 10" 900 x 9 5/8" casing head. 10" 900 x 6" 900 xmas tree.

SEP 5 1978

V. Cementing:


9 5/8" surface casing - use 190 sks. of Class "B" cement with 1/4# gel-flake per sack and 3% calcium chloride (224 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600#/30 minutes.

7" intermediate casing - use 114 sks. of 65/35 Class "B" Poz with 6% gel and 2% calcium chloride (8.3 gallons of water per sack) followed by 100 sks. of Class "B" with 2% calcium chloride (302 cu.ft. of slurry, 50% excess to cover Ojo Alamo). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.


4 1/2" liner - precede cement with 20 barrels of gel water (2 sks. gel) Cement with 312 sks. of 50/50 Class "B" Poz with 2% gel, 0.6% Halad-9, 6.25# gilsonite plus 1/4# Flocele per sack (434 cu.ft. of slurry, 70% excess to circulate liner). WOC 18 hours.



Typical W.O.L Installation for Megal Verde Well



Series 900 Double Gate BOP, rated U. S. GEOLOGICAL SURVEY at 3000 psi Working Pressure DURANGO, COLO. When gas drilling operations begin a Shaffer type 50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line




RECEIVED

SEP 5 1978

EL PASO NATURAL GAS COMPANY San Juan 29-7 #34 A NW 4-29-7



T 29 N



Map #1

Weceine D

SEP 5 1978

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

LEGEND OF RIGHT-OF-WAYS

EXISTING ROADS

EXISTING PIPELINES

EXISTING ROAD & PIPELINE

PROPOSED ROADS

PROPOSED PIPELINES

PROPOSED ROAD & PIPELINE

EL PASO NATURAL GAS COMPANY San Juan 29-7 #34 A NW 4-29-7

