

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR  
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR  
P.O. Box 289, Farmington, New Mexico

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1540'S, 1180'E  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:


TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

☐  
☒  
☐  
☐  
☐  
☐  
☐  
☐  
☐

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



5. LEASE  
SF 078945

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
San Juan 29-7 Unit

8. FARM OR LEASE NAME  
San Juan 29-7 Unit

9. WELL NO.  
40A (MD)

10. FIELD OR WILDCAT NAME  
Blanco MV & Basin Dakota

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 28, T-29-N, R-7-W NMPM

12. COUNTY OR PARISH  
Rio Arriba

13. STATE  
New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
6844' GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

7-6-80: PBSD 8095'. Tested casing to 4500#, OK. Perfed Dakota 7861,7866,7871, 7877,7882,7890,7897,7904,7932,7943,7949,7956,7969,7975,8001,8019,8036, 8062,8071,8077,8088' W/1 SPZ. Fraced w/ 150,000# 20/40 sand, 148,200 gal. wtr. Flushed w/ 25,000 gal. wtr.

7-7-80: Perfed Massive & Lower Point Lookout  
5810,5814,5826,5831,5836,5864,5875,5882,5888,5894,5900,5928,5940, 5952,5959,5990,6005,6049,6056,6067,6117,6135,6145,6158' W/1 SPZ.  
Fraced w/ 69,000# 20/40 sand, 188,800 gal. wtr. Flushed w/ 15,400 gal. wtr.

7-8-80: Perfed Cliff House & Menefee  
5238,5250,5262,5281,5286,5331,5345,5354,5362,5370,5378,5386,5396,5402, 5408,5488,5532,5550,5577,5658,5674,5729' W/1 SPZ. Fraced w/ 68,000# 20/40 sand, 204,000 gal. wtr. Flushed w/ 14,500 gal. wtr. Set @ \_\_\_\_\_ Ft.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_

18. I hereby certify that the foregoing is true and correct

SIGNED A. G. Buice TITLE Drilling Clerk DATE July 10, 1980

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

MOCC

\*See Instructions on Reverse Side