## STATE OF NEW MEXICO ENERGY MO MINERALS DEPARTMENT

		Υ-	_	
90. 60 100110 041	1740	<u> </u>		
DIST 8 10 UT 1				
SANTA FE	Γ			
FILE				
U.S.G.A.				
LANG 0//166				
TRAMSPORTER				
OPERATOR				
PROBATION OFFICE				

# OIL CONSERVATION DIVISION P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

OIL CON. DIL.

OPERATOR PROPER	AUTHORIZATION	EQUEST FOR A AND TO TRANSPOR		URAL GAS DIST	4 1987 W
Meridian Oil Inc.					9-74
Address P. O. Box 4289, Farm.	ington, NM 87499				
Ressen(s) for filing (Check proper to New West Recompletion X Change in/Chittistick(XX)Operato	Charge is Transpers Oth Orship Casinghees Gas	Dry G	Meridi for El	lan Oil Inc. is ( Paso Production	Company
If change of ownership give name and address of previous owner		Gas Company	P. O. Box	4289, Farmington	, NM 87499
II. DESCRIPTION OF WELL A LOSSO NAME San Juan 29-7 Unit	Weil No. Pool Name	e, including Form to Mesa Ver		Kind at Lease State, Federal or Fee	SF 079514
Unit Letter	S	outh Line a	1540	Feet From The	East
33	29N		7W . NMP	Rio Arr	iba County
Meridian Oil Inc.  Name of Authorized Transporter of C El Paso Natural Gas Co  If well produces oil or liquids, give location of tanss.	or Dry	Gas 🔊 A	. O. Box 428	9, Farmington No 289, Farmington, No which approved copy of 289, Farmington,	M 87499 (Mis form is to be sent) NM 87499
If this production is commingled w			e comminging ord	er number:	
VI. CERTIFICATE OF COMPLI.  I hereby certify that the rules and regula		Division have	OIL (	CONSERVATION DIN NOV - 1 198	
been complied with and that the informa my knowledge and belief.	tion given is true and complete	to the best of	34	3 d.	
Ten Da	. h_	1		to be filed in compliance	e with MULE 1104.
_ ' . '	ling Clerk		veil, this form mu eets taken on the	at be accompanied by a	i newly drilled or deependent tabulation of the deviation th AUL g 111. Id out completely for allow
1:	ule) 1-86		ible on new and r Fill out only	ecompleted wells. Sections I. II. III. and	VI for changes of owner,
(0	ete;	i i			r such change of condition. for each pool in multiply

STATE OF NEW MEXICO ENERGY and MINERALS DEPARTMENT This form is not to be used for reporting packer leakage tests in Southeast New Mexico

### **OIL CONSERVATION DIVISION**

Page 1 Revised 10/01/78

### NORTHWEST NEW MEXICO PACKER-LEAKAGE TEST

· -	MERIDIAN	N OIL INC	3			Lease	SA	עטע אנג	AN 29	-7 UN	IIT	Well No.	077A
Location of Well:	Unit O	Sect.	33	Twp.	02 <b>9</b> N	Rge.	00	7 <b>W</b>	Cour	nty <sup>3</sup>	RIO ARRIB	IA.	
	NAME OF RESERVOIR OR POOL					1			D OF PROD. or Art. Lift)				
Upper Completion	DAKOTA				GAS	AS FLOW				TUBIN	īG		
Lower Completion	MESAVE	MESAVERDE				GAS	GAS		F	FLOW		TUBING	
				PRE-FLC	OW SHUT-I	N PRES	SUR	E DAT	A				
Upper Completion	Hour, date s		1	ength of time sh 7 - Days		SI press. psig Stabilized? (Y			es or No)				
Lower Completion	8-4-9	5	5	5-Days	***	612						<del></del>	
	_1				FLOW T	EST NC	). 1				<u> </u>		
Commenced a	at (hour,date)	,*						Zone pr	roducing	(Upper	or Lower)		
TIME	LA	APSED TIME			PRESSURE			PROD	. ZONE				
(hour,date)		SINCE*	U	pper Complete	tion Lower			TEMP		REMARKS			
8-7	T		_  4	158	607				_				
8-8			4	162	608								
8-9	1	,	4	162	612					+			
8-10			4	162	340	,				+			
8-11			4	162	301					+			
Production	rate during	test											
Oil:	В	OPD based	on	Bt	ols. <u>in</u>	н	ours.			_Grav.	·	GOR	<del></del>
Gas:			MCFP	'D; Tested t	ihru (Orifice	or Mete	r):				<del></del>		-
				MID-TF	EST SHUT-I	IN PRES	SSUR	E DAT	`A		_		
Upper Completion	Hour, date	shut-in		Length of time			SI press. psig			Stabilized? (Yes or No)			
Lower	Hour, date	; shut-in		Length of time	gth of time shut-in SI press. p			Stabilized? (Yes			Yes or No)		

(Continue on reverse side)

FLOW TEST NO. 2

					·			
Commenced a	t (hour,date)**		<u> </u>	Zone producing (Upper or Lower):				
TIME	LAPSED TIME	PRESSURE		PROD. ZONE				
(hour,date)	SINCE**	Upper Completion	Lower Completion	ТЕМР.	REMARKS			
	į	1						
	<del> </del>	+		-				
		-	- <del> </del>					
				-				
				-				
<del></del>	<del> </del>	· · · · · · · · · · · · · · · · · · ·			<del></del>			
					1			
			<u> </u>					
Production r	ate during test							
Oil:	BOPD base	ed on	Bbls. in	Hours.	Grav. GOR			
Gas:		MCFPD; Te	sted thru (Orifice or	<u></u>				
Remarks:				•				
I hereby cer	tify that the informat	tion herein contains	d is true and someles	te to the best of my k				
i nereby cer	dry diat die morman	non nerem comame	is true and complet	te to the best of my k	nowledge.			
	0.8.	10 0						
Approved	- Joseph Charles	R" inser	_   19	Operator	Meridian Oil			
	1 1	1						
New Mexico Oil Conservation Division 996			Ву	Dolores Diaz				
	JOAN	T 1 1990						
Ву		A TABLE COLUMN TO POSTURE IN	\$ 2	Title	Operations Associate			
-	DEPUTY OIL	& GAS INCTICL	1.		- L			
Title			į	Date	12/29/95			
				Date	12/29/90			

#### NORTHWEST NEW MEXICO PACKER LEAKAGE TEST INSTRUCTIONS

- 1. A packer leakage test shall be commenced on each multiply completed well within seven days after except that the previously produced zone shall remain shut-in while the zone which actual completion of the well, and annually thereafter as prescribed by the order authorizing the multiple completion. Such tests shall also be connected on all multiple completions within seven days following recompletion and/or chemical or frac-ture treatment, and whenever remedial work has been done on a well during which the packer or the tubing have been disturbed. Tests shall also be taken at any time that communication is suspected or when requested by the Division.
- 2. At least 72 hours prior to the commencement of any packer leakage test, the operator shall notify the Division in writing of the exact time the test is to be commenced. Offset operators shall also be so
- 3. The packer leakage test shall commence when both zones of the dual completion are shut-in for pressure stabilization, both zones shall remain shut-in until the well-head pressure in each has stabilized, provided however, that they need not remain shut-in more than seven days.
- 4. For flow Test No. 1, one zone of the dual completion shall be produced at the normal rate of production while the other zone remains shut-in. Such test shall be continued for seven days if the case of a gas well and for 24 hours in the case of an oil well. Note: if, on an initial packer leakage test, a gas well is being flowed to the atmosphere due to the lack of a pipeline connection the flow period shall be three hours.
- 5. Following completion of flow Test No. 1, the well shall again be shut-in, in accordance with Paragraph 3 above.
- 6. Flow Test No. 2 shall be conducted even though no leak was indicated during flow Test No. 1. Procedure for Flow Test No. 2 is to be the same as for Flow Test No. 1.

- was previously shut-in is produced.
- 7. Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hours tests: immediately prior to the beginning of each flow-period, at fifteen minute intervals during the first hour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously shown questionable test data.
- 24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual completion, the recording gauge shall be required on the oil zone only, with deadweight pressures as required above being taken on the gaz zone.
- 8. The results of the above described tests shall be filed in triplicate within 15 days after completion of the test. Tests shall be filed with the Aztec District Office of the New Mexico Oil Conservation Division of Northwest New Mexico Packer Leakage Test form Revised 10/01/78 with all deadweight pressures indicated thereon as well as the flowing temperatures (gas zones only) and gravity and GOR (oil zones only).