

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other

2. NAME OF OPERATOR  
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR  
P.O. Box 289, Farmington, NM 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
1850'S, 1000'E  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐


SUBSEQUENT REPORT OF:

☒  
☐  
☐  
☐  
☐  
☐  
☐  
☐

RECEIVED

(NOTE: Report results of multiple completion or zone change on Form 9-330)

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.



5. LEASE

SF 078503

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 29-7 Unit

8. FARM OR LEASE NAME

San Juan 29-7 Unit

9. WELL NO.

110 M

10. FIELD OR WILDCAT NAME

Blanco MV & Basin Dakota

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 31, T-29-N, R-7-W

NMPM

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
6648' GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

7-11-81: PBSD 7841' Tested casing to 4500#, Held OK. Perfed Dakota:  
7602,7609,7616,7623,7630,7637,7703,7738,7765,7779,7786,7793,7800' W/1 SPZ.  
Fraced w/ 145,500# 20/40 sand, 110,000 gal. wtr. Flushed w/ 16,000 gal. wtr.

7-12-81: Perfed Lower & Massive Point Lookout:  
5476,5490,5509,5546,5562,5567,5576,5593,5597,5601,5605,5625,5630,5650,  
5681,5692,5736,5768,5792,5833,5872,5882,5920,5942' W/1 SPZ. Fraced w/ 75,000#  
20/40 sand, 150,000 gal. wtr. Flushed w/ 14,500 gal. wtr.

Perfed Cliff House & Menfee:

4977,4984,4991,4998,5030,5047,5104,5111,5118,5343 5349' W/1 SPZ Fraced w/  
39,000# 20/40 sand, 74,000 gal. wtr. Flushed w/ 13,650 gal. wtr.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED A. P. Busco TITLE Drilling Clerk DATE July 16, 1981

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

NMOCC

\*See Instructions on Reverse Side

JUL 22 1981

FARMINGTON DISTRICT

BY 163