

30-039-24906

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL	5. LEASE NUMBER SF-078945
1b. TYPE OF WELL GAS	6. IF INDIAN, ALL. OR TRIBE NAME
2. OPERATOR EL PASO NATURAL GAS CO. <i>Operation Oil Inc.</i>	7. UNIT AGREEMENT NAME SAN JUAN 29-7 UNIT
3. ADDRESS & PHONE NO. OF OPERATOR P O BOX 4289 FARMINGTON, NM 87499	8. FARM OR LEASE NAME SAN JUAN 29-7 UNIT
4. LOCATION OF WELL 2510'FNL 790'FEL	9. WELL NO. 569
14. DISTANCE IN MILES FROM NEAREST TOWN 9 MILES S. OF NAVAJO CITY	10. FIELD, POOL, OR WILDCAT BASIN FRUITLAND COAL
15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE. 790'	11. SEC. T. R. M OR BLK. H SEC. 29 T29N R07W NMPM
16. ACRES IN LEASE 2543.15	12. COUNTY RIO ARRIBA
17. ACRES ASSIGNED TO WELL E/320.00	13. STATE NM
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL DR. 1000' COMPL., OR APPLIED FOR ON THIS LEASE.	19. PROPOSED DEPTH 3244'
20. ROTARY OR CABLE TOOLS ROTARY	21. ELEVATIONS (DF, FT, GR, ETC.) 6511'GL
22. APPROX. DATE WORK WILL START	23. PROPOSED CASING AND CEMENTING PROGRAM

*SEE OPERATIONS

RECEIVED

SEP 07 1980

24. AUTHORIZED BY: *Ch. A. A.*

REG. DRILLING ENGR. OIL CON. DIV.
DIST. 3

8/13/80
DATE

PERMIT NO. _____ APPROVAL DATE _____ APPROVED
APPROVED BY _____ TITLE _____ DATE _____ AS AMENDED

NOTE: THIS FORMAT IS ISSUED IN LIEU OF US BLM FORM 3160-3.

SEP 04 1980
[Signature]
AREA MANAGER

Submit to Appropriate
District Office
State Lease - 4 copies
Fee Lease - 3 copies

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised 1-1-89

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator <i>Mexican Oil Trust</i> <i>El Paso Natural Gas</i>		Lease (SF-078945) San Juan 29-7 Unit		Well No. 569
Unit Letter H	Section 29	Township 29 North	Range 7 West	County NMPM Rio Arriba
Actual Footage Location of Well: 2510 feet from the North line and 790 feet from the East line				
Ground level Elev. 6511'	Producing Formation Fruitland Coal		Pool Basin	Dedicated Acreage: 320 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or lacquer marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interest of all owners been consolidated by communitization, unitization, force-pooling, etc.?
☒ Yes ☐ No If answer is "yes" type of consolidation unitization
If answer is "no" list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)
No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, force-pooling, or otherwise) or until a non-standard unit, eliminating such interest, has been approved by the Division.

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Peggy Bradfield
Signature

Peggy Bradfield

Printed Name
Regulatory Affairs

Position
El Paso Natural Gas

Company
8-13-90

Date

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

7-10-90

Date Surveyed

Neale C. Edwards
Signature
Professional Surveyor



Certificate No. 6857
Neale C. Edwards

RECEIVED
SEP 07 1990
OIL CON. DIV
DIST. 3

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

Well Name: 569 SAN JUAN 29-7 UNIT
 Sec. 29 T29N R07W
 BASIN FRUITLAND COAL

2510'FNL 790'FEL
 RIO ARRIBA NEW MEXICO
 Elevation 6511'GL

Formation tops: Surface- SAN JOSE
 Ojo Alamo- 2290
 Kirtland- 2465
 Fruitland- 2950
 Fruitland Coal Top- 3097
 Fruitland Coal Base- 3242
 Pictured Cliffs- 3247

Total Depth- 3244

Logging Program: Mud logs from 2950 to total depth.

Mud Program:	Interval	Type	Weight	Visc.	Fl. Loss
	0 - 200	Spud	8.4 - 8.9	40-50	no control
	200 - 3244	Non-dispersed	8.4 - 9.5	30-60	no control

Casing Program:	Hole Size	Depth Interval	Csg. Size	Weight	Grade
	12 1/4"	0 - 200	8 5/8"	24.0#	K-40
	7 7/8"	0 - 3244	5 1/2"	15.5#	K-55
Tubing Program:		0 - 3244	2 3/8"	4.7#	J-55

Float Equipment: 8 5/8" surface casing - saw tooth guide shoe. Centralizers will be run in accordance with Onshore Order #2.

5 1/2" production casing - float shoe on bottom. Three centralizers run every other joint above shoe. Two turbolizing type centralizers - one below and one into the base of the Ojo Alamo @ 2465'. Standard centralizers thereafter every fourth joint up to the base of the surface pipe.

Wellhead Equipment: 8 5/8" x 5 1/2" x 2 3/8" x 11" 3000 psi xmas tree assembly

Cementing:

8 5/8" surface casing - cement with 211 sacks of class "B" cement with 1/4# flocculent/sack and 3% calcium chloride (248 cu ft. of slurry, 200% excess to circulate to surface). WOC 12 hours. Test casing to 600 psi for 30 minutes.

5 1/2" production casing - lead with 525 sacks of 65/35 class "B" poz with 6% gel, 2% calcium chloride and 1/2 cu.ft. Perlite/sack (10.3 gallons of water/sack) tail with 100 sacks of class "B" with 2% calcium chloride. 1131 cu ft. of slurry, 100% excess to circulate to surface. If hole conditions permit, a 600 ft spacer will be run ahead of the cement slurry to avoid mud contamination of the cement. WOC 12 hours. If cement does not circulate to surface, a temperature log will be run after 8 hours to determine TOC.

San Juan 29-7 Unit #569

MAP (T29N, R7W

100' New Construction

33,600' Existing BLM roads Located
within Unit boundaries

