


AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

FORM C-105

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE.

Albuquerque, New Mexico
Company or Operator
Well No. 3 in NE 1/4 of Sec. 32, T. 29N
R. 3 N. M. P. M. Largo Field, San Juan County.
Well is 1,600 feet south of the North line and 805 feet west of the East line of 32
If State land the oil and gas lease is No. 5226 Assignment No. original lease
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is Pubco Address
Drilling commenced 12 - 12 19 52 Drilling was completed 4/26 19 52
Name of drilling contractor Newman Well, Inc. Address Farmington, New Mexico
Elevation above sea level at top of casing 5,883 feet.
The information given is to be kept confidential until 19

ONE-THIRD OF HOLE

No. 1, from 4,012 to 4,130 No. 4, from to
No. 2, from 4,600 to 4,700 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 542 to 570 feet.
No. 2, from 635 to 663 feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
10 3/4"	32 lb.		Nat.		Baker			
7"	23 lb.		"	1,000'	Baker			
7"	20 lb.		"	1,010'				
2"	8.7 lb.		"	1,762				

Flashed at 4,810 11.12' ft. 2 1/2 tubing, 4.5' sub, 32.35' drill collar and bit 6 1/4

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13 1/4"	10 3/4"	238	200	Halliburton		
7"	7"	4,010'	250	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHOULDER USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
4"x17"	Metal	Solidified	1,675 lbs			
3"x17"	Metal	Nitroglycerine	/		4,000 to 4,850	4,850

Results of shooting or chemical treatment Well blew good no serious bridges

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from surface feet to 4,010 feet, and from feet to feet.
Cable tools were used from 4,010 feet to 4,850 feet, and from feet to feet.

PRODUCTION Natural 196 MCF

Put to producing 6 MCF, 19
The production of the first 24 hours was 1,700 MCF barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in. 4,800 MCF

EMPLOYEES

Charles Hamilton Driller L. J. Jones Driller
R. J. Holloway Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Place Date 6/7/52
Name Charles S. Peters
Position Geologist
Representing Pubco Development Company or Operator.
Address