(SUBMIT IN TRIPLICATE)

Land Office Santa Pa Lease No. 078016 Unit J. P. Raghes

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

NOTICE OF INTENTION TO DRILL		1 (1		
	******************	SUBSEQU	ENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE F	PLANS	SUBSEQU	ENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WAT	ER SHUT-OFF	SUBSEQU	ENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	SUBSEQU	ENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	SUBSEQU	ENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR A	ALTER CASING	SUPPLEM	ENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON	WELL			
(INDICAT	TE ABOVE BY CHECK MA	ARK NATURE OF RE	PORT, NOTICE, OR OTHER DATA)	
		*********	Dec. 18,	, 19_ _9
'ell No is loc	cated 990 ft.	from S line	and 990 ft. from W line of	sec. 19
SW/4 of Sec. 19	29 N	8H	HAPM	
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
fildcat	Sa	un Juan	H. N.	
(Field)	(Cou	inty or Subdivision)	(State or Territory)	
			d lengths of proposed casings; indicate mudd t proposed work)	•
Frill Mesa Verde Test Frill Point Lookout s Set 150 feet 13-3/8" Set 7" OD 20# smls. o	with rotary and and compl OD hos smls. maing on Pois	tools to t lete with c easing at	op of Point Lookout sand.	ace.
rill Mesa Verde Test will Point Lookout s let 150 feet 13-3/8" et 7" OD 20/ smls. o	with rotary and and compl OD hos smls. maing on Pois	tools to t lete with c easing at	op of Point Lookout sand. able tools. 150 feet cemented to surf	ace.
rill Mesa Verde Test Fill Point Lookout s let 150 feet 13-3/8" let 7" OD 20# smls. o	with rotary and and compl OD hos smls. maing on Pois	tools to t lete with c easing at	op of Point Lookout sand. able tools. 150 feet cemented to surf	ace.
rill Mesa Verde Test Fill Point Lookout s let 150 feet 13-3/8" let 7" OD 20# smls. o	with rotary and and compl OD hos smls. maing on Pois	tools to t lete with c easing at	op of Point Lookout sand. able tools. 150 feet cemented to surf	ace.
Fill Hesa Verde Teet Fill Point Lookout s let 150 feet 13-3/8" let 7" OD 20/ smls. c stimated TD 5:00 fee	with rotary and said and complete and said complete and c	tools to to lete with cossing at in Lookout	op of Point Lookout sand. able tools. 150 feet cemented to surf sand cemented with 300 sa	ace.
Orill Mesa Verde Teet Orill Point Lookout s Set 150 feet 13-3/8" Set 7" OD 20# smls. o	with rotary and said and complete and said complete and c	tools to to lete with cossing at in Lookout	op of Point Lookout sand. able tools. 150 feet cemented to surf sand cemented with 300 sa	ace.
Prill Hesa Verde Teet Prill Point Lookout s Set 150 feet 13-3/8" Set 7" OD 20# smls. o Setimated TD 5:00 fee	with rotary and complete and and complete an	tools to to lete with cossing at in Lookout	op of Point Lookout sand. able tools. 150 feet cemented to surf sand cemented with 300 sa	ace.
Fill Hesa Verde Teet Frill Point Lockout s Set 150 feet 13-3/8" Set 7" OD 20/ smls. of Setimated TD 2000 feet I understand that this plan of work ompany Byrd-Frosta ddress P. O. Box 91	with rotary and complete and and complete an	tools to to lete with cossing at at Lookout	op of Point Lookout sand. able tools. 150 feet cemented to surf sand cemented with 300 sa	commenced.

NEW MEXICO

Gas Well Plat

OIL CONSERVATION COMMISSION

Paso Natural Ge Operator	NO CURIN		Lease	ghes			Well N	0.
ne of Producing	g Forma	ation	Yesa	Verde		Pool.	Blanco) <u> </u>
				4				
Acres Dedicate	ed to th	e Well	320	con	ong			
cate Land Owne	rship S	tatus.	(Fed	eral, Ş		detent		Par
ECTION	19	TO	WNSH	P	C/A		RANGE_	- ON
	Į.							
				•				
	ļ							
_								
s. F. 078	016							
				i		İ		
					<u> </u>			
hereby certify			mation	given	above	is tru	ie and co	mplete
the best of my	knowle	edge.	ħT-	ame	PRIGI	VAL SIE	ngineer	

AZTEC DIS	TRICT OFFIC	
No. Copies Rece	ived 3	
DISTRIBUTION		
	NO. FURNISHED	
perntor		
lants Fe		
Planation Office		
e is Land Office		
1 A. G. S.	1	
Transporter		
File	,	