

C O P Y

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 078046

Unit J. F. Hughes

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Dec. 18, 1950, 19.....

Well No. 1 is located 990 ft. from [N] line and 990 ft. from [E] line of sec. 19

SE 1/4 of sec. 19 29N 4E 10W  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wilcox San Juan N. M.  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill Mesa Verde Test with rotary tools to top of Point Lookout sand.  
Drill Point Lookout sand and complete with cable tools.  
Set 150 feet 13-3/8" OD 48# smls. casing at 150 feet cemented to surface.  
Set 7" OD 20# smls. casing on Point Lookout sand cemented with 300 sacks.  
Estimated TD 5100 feet.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Byrd-Front, Inc.

Address Box 911

Durango, Colo.

By H. P. Slagel

Title Dist. Supt.