Denny & Fourt
DEPUTY OIL & GAS INSPECTIPE Car

DEC 3 0 1997

Meter Number:70271
cation Name:PRICHARD FEDERAL #1 MV
Location:TN-29 RG-08

SC-06 UL-G 2 - Federal

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

RECEIVED APR 1 4 1897

OIL GOM, DIV.

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 70271 Location: PRICHARD FSOERAL # 1 MV Operator #: 2999 Operator Name: MERICIAN P/L District: BLOOMFIELD Coordinates: Letter: 6 Section 6 Township: 29 Range: 8 Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 5.8.94 Area: 10 Run: 31
SITE ASSESSMENT	NMOCD Zone: Canada Type: BLM
	TOTAL HAZARD RANKING SCORE: POINTS
REMARKS	REMARKS: FOUR PITS ON LOCATION. WILL CLOSE TWO OF THEM. MU PIT IS A LITTLE OILY AND THE PL PIT IS DRY. LOCATION IS UP ON TOP OF MANZANARES MESA. REDLINE AND TOPO CONFIRMED LOCATION TO BE OF MISSING TIC V.Z.

	ORIGINAL PIT LOCATION
	Original Pit : a) Degrees from North <u>247°</u> Footage from Wellhead <u>46′</u> b) Length : <u>15′</u> Width : <u>14′</u> Depth : <u>2′</u>
10N	N The state of the
LOCATION	
T LO	The same of the sa
ORIGINAL PIT	
GINA	46 LA ELLIPEAD
ORI	340
	15
	(4
	Remarks:
	TOOK PICTURES AT 1:11 P.M.
	END DUMP
RKS	
REMARK	
R	
	Completed By:
	5.8.94

Date

Signature

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 7017 Location: Prichard Federal #1 mu Coordinates: Letter: 6 Section 6 Township: 29 Range: 2 Or Latitude Longitude Date Started: 6-28-94 Area: 10 Run: 31
FIELD OBSERVATIONS	Sample Number(s): MK 58 Sample Depth: Feet Final PID Reading PID Reading Depth Feet Yes No Groundwater Encountered [(1) [(2) Approximate Depth Feet
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: <u>EPNG lines Merked</u> soil light Slight Agorocardon Odor Hit Sand Stown 3' (fit had 6 to 8"-of Orif in Bottom) Signature of Specialist: <u>Mogan Kickion</u>



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	Fiel	d ID		Lab ID			
SAMPLE NUMBER:	m14 58		94	945549			
MTR CODE SITE NAME:	70271 6-28-94			N/A /505			
SAMPLE DATE TIME (Hrs):			15				
SAMPLED BY:	N/A						
DATE OF TPH EXT. ANAL.:	6-30-94 N/A VG-		6136194				
DATE OF BTEX EXT. ANAL.:			N/A				
TYPE DESCRIPTION:			listet ava	light avay the Sand Clay			
REMARKS:					/ (······································	
		RESULTS					
DADAMETER	RESULT	UNITS		QUALIFIERS			
PARAMETER	RESULT	UNITS	DF	Q	M(g)	V(ml)	
BENZENE		MG/KG					
TOLUENE		MG/KG					
ETHYL BENZENE		MG/KG				-	
TOTAL XYLENES		MG/KG					
TOTAL BTEX		MG/KG				_	
TPH (418.1)	18,400	MG/KG			0,44	28	
HEADSPACE PID	241	PPM					
PERCENT SOLIDS	91,1	%				···········	
e Surrogate Recovery was at rrative:	TPH is by EPA Method 41	$^{8.1}$ and BTEX is by EPA $^{\circ}$ for this sampl		was accep	etable.		
pproved By:	210		Date:	7/14/	i Guz		

Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil

Perkin-Elmer Model 1600 FT-IR Analysis Report ************************************* LEGBEE

*

*

94/06/30 15:20


Sample identification 745549

Initial mass of sample, g 1.440

Volume of sample after extraction, ml 28.000

Petroleum hydrocarbons, ppm 18366.971

Net absorbance of hydrocarbons (2730 co-1) .50**6**·



5 •