XERO: CODY XERO Form approved. Budget Bureau No. 42-R1424. SUBMIT IN TRIPLICATES UNITED STATES Form 9-331 (May 1963) DEPARTMENT OF THE INTERIOR verse side) 5. LEASE DESIGNATION AND SERIAL NO. GEOLOGICAL SURVEY F.078049 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to Use "APPLICATION FOR PERMIT—" for such proposals 7. UNIT AGREEMENT NAME WELL GAS WELL 8. FARM OR LEASE NAME 2. NAME OF OPERATOR Jerome P. McHugh 9. wzHardie 3. ADDRESS OF OPERATOR 2 Box 234, Farmington, New Mexico BOLL CON. COM LOCATION OF WELL (Report location clearly and in accordance with any See also space 17 below.)
At surface 10. FIELD AND POOL, OR WILDCAT tate reDisTates Basin Dakota 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA 970' FNL, 850'FWL Sec. 28 Sec28; T29N, R8W, NMPM. COUNTY OF PARISH 13. STATE 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 14. PERMIT NO. New Mexico San Juan 6407 Gr. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. SUBSCOUENT REPORT OF NOTICE OF INTENTION TO: REPAIRING WELL WATER SHUT-OFF PULL OR ALTER CASING TEST WATER SHUT-OFF ALTERING CASING PRICTURE TREATMENT MULTIPLE COMPLETE FRACTURE TREAT SHOOTING OR ACIDIZING ABANDON\* SHOOT OR ACIDIZE CHANGE PLANS REPAIR WELL (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) • Spud 13 3/4" hole. 7:30 A.M. 7-13-57. Drilled to 215' 1/40 - 215'. Ran 6 jts. 9 5/8" 0.D. 32.40# H-40, 8R. ST&C csg. set at 215' RKB. Cemented w/130 sx class "A" Spud 2% CaCl. POB 11:30 P.M . 7-13-67 W.O.C. 7-19-67 3145' Ran 97 jts. 7" 0.D. 20# J-55 8R ST&C Youngstown casing T.E. 3147.70 set at 3143' RKB. Cemented w/220 sx class "C" I6% Gel, 60 sx class "C" neat. P.O.B. 1:40 PM 7-18-67 7-26-67 T.D. 7575'. Ran 234 jts. 4 1/2" O.D. 28 jts. 11.6# 206 jts. 10.5# J-55 8R ST&C Youngstown casing. T. E. 7584.80 set at 7580 RKB. Cement w/130 sx class "C" 40% diacel "D" plus 100 sx class "C" 7 1/2# salt per sk. POB 1:45 P.M. 7-25-67-followed plug w/250 gal. acid. Cut off casing - installed wellhead. Released roly 4:00 PM 7-25-67 RECEIVED

AUG 1 4 1967

U. S. GEOLOGICAL SURVEY

FARMING N. N. DATE .

(This space for Federal or State office use)

SIGNED

18. I hereby certify that the foregoing is true and correct

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

TITLE

Max

\*See Instructions on Reverse Side

Engineer

RECEIVED

AUG 1 4 1967

U. S. GEOLOGICAL SURVEY FARMING N. N.