UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	SF 078414 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME
1. oil gas well other	Day A 9. WELL NO.
2. NAME OF OPERATOR EL PASO NATURAL GAS CO. 3. ADDRESS OF OPERATOR	1A 10. FIELD OR WILDCAT NAME Blanco Mesa Verde
BOX 990, FARMINGTON, NEW MEXICO 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1110'S, 850'E AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 17, T-29-N, R-8-W NMPM 12. COUNTY OR PARISH 13. STATE San Juan New Mexico 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 6560 GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	(NOTE: Report results of multiple completion or zone change on Form 9–330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12/29/77: Spudded well. Drilled surface hole.

12/30/77: Ran 5 joints 9 5/8", 32.3#, H-40 surface casing, 227' set at 241'. Cemented with 224 cu. ft. cement. Circulated

surface. WOC 12 hours; held 600#/30 minutes.

Subsurface Safety Valve: Manu. and Type Set @ 18. I hereby certify that the foregoing is true and correct

SIGNED __i TITLE Drilling Clerk DATE 1/9/78 (This space for Federal or State office use)

APPROVED BY ___ TITLE ____ _ DATE _ CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

RECEIVED

JAN 11 1978

U.S. Seriogram
Formungton, 11.55.