

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____
 b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____


2. NAME OF OPERATOR
Tenneco Oil Company

3. ADDRESS OF OPERATOR
Box 3249, Englewood, CO 80155

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 800' FSL, 800' FEL "P"

At top prod. interval reported below

At total depth



14. PERMIT NO. _____ DATE ISSUED _____

5. LEASE DESIGNATION AND SERIAL NO.
SF 078487

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Pritchard

9. WELL NO.
8

10. FIELD AND POOL, OR WILDCAT
Basin Dakota

11. SEC., T. R., M., OR BLOCK AND SURVEY OR AREA
Section 4, T29N, R8W

12. COUNTY OR PARISH
San Juan

13. STATE
New Mexico

15. DATE SPUDED 12/5/80 16. DATE T.D. REACHED 12/15/80 17. DATE COMPL. (Ready to prod.) 2/19/81 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 6322' gr. 19. ELEV. CASINGHEAD --

20. TOTAL DEPTH, MD & TVD 7578' 21. PLUG, LACK T.D., MD & TVD 7568' 22. IF MULTIPLE COMPL., HOW MANY* -- 23. INTERVALS DRILLED BY -- ROTARY TOOLS 0'-TD CABLE TOOLS --

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 7306-7536' Dakota 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN CDL, IND/GR, Temp. log PDC 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	269'	12-1/4"	225 sx Class B 2% CAC ₂	
7"	23#	3504'	8-3/4"	150 sx CL-B 2% CAC ₂	
4-1/2"	10.5#, 11.5#	7578'	6-1/4"	290 sx 65/35 POX 6% gel 150 sx Class B	4% HR4

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4-1/2"	3320'	7578'	440 sx		2-3/8"	7284'	

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	7284'	

31. PERFORATION RECORD (Interval, size and number)

7306-22'	7528-36'		
7338-44'			
7442-46'	46'	92 holes	2 JSPF
7468-72'			
7498-7502'			

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
7306-7536'	1900 gals weighted 15% HCL 1.1 spec grav balls 80,000 gals 30# XL gel 80,000# 20/40 sand, 25,000# 10/20 sand

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)
2/19/81	Flowing	Shut-in

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2/19/81	3 hrs.	3/4"	→		2597		

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
178 PSI	602 PSI	→		2766		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold. TEST WITNESSED BY

35. LIST OF ATTACHMENTS
Electric logs will be forwarded by Gearhart Owen and Schlumberger. **ACCEPTED FOR RECORD**

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Carol A. Statton TITLE Asst. Div. Adm. Mgr. DATE MAR 3 1981

*(See Instructions and Spaces for Additional Data on Reverse Side)

FARMINGTON DISTRICT
BY R.B.

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 19: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.
Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.
Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
 SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS	
				NAME	MEAS. DEPTH
Lewis	Csg. Shoe	4605'	Shale		
Cliffhouse	4605'	4700'	Sand, gas		
Menefee	4700'	5173'	Sand, shale, some gas		
Pt. Lookout	5173'	5328'	Sand, gas		
Mancos	5328'	6522'	Sand, shale		
Gallup	6522'	7200'	Sand	Greenhorn	7206'
Dakota	7305'	TD	Sand, gas		

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Greenhorn	7206'	