Meter Number: 94676 Location Name: HUGHES A #1E Location:TN-29 RG-08

SC-27 UL-E

2 - Federal NMOCD Zone:OUTSIDE Hazard Ranking Score:00

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1.000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10⁻⁹ to 10⁻¹³ cm/sec Sandstone 10⁻¹² to 10⁻¹⁶ cm/sec Shale 10⁻¹² to 10⁻¹⁵ cm/sec Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM


	and the second of the second							
GENERAL	Meter: 94676 Location: Hughes A No 1E Operator #: 0203 Operator Name: Amero P/L District: Blanco Coordinates: Letter: E Section 27 Township: 29 Range: 8 Or Latitude Longitude Pit Type: Dehydrator V Location Drip: Line Drip: Other: Site Assessment Date: 6/9/44 Area: 13 Run: 51							
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside (From NMOCD State (C) Fee (G) Indian Depth to Groundwater Less Than 50 Feet (20 points) (C) Greater Than 100 Ft (0 points) (C) Greater Than 100 Ft (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (C) Greater Than 1000 Ft (10 points) (C) Greater Than 1000 Ft (0 points) (C) Greater Than 1000 Ft (0 points) (C) Greater Body (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (T) < 100'(Navajo Pits Only) (C) > 100' TOTAL HAZARD RANKING SCORE: Description Description Description Company (Surface Water Body : Points) (C) POINTS							
XS.								
REMARKS	Remarks: Redling + Vuln - Durside Well warnet on Vulnerable Topo map. Site was approximated wing Redline book & sucrounding wells.							
EM	Spits. Will close I. Pit Dry							
PK	PUSH-IN .							

ORIGINAL PIT LOCATION

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 345° Footage from Wellhead 128'

b) Length : <u>\(\frac{27'}{}\)</u> Width : <u>\(\frac{26'}{}\)</u> Depth : <u>\(\frac{3'}{}\)</u>



KEMAKKS	Remarks: Pictures @ 1511 (15-18) Dump Truck
ŕ	
	Completed Bu
	Completed By:

Date

Signature

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 94676 Location: Hugles A = 1E Coordinates: Letter: E Section 27 Township: 29 Range: 8 Or Latitude Longitude Date Started: 8-1-94 Run: 13 51									
FIELD OBSERVATIONS	Sample Number(s): MK201 MK202 MK203 Sample Depth: 8' Feet Final PID Reading 242 PID Reading Depth 8' Feet Yes No Groundwater Encountered Approximate Depth Feet									
CLOSURE	Remediation Method: Excavation									
REMARKS	Remarks: FRNG lives Mark Soil Brown Strong HYDro Carbon Odor Hit Sandstone & Signature of Specialist: Margan Xillian (SP3181) 03/16/84									



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	SAMPLE	DENTIFICA	IION			
	Field I	Field ID		Lab ID		
SAMPLE NUMBER:	MK 201		945806			
MTR CODE SITE NAME:	94676		N/A 1326			
SAMPLE DATE TIME (Hrs):						
SAMPLED BY:	N/A					
DATE OF TPH EXT. ANAL.:	8-2-94		8-2-94			
ATE OF BTEX EXT. ANAL.:	N 1 M		NIA S VOL			
TYPE DESCRIPTION:			It. Brown Sand Clay			
REMARKS:						
	H	RESULTS			 	
PARAMETER	RESULT	UNITS	QUALIFIERS			
PARAMETER	NESOE 1	ONTO	DF	Q	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	4380	MG/KG			2.05	28
HEADSPACE PID	242	PPM				
PERCENT SOLIDS	90.8	%	<u> </u>			
Surrogate Recovery was at rative:	TPH is by EPA Method 41	8.1 and BTEX is by EPA % for this sample		was accep	otable.	
= Dilution Factor Used				, ,		
proved By:			Date:	8/2/4	9	

> Perkin-Elmer Model 1600 FT-IR Analysis Report

34/08/02 14:17

Sample identification 45806

Initial mass of sample, g

olume of sample after extraction, al

Petroleum hydrocarbons, ppm 180-879

Med absorbanca of hydrocarbons (29%) ca-11. TSR

