For (F	m 9. eb. 1	- <b>881</b> a 961)	•
ĺ			
ı			

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Sauto Pe
Lease No	<i>479</i> 938
Unit	Jones

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
Motice of Int. to deepen well and	re-complite as Mess Verde-Dakota Dual
ell No. 1 (16) is located 990 ft. from  /4 Sec. 35 29N  (W. Sec. and Sec. No.) (Twp.)  suggo Mesa Verde & Vildent Dek. S.	(Range) (Meridian)
(County et al. (Count	(black of follows)
ne elevation of the derrick floor above sea le	(black of follows)
DETA  ste names of and expected depths to objective sands; show size ing points, and all of	vel is
DETAIL  The names of and expected depths to objective sands; show sizing points, and all of intended to recomplete this wellower:  Squeeze open hole with 210 sacks Set whipstock and gas drill to enfun combination long string, 5 1, and 5', 15g', 3-55 from 500' to 7!  Perforate and fracture Dakota day Set magnesium salage plug above 1 5 1/2 and 5' casing.  Drill bridge plug and set 5 prod 5/2 of Section 35 is dedicated to	vel is
DETAINTENANCE OF THE PROPERTY OF SECTION 35 IN CASE OF SECTION 35 IN dedicated to provide the section 35 is dedicated to the section 35 is dedicated to provide the section 35 is dedicated to the section 35 is dedicated 45 is the section 35 is dedicated to 35 is dedicated 45 is the se	vel is
DETA  DETA  The names of and expected depths to objective sands; show size ing points, and all of the intended to recomplete this walkner:  Squeeze open hole with 210 sacks  Set whipstock and gas drill to end and 5', 15%, 3-55 from 500' to 74  Perforate and fracture Dakota and Set magnesium baldge plug above 10 5 1/2 and 5' casing.  Drill bridge plug and set 5 producted to 2/2 of Section 35 is dedicated to 1 1/2 of Section 35 is dedicated 1 1/2 of 1	vel is
DETAINTENANCE OF THE PROPERTY OF SECTION 35 IN CASE OF SECTION 35 IN dedicated to provide the section 35 is dedicated to the section 35 is dedicated to provide the section 35 is dedicated to the section 35 is dedicated 45 is the section 35 is dedicated to 35 is dedicated 45 is the se	vel is
DETAINTED THE REPORT OF THE PROPERTY OF SECTION 35 is dedicated to recursion plans and show in points, and all of the property of the plans of the p	vel is
DETA  DETA  The names of and expected depths to objective sands; show size ing points, and all of the intended to recomplete this walkner:  Squeeze open hole with 210 sacks  Set whipstock and gas drill to end and 5', 15%, 3-55 from 500' to 74  Perforate and fracture Dakota and Set magnesium baldge plug above 10 5 1/2 and 5' casing.  Drill bridge plug and set 5 producted to 2/2 of Section 35 is dedicated to 1 1/2 of Section 35 is dedicated 1 1/2 of 1	vel is