

STATE OF NEW MEXICO  
OIL CONSERVATION  
COMMISSION  
DISTRICT NO. 3  
Phone 99 P. O. Box 697  
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 078132  
Unit Annie L. Elliott  
North 1/2 Section 15  
designated drilling unit

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, June 20, 1951Well No. C-1 is located 990 ft. from N line and 1650 ft. from E line of sec. 15NE/4 of Section 15  
(1/4 Sec. and Sec. No.)T-29-N  
(Twp.)R-9-W  
(Range)NMPM  
(Meridian)Blanco (Largo)  
(Field)San Juan

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 5937 ft. (G.L.)

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 5100 feet. Rotary tools will be used to total depth. It is tentatively planned to diamond core Cliffhouse, Menefee and Point Lookout formations. Casing will be set on top of Cliffhouse. Mesa Verde formation will be shot with SNG and cleaned out with reverse rotary rig. The following casing program is proposed:


Size	Depth	Cement	Remarks
9-5/8"	450	420	175% of calculated amount to circulate.
7"	4100	125	100% of calculated amount to fill 900' above shoe.

Tentative plans are to place a 1000 foot 5" OD uncemented liner through pay. Copies of location and elevation plats are attached. Also attached are detailed staking plats. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas CompanyAddress Box 487Farmington, New MexicoBy [Signature]Title Production Foreman






Company Stanolind Oil & Gas Company  
Lease Annie L. Elliott Well No. "C" #1  
Sec. 15 T. 29 N. R. 9 W., N.M.P.M.  
Location 990' from the North line and 1650' from the East line.

**San Juan County**

**New Mexico**



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*Charles J. Finkles*

Seal:

Registered Professional  
Engineer and Land Surveyor.

**Charles J. Finkles**  
**N. Mex. Reg. No. 1302**

Surveyed May 20, 1951