

9-15-66

F. Loc. 1600/S; 1500/W Elev. 5696 GL Spd. 9-13-66 Comp. 9-20-66 TD 4750 PB 4500
 Casing S. 9 5/8 @ 201 W 130 Sx. Int. 7 @ 2313 W 125 Cu. ft. 2242 Sx. P. 4 1/2 L. @ 4750 W 265 Sx. T. 2 3/8 @ 4430
 Csg. Perf. 3848-4462 Prod. Stim. SWF T Gas R A N S

5323 AOF I.P. 2608 MCF/D After Hrs. SICIP 796 PSI After 7 Days GOR Grav. 1st Del. Gas 1-26-67 1st Del. Oil

TOPS		NITD X	Well Log	TEST DATA						
Ojo Alamo		C-103	Plat X	Schd.	PC	Q	PW	PD	D	Ref. No.
Kirtland	1160	C-104 10-10-66 ✓ ✓	Electric Log ✓	4/2/66	392	19	335	274	31	
Fruitland	1830		C-122							
Pictured Cliffs	2095	Ditr	Dfa							
Chacra		Datr	Dac							
Cliff House	3770	EVAL Acres W/320								
Menefee										
Point Lookout	4398									
Mancos										
Gallup										
Greenhorn										
Dakota										
Entrada										

P
o
n

Sched.	PC	O	PW	PD	D	Ref No.
7/35/67	757	198	614	606	205	#604
8/2/68	720	462	521	576	374	
5/10/69	634	548	516	507	576	
10/27/69	552	392	496	442	624	
8/5/71	526	486	394	421	419	
5/11/72	433	534	309	346	425	
6/7/73	400	554	294	320	462	
7/8/74	388	383	270	310	293	
5/25/76	386	310	200	309	288	
3/29/78	367	265	253	294	199	5094
5/21/80	395	282	308	316	271	
5/24/82	397	185	332	318	211	
1/2/84	424	69	319	326	65	