

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.5. LEASE DESIGNATION AND SERIAL NO.
Simmons - P.C. No. 9
SE 080245-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a well or reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR D. J. Simmons, et al		8. FARM OR LEASE NAME Simmons	
3. ADDRESS OF OPERATOR 3815 McCart Street - Fort Worth, Texas 76110		9. WELL NO. No. 9	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1760' from North line, 1680' from West line, Sec. 21 - Twp. 29N - R 9W. San Juan, County, New Mexico		10. FIELD AND POOL, OR WILDCAT Blanco - P.C.	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 21 - T29N - R9W N.M.P.M.	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5624 K.B.		12. COUNTY OR PARISH San Juan	
		13. STATE N.M.	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) **Due to the inability to sustain commercial gas production as a result of excess water, the above captioned well has been plugged and abandoned in the following manner: (Work commenced December 20, 1974 and was completed December 27, 1974).**

Cement plugs have been pump placed through 1½" tubing and set in the 4½" casing as follows:

12-21-74 Plug No. 1 - Plugback T.D. 2192' to approx. 2000', and covering the Pictured Cliffs perforations (2082' - 2159'). A 20 sack (approx. 200' + plug).

Plug No. 2 - 1144' up to 1044' to cover Ojo Alamo sand interval (1100' - 1056'). A 10 sack (approx. 100' + plug).

12-23-74 4½" casing perforated with 4 shots at 700' to pump cement to kill surface water flow. No communications at this point (pumped up to 1000 psi with no entry for circulation). Then perforated at 400' with 3 shots and pumped 100 sacks down 4½" casing through these perforations and leaving approx. 100' of cement in 4½" casing for Plug No. 3 (400' up to 300'), then both 4½" casing and surface casing valves were shut in for 48 hours.

12-25-74 4½" casing and surface casing valves opened to the atmosphere and no water flow or blow from either was observed.

(continued on back of this page)-

18. I hereby certify that the foregoing is true and correct

SIGNED

Ashton B. Geren, Jr. TITLE

Supt.

DATE December 30, 1974

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE