

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.5. LEASE DESIGNATION AND SERIAL NO.
Simmons - P.C. No. 10
SF 080245-B6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME -----
2. NAME OF OPERATOR D. J. Simmons, et al	8. FARM OR LEASE NAME Simmons - P.C.
3. ADDRESS OF OPERATOR 3815 McCart Street Fort Worth, Texas 76110	9. WELL NO. No. 10
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1850' from South line, 1820' from West line Section 21 - Twp. 29N - R9W San Juan County, New Mexico	10. FIELD AND POOL, OR WILDCAT Blanco - P.C.
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 21-T29N - R9W N.M.P.M.
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5586 KB 5576 GL	12. COUNTY OR PARISH 13. STATE San Juan N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The above captioned well has recently ceased to produce in an efficient manner due to an increase of water to the well bore. It is proposed that the probable casing leak be found and repaired as follows:

The well site since completion in 1966 has been inundated by Largo wash and is located approximately 125 feet out from the now existing bank of the wash area. An earth fill ramp will have to first be constructed in order to bring the workover rig to the well site. This will require approximately 200 yards of shale fill and can be secured from a nearby abandoned well location (Simmons P.C. No. 9 -SE NA Sec. 21-T29N-R9W) which is to be smoothed for re-seeding of the surface. On 2-19-76 a BLM representative inspected the proposed work plan area and advised that the disturbed area should be kept to a minimum. This we plan to do as prescribed. The well will have installed an adequate blowout preventer, the 1 1/2" siphon string will be pulled and a removable bridge plug will be run on 2 3/8" tubing and set in the 4 1/2" production casing above and near the top perforations. Then a packer will be set at various points and pressured with water in such manner to determine the location of a possible hole in the production casing. If a hole or leak is found, then the hole is to be strattled by the bridge plug below and the packer above and will be squeezed by Halliburton with a sufficient amount of cement to shut off the leak. The cement will be drilled out and the siphon string run back in the well. If necessary, a swabbing unit will be moved in to help clean up the well.

18. I hereby certify that the foregoing is true and correct

(See back of this page)

SIGNED

Ashton B. Ceren, Jr.

TITLE

Supt.-Manager for:
D.J. Simmons Co.

DATE

2-19-76

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

DATE

FEB 20 1976

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY
WASHINGTON, D. C.

Instructions

10

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

After the repair work is finished, most or a portion of the dirt ramp will be pushed back on the bank area as conditions will permit. GO 680-160

It is proposed to commence this repair operation around February 23, 1976 with rig availability and weather conditions permitting.