Denny S. Frut **DEPUTY OIL & GAS INSPECTOR** 

DEC 3 0 1997

Meter Number:89887


Location Name: SHANE GAS COM #1A

Location:TN-29 RG-09

SC-14 UL-N 2 - Federal

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00



#### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10<sup>-9</sup> to 10<sup>-13</sup> cm/sec 10<sup>-12</sup> to 10<sup>-16</sup> cm/sec 10<sup>-12</sup> to 10<sup>-15</sup> cm/sec Sandstone Shale Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

### FIELD PIT SITE ASSESSMENT FORM



GENERAL	Meter: 89887 Location:SHANE GAS COM #/A  Operator #:Ø203 Operator Name: Amoco P/L District:BLANCO  Coordinates: Letter: _N Section 14 Township:29 Range:9  Or				
	NMOCD Zone:  (From NMOCD  Maps)  Inside  Outside  Depth to Groundwater  Less Than 50 Feet (20 points)  Land Type:  BLM  State  (2)  Fee  (3)  Indian  (1)  (1)				
MENT	50 Ft to 99 Ft (10 points) (2) Greater Than 100 Ft (0 points) (3)  Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; is it less than 200 ft from a private				
SITE ASSESSMENT	domestic water source? (1) YES (20 points) (2) NO (0 points)  Horizontal Distance to Surface Water Body  Less Than 200 Ft (20 points) (1)  200 Ft to 1000 Ft (10 points) (2)  Greater Than 1000 Ft (0 points) (3)  Name of Surface Water Body				
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)  (2) > 100'  TOTAL HAZARD RANKING SCORE:O POINTS				
REMARKS	Remarks: Three Pits on Location, will close only one, Pit is DRY, LOCATION 18 UP ON A HILL REDLINE SHOWS LOCATION INSIDE V.Z. BUT TOPO SHOWS LOCATION OUTSIDE V.Z. PLSH EN				
	1 (SP3190) 04/08/94				

L PIT LOCATION	Original Pit : a) Degrees from North _268° Fo	ootage from Wellhead <u>247'</u>
ORIGINAL	Remarks:	
REMARKS	TOOK PICTURES AT 11:20 A.M. END DIMP	
	Completed By:  Signature	<u>5.13.94</u> Date

1 1

## FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 89887Location: Stane GGS Com#19  Coordinates: Letter: N Section 14 Township: 29 Range: 9  Or Latitude Longitude Longitude Date Started: 7-18-94 Run: 13 22
FIELD OBSERVATIONS	Sample Number(s): AK 149  Sample Depth:
CLOSURE	Remediation Method:  Excavation
REMARKS	Remarks: <u>EPNG lines Marked</u> Soil Brown Strong Hydrocypen Odor Hit Sand Stone 3'  Signature of Specialist: Mozen Xillion



# FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil

### CAMPLE IDENTIFICATION

	Field	ID		Lab ID		
SAMPLE NUMBER:	mk 14	ଦ	945703			
MTR CODE   SITE NAME:	8938		N/A			
SAMPLE DATE   TIME (Hrs):	7/18/94			1228		
SAMPLED BY:		N	N/A			
DATE OF TPH EXT.   ANAL.:	7/19/92)		1	19144		
DATE OF BTEX EXT.   ANAL.:		<del></del>	NA			
TYPE   DESCRIPTION:	√ 6		Lt. Brow	n sund	change	
REMARKS:		RESULTS				
	i		l			
PARAMETER	RESULT	UNITS		QUALIF		\//1
PARAMETER	RESULT	UNITS	DF	QUALIF	IERS M(g)	V(mi)
PARAMETER BENZENE	RESULT	UNITS MG/KG	DF			V(mi)
	RESULT		DF			V(mi
BENZENE	RESULT	MG/KG	DF			V(mi
BENZENE TOLUENE	RESULT	MG/KG MG/KG	DF			V(mi
BENZENE TOLUENE ETHYL BENZENE	RESULT	MG/KG MG/KG MG/KG	DF			V(ml
BENZENE TOLUENE ETHYL BENZENE TOTAL XYLENES	RESULT	MG/KG MG/KG MG/KG	DF			V(m)
BENZENE TOLUENE ETHYL BENZENE TOTAL XYLENES TOTAL BTEX		MG/KG MG/KG MG/KG MG/KG	DF		M(g)	V(m)

F = Dilution Factor Used

Varrative:

00

8/8/94

Test Method for \* Oil and Grease and Petroleum Hydrocarbons in Water and Soil \* \* Perkin-Elmer Model 1600 FT-IR Analysis Report 14/07/19 15:00 Temple identification 1497:0 Thirtie' make of sample, g Thlowe of easily after entirection, will one l Treileur Treincarbine, ppm 141 Die 151 wordendo of Treincarbone (2719 do-1) 3 Anno 1864 ಗ್ರಾಂತ ನಿರ್ವಹಿಸಲಾಗಿ **ತರಕರ ಸಾ**ಯಾ

