MULTIPLE COMPLETE CHANGE ZONES ABANDON\* (other)

4. 15. 19. 19.

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

	5.	SF 078049	5. 2. 14		
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME				
-		문화한다	• · ·	4	
	7.	UNIT AGREEMENT NAM	E_		
nt			g.		
	8.	FARM OR LEASE NAME	·	3.1.5	
		Hughes A	<u>.</u>	- F L	
	9.	WELL NO.	-	:	
		4A 5 % - 7	·:		
	10.	FIELD OR WILDCAT NAM	E	- 3 -	
		Blanco M.V.	<i>ن</i> 		
- ]	11.	SEC., T., R., M., OR BLK	. AND	SURVEY OR	
7		AREA Sec. 34, T-			

	1		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME		
1 oil gas	8. FARM OR LEASE NAME Hughes A		
well other	9. WELL NO.		
2. NAME OF OPERATOR	4A 3		
El Paso Natural Gas Company 3. ADDRESS OF OPERATOR	Blanco M.V.a		
P.O. Box 289, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR		
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 34, T-29-N, R-8-W		
AT SURFACE: 1700'S, 970'E AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE San Juan New Mexico		
AT TOTAL DEPTH:  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO.		
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 6483' GL		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF			
REPAIR WELL	(NOTE: Report results of multiple completion or zone change on Form 9–330.)		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

PBTD 5691'. Tested casing to 3500#, OK. Perfed Mass. & Lower P.L. 5238,5244,5250,5262,5267,5272,5283,5288,5300,5316,5344,5378,5414,5464, 6-11-79: PBTD 5691'. 5474,5493,5500,5539,5550,5567,5592,5600,5622,5672,5690 w/1 SPZ. Fraced w/94,000# 20/40 sand and 188,000 gal. water. Flushed w/7182 gal. water. Perfed C.H. & Men. 4652,4668,4673,4678,4693,4698,4703, 4716,4721,473,4736,4751,4756,4761,4766,4771,4776,4781,4786,4791,4906, 4914,4922,5029,5088' w/1 SPZ. Fraced w/68,000#-20/40 sand and 136,000 gal. water. Flushed w/6720 gal. water.

Subsurface Safety Valve: Manu. and Type I hereby certify that the foregoing is true and correct Drilling Clerk DATE (This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

e Instructions on Reverse Side