

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-85

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		
1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- 2. Name of Operator Amoco Production Company 3. Address of Operator 501 Airport Drive, Farmington, NM 87401 4. Location of Well UNIT LETTER <u>I</u> <u>1800</u> FEET FROM THE <u>South</u> LINE AND <u>1120</u> FEET FROM <u>East</u> LINE, SECTION <u>5</u> TOWNSHIP <u>29N</u> RANGE <u>9W</u> NMPM. 15. Elevation (Show whether DF, RT, GR, etc.)		7. Unit Agreement Name 8. Farm or Lease Name Archuleta Gas Com "A" 9. Well No. 3E 10. Field and Pool, or Wildcat Basin Dakota 12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
--	--	---	---

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Amoco Production Company plans to test for water and gas influx from the lowest zone in the above mentioned well, as follows:

1. Kill well and pull 2-3/8" tubing out of hole.
2. Set cast iron bridge plug at 6700'.
3. Land 2-3/8" tubing at 6530'.
4. Return well to production.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed Original Signed By E. E. SVOBODA TITLE Dist. Admin. Supvr. DATE 8-18-81

APPROVED BY Original Signed by FRANK T. CHAVEZ TITLE SUPERVISOR DISTRICT # 3 DATE AUG 19 1981

CONDITIONS OF APPROVAL, IF ANY: