

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30/045-24233	
5. Indicate Type of Lease	STATE ☐	FEE ☒
6. State Oil & Gas Lease No.		
7. Lease Name or Unit Agreement Name	Nye Gas Com "B"	
8. Well No.	1E	
9. Pool name or Wildcat	Basin Dakota	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		
1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER		
2. Name of Operator Amoco Production Company Attn: John Hampton		
3. Address of Operator P.O. Box 800, Denver, Colorado 80201		
4. Well Location Unit Letter <u>F</u> : <u>2310'</u> Feet From The <u>North</u> Line and <u>950'</u> Feet From The <u>West</u> Line Section <u>7</u> Township <u>29N</u> Range <u>9W</u> NMTPM San Juan County		
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 5624' GL		

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐ OTHER: <u>Abandon cathodic protection well</u> ☒	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ COMMENCE DRILLING OPNS. ☐ CASING TEST AND CEMENT JOB ☐ OTHER: ☐ ALTERING CASING ☐ PLUG AND ABANDONMENT ☐
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.	

The cathodic protection well associated with the above well will be plugged and abandoned per the attached procedure.

RECEIVED

JUN 11 1990

OIL CON. DIV
DIST. 3

Please contact Cindy Burton (303)830-5119 if you have any questions.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. Hampton/CB TITLE Sr. Staff Admin. Supr. DATE 6/7/90

TYPE OR PRINT NAME John Hampton

(This space for State Use)

TELEPHONE NO. 303-830-5025

APPROVED BY Original Signed by FRANK T. CHAVEZ TITLE CONSERVATION DISTRICT MGR DATE JUN 12 1990

CONDITIONS OF APPROVAL, IF ANY:

GROUND BED ABANDONMENT

WELL NAME: Nye B-1

LOCATION: S7-T29-R9

- 1) Weld 6" dia. spool with diverter line to pit
- 2) MIRU
- 3) Wash in hole with 1 1/4" work string. Circulate out coke breeze. Pull anodes as they come free. Wash hole to 300 ft.
- 4) Pump 95 sx of neat cement w/ 1/4 lb. sk. Flocele. Pull out work string.
- 5) Top off hole with cement, set flexible pipeline marker as PxA marker.
- 6) RDMO

Ground Bed Specifications

TD 300 ft.

Hole Dia. 6³/₄ inches.

Casing Dia. 6³/₄ inches

Casing Length 33 ft.

JAB.GRA

CATHODIC PROTECTION STATUS

IN-SERVICE REPORT

CPS# Amoco Located at MP BLANCO Work Order # PHASE 1 10012on the Nye #1; B11; C1 lineIn Service Date 3-8-83 Watt-Hour Meter # 1027096Power Vendor CITY Initial Reading 0000

POWER UNIT DATA

Manufacturer ATOModel No. DA-5Serial No. 790832D.C. Capacity 48 Volts 25 AmperesA.C. Rating 230/460 Volts 713.5 Amperes 1 PhaseRectifier Set for 220 VoltsA.C. Input 252 Volts AmperesD.C. Output 5.21 VOLTS 2.74 2.84 5.96 AmperesP/S Potentials at Negative C1 0.28 0.92 VoltsB1 0.87 1.06 VoltsGROUND BED DATA Nye #1 0.67 0.76 VoltsNo. of Anodes 15 Type and Size DS14-DAnode Lead Cable Data #8 OR-2Coke Type GAB T Amount of Coke 4800Positive Cable: Size #8 Type OR-2

INSTALLATION DATA:

Hole Depth & Diameter 300' x 6 3/4"Lineal Feet Casing 33'Soil Strata Log Attached Yes ☒ No

Remarks:

S. L. M. A.