

N. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator Amoco Production Company		8. Farm or Lease Name Lobato Gas Com "E"	
3. Address of Operator 501 Airport Drive, Farmington, NM 87401		9. Well No. 1E	
4. Location of Well UNIT LETTER <u>D</u> <u>1220</u> FEET FROM THE <u>North</u> LINE AND <u>910</u> FEET FROM THE <u>West</u> LINE, SECTION <u>3</u> TOWNSHIP <u>29N</u> RANGE <u>9W</u> NMPM.		10. Field and Pool, or Wildcat Basin Dakota	
15. Elevation (Show whether DF, RT, GR, etc.) 5602' GL		12. County San Juan	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:


PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Completion

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations began on 10-25-80. Total depth of the well is 6934', and plug back depth is 6920'. Perforated intervals from 6872 to 6890 with 2 spf, a total of 36, .38" holes. Perforated interval from 6830 to 6842 with 2 spf, a total of 24, .38" holes. Sand water fraced with 89,000 gallons of frac fluid and 86,320# of 20-40 sand.

Perforated interval 6730-6747 with 2 spf, a total of 34, .38" holes. Perforated interval 6628-6649 with 2 spf, a total of 42, .38" holes. Sand-water fraced with 85,440 gallons of frac fluid and 121,000# of 20-40 sand.

Landed 2 3/8" tubing at 6879'. Flowed the well to clean up and released the rig on 11-11-80.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. C. SVOBODA TITLE Dist. Admin. Supvr. DATE 1-13-81

APPROVED BY Original Signed by FRANK T. CHAVEZ TITLE SUPERVISOR DISTRICT # 3 DATE JAN 21 1981

CONDITIONS OF APPROVAL, IF ANY: