

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well well

2. NAME OF OPERATOR

Tenneco Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 3249, Englewood, CO 80155

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1790' FNL 800' FWL "E"

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) ☐

SUBSEQUENT REPORT OF:

RECEIVED
MAY 27 1981
OIL CON. COM.
DIST. 3
5/19/81

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/7/81 - Drill to TD 5/6/81 of 7481'. POOH. Log w/Gearhart Owens. TIH. Laid down drill pipe. RU to run 4-1/2" liner.

5/8/81 - RU and run 17 jts 4-1/2" 11.6# K-55 and 78 jts 4-1/2" 10.5# K-55 STC csg (4116') set @ 7477. Float collar @ 7429.8'. Top of liner @ 3348'. Cmt w/400 sx National Lite w/6% NFL-1, 6% NFR-2. .3% retarder. Tail w/150 sx Class B w/.6% NFL and .6% NFR-1. Reverse out chem wash, no cmt. Laid down drill pipe. NDBOPS. Release rig 5/7/81. Circ cmt to top of liner @ 3348'.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED _____

TITLE Asst. Div. Adm. Mgr. DATE

5/19/81

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

NMOCC

*See Instructions on Reverse Side