

Form 9-331a  
(Feb. 1951)

(SUBMIT IN TRIPLICATE)  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 080711-A  
Unit 1/2 of sec. 31

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

....., 19 52

Well No. 11 is located 100 ft. from S line and 225 ft. from E line of sec. 31

31 (1/4 Sec. and Sec. No.) 30N (Twp.) 6E (Range) 100E (Meridian)  
San Juan (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 417.3 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 13 3/8" bit casing at 200' - will circulate cement. Set 1" 20" casing at 500' cement 3/4" ex. will drill these levels with 2 1/2" total depth will be approximately 510'. Top of base sands expected at approximately 510'. Before over to be run before setting 7" casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Barro 1141

Address 1st National Bldg.

Albany, N.Y.

By May Z. Corbett  
Title Asst