rm = 881 a (Feb. 1951)	إلى الله الله الله الله الله الله الله ال	Johneton (SUBMIT IN TRIPLICATE)		Budget Bureau 42-R3 Approval expires 12-3
		UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	Unit Ju	-5 017-346
S	SUNDRY	NOTICES AND REPORTS OF SUBSEQUENT REPORT OF WATER		LS

		SUBSEQUENT REPORT OF WATER SHUT-OFF	I.
OTICE OF INTENTION TO DRILL		THE STATE OF ACIDITING	
OTICE OF INTENTION TO CHANGE	PLANS	SUBSEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENTION TO TEST WA	TER SHUT-OFF	TO THE PARTY OF TH	
OTICE OF INTENTION TO RE-DRILL	L OR REPAIR WELL	CURSEOUENT REPORT OF ABANDAN ENT	الم <sup>ن</sup> ينة ا
OTICE OF INTENTION TO SHOOT O	OR ACIDIZE	SUPPLEMENTARY WELL HISTORY	$\omega_{GG/Y}$
OTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMENTARY WELL HISTORY	
OTICE OF INTENTION TO ABANDO	N WELL.		
(INDIC	CATE ABOVE BY CHECK I	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA	
		Jennety 17	19
ll No. 13-31 is loc	ated 990 ft. l	from ${S \atop S}$ line and 1600. ft. from ${W \atop W}$ line of sec.	<b>34</b>
e/a si/a	- 3d y	% No. No. No.	
(1/2 Sec. and Sec. No.)	(Twp.)	(Range) (Meridian)	
James Name Varia	ale ale	(State of Territory)	
(Field)	(CC	ounty or Subdivision) (State or Perritory)	
		ea level is 6589.5 ft.	
e elevation of the	STREET ADOVE SO	ta level lo issues and	
	ומ	ETAILS OF WORK	
	_	ETAILS OF WORK	s, ceme
	_	ETAILS OF WORK	s, ceme
	ns te objective sands; sh ing points, ar	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)	s, ceme
	ns te objective sands; sh ing points, ar	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)	s, ceme
	ns te objective sands; sh ing points, ar	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-1/5 0.0. 26-10: 3-55. Fd. L. 3 L.  ler. Casing set at 3568.25. Commented	en si
	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° 0.0. 25.40; 1-95, 854. L. S. L.  ler. Casing set at 3588.25°. Commented to bottom 7:15 3.5. 1-9-56. Tested casing.	ensi
	ns te objective sands; sh ing points, ar	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° 0.0. 25.40; 1-95, 854. L. S. L.  ler. Casing set at 3588.25°. Commented to bottom 7:15 3.5. 1-9-56. Tested casing.	ensi
rilled to 3990°. House gaide shoe a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° 0.0. 25.40; 1-95, 854. L. S. L.  ler. Casing set at 3588.25°. Commented to bottom 7:15 3.5. 1-9-56. Tested casing.	en el
rilled to 3990°. House gaide shoe a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° 0.0. 25.40; 1-95, 854. L. S. L.  ler. Casing set at 3588.25°. Commented to bottom 7:15 3.5. 1-9-56. Tested casing.	en el
rilled to 3990°. House paids show a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-3/5° D.D. 26-406 J-55, Fd. L. S.L.  lar. Casing set at 3568.25°. Computed to better 7:15° M. 1-9-76. Tested ensize.	ensi
rilled to 3990°. House paids show a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° 0.0. 25.40; 1-95, 854. L. S. L.  ler. Casing set at 3588.25°. Commented to bottom 7:15 3.5. 1-9-56. Tested casing.	ensi
rilled to 3990s. House saids show a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-3/5° D.D. 26-406 J-55, Fd. L. S.L.  lar. Casing set at 3568.25°. Computed to better 7:15° M. 1-9-76. Tested ensize.	emed to
rilled to 3990°. House paids show a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-3/5° D.D. 26-406 J-55, Fd. L. S.L.  lar. Casing set at 3568.25°. Computed to better 7:15° M. 1-9-76. Tested ensize.	emed too
rilled to 3990°. House paids show a	ing points, ar from 3569.87° and float cel at. Fing on	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-3/5° D.D. 26-406 J-55, Fd. L. S.L.  lar. Casing set at 3568.25°. Computed to better 7:15° M. 1-9-76. Tested ensize.	ensi
rilled to 3990°. ? House gaide shoe a S gal and 90 on no. K. Drilled plug	Ren 3569.87° and float cel at. Ting en 3665 t.M. l.	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° D.D. 26.40% J-95, 85d. L. S L.  ler. Casing set at 3583.25°. Commented to better 7:15° %. 1-9-56, Tested casing.	
rilled to 3990°. ? House gaide shoe a gal and 50 an am .K. Drilled plug	Ren 3569.87° and float cel at. Ting en 3665 t.M. l.	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° D.D. 26.40% J-95, 85d. L. S L.  ler. Casing set at 3583.25°. Commented to better 7:15° %. 1-9-56, Tested casing.	
rilled to 35901. Theree gaids show and the Drilled pling.	ns to objective sands; at ing points, as sand 3569.87° and float cells. The end of the sand sands at the last sands at t	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8 D. 25.40 J-95,  ler. Casing set at 3583.25 . Comested to better 7:15	
rilled to 35901. Theree gaids show and the Drilled pling.	ns to objective sands; at ing points, as sand 3569.87° and float cells. The end of the sand sands at the last sands at t	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8° D.D. 26.40% J-95, 85d. L. S L.  ler. Casing set at 3583.25°. Commented to better 7:15° %. 1-9-56, Tested casing.	
rilled to 35901.  House gaide shoe is gal and 50 ar no.  I understand that this plan of company	work must receive app	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8 D. 25.40 J-95,  ler. Casing set at 3583.25 . Comested to better 7:15	
rilled to 35901. Hence gaide shoe is gal and 50 ar am and 50 are and 50 a	work must receive app	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-1/8	to
ate names of and expected depth willed to 3590°. The water galde show the same of the same	work must receive app	ETAILS OF WORK  now sizes, weights, and lengths of proposed casings; indicate mudding job and all other important proposed work)  of 7-5/8 D. 25.40 J-95,  ler. Casing set at 3583.25 . Comested to better 7:15	to