

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1


NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
E-347

SUNDRY NOTICES AND REPORTS ON WELLS RECEIVED
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)



1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- 2. Name of Operator El Paso Natural Gas Company 3. Address of Operator Box 990, Farmington, New Mexico 87401 4. Location of Well UNIT LETTER L X 1650 FEET FROM THE South LINE AND 990 FEET FROM THE West LINE, SECTION 36 TOWNSHIP 30N RANGE 6W NMPM.	7. Unit Agreement Name San Juan 30-6 Unit 8. Farm or Lease Name San Juan 30-6 Unit 9. Well No. 90 (OWWO) 10. Field and Pool, or Wildcat Blanco Mesa Verde
15. Elevation (Show whether DF, RT, GR, etc.) 6567' GL	12. County Rio Arriba

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Squeeze, Case Cement, Perf & S/W Frac <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On 8-26-70 pulled 2 7/8" tubing and set cement retainer at 5245'.

On 8-27-70 squeezed open hole w/150 sacks of cement. Located hole in 7" casing between 1912 & 1943'. Perforated one squeeze hole at 2775', set cement retainer at 2707', squeezed through perf. w/120 sacks of cement. Set cement retainer at 1878', squeezed leak (1912-1943') w/125 sacks of cement.

On 8-29-70 re-squeezed perf w at 2775' w/125 sacks of cement.

On 9-2-70 Total depth 6137', ran 189 joints 4 1/2", 10.5#, K-55 production casing (6124') set at 6137' w/125 sacks of cement. W.O.C. 18 hours.

On 9-3-70 P.B. T.D. 6107'. Perf. 5700-12', 5722-28', 5746-58', 5795-5807', 5836-48', 5912-24', 5994-6006' w/18 SPZ. Frac w/80,000# 20/40 sand, 77,000 gal. water, dropped 6 sets of 18 balls, flushed w/4860 gal. water. Bridging & baffle at 5458'. Perf. 5372-80', 5392-5400' w/18 SPZ. Frac w/ 30,000# 20/40 sand, 30,000 gal. water, dropped 1 set of 18 balls, flushed w/3710 gal. water.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original Signed F. H. WOOD TITLE Petroleum Engineer DATE 9-16-70

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: