


COPY TO O. C. C.



(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa FeLease No. 079488-AUnit San Juan 30-4 Unit

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS JUL 9 1953

U. S. GEOLOGICAL SURVEY	
NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 3 is located 1262 ft. from 1650 ft. from N line and 848 ft. from E line of sec. 29
NE Section 29 30N 4W N. M. P. M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7327 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill a well with rotary tools through the Pictured Cliffs formation, and to shoot the pay with 2 quarts of S.N.G. per foot. Total depth 4088'.

Casing Program:

9-5/8" at 130' with 100 sacks of regular cement circulated to surface.
 7" at 4018' with 200 sacks of regular cement.

The NE $\frac{1}{4}$ of Section 29 is dedicated to this well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company EL PASO NATURAL GAS COMPANYAddress BOX 997FARMINGTON, NEW MEXICOBy [Signature]Title Petroleum Engineer