Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Form 9-381a. (Feb. 1951)				

Blanco

(Field)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land (Office	Santa Fe
	No.	080712-A
		erron-Kidd

STINDRY	NOTICES	AND	REPORTS	ON	WELLS
JUHURI	11011000				•

OTICE OF INTENTION TO CONTICE	CHANGE PLANS CHANG	SUBSEQUE SUBSEQUE SUBSEQUE SUBSEQUE SUBSEQUE SUBSEQUE	NT REPORT OF ALTERING NT REPORT OF RE-DRILLI NT REPORT OF ABANDON NTARY WELL HISTORY	GOR ACIDIZING
ell No. 8	is located 1580 ft. fro	RK NATURE OF REP	ORT, NOTICE, OR OTHER D	1 21 , 19.5

The elevation of the derrick floor above sea level is 6277 ft.

DETAILS OF WORK

Rio Arriba

(County or Subdivision)

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work)

4-17-58 Total Depth 5624'. Plug back T.D. 5578'. Water fractured Point Lonkout perforated interbals 5288-5304; 5334-5353; 5378-5438; 5482-5518 with 51,832 gallons water and 60,000f sand. BDF 1650f, max. pr. 3000f, avg. tr. pr. 1250, 1350, 1300, 1500, 1700, 1800f. I.R. 72 BFM. Flush 2616 gallons. 6 stages 3 ball drops of 10 balls each, 2 ball drops of 15 balls each. Blew gasket on blowout prev. after appres. 32 of fittell.

4-18-58. Total Depth 5624'. Temporary Bridge Plug at 5161'. Water fractured Cliff House perforated intervals 5056-5094 with 45,000 gallons water and 45,000# sand. BDF 800#, max. pr. 1600#, avg. tr. pr. 1900#. I.R. 63 BPM. Flush 9000 gallons.

I understar	ad that this plan of work must receive approval in writing b	y the Geological Survey before operations may be commenced.
Address	Box 997	Original Signad Di. Di. Johnston By
	Farmington, New Mexico	Title Petroleum Engineer GPO 9 18 507