District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE

OIL CONSERVATION DISERVANDA & FE OFFICE P.O. Box 2088

Santa Fe, New Mexico 8 258UTY & GAS INSPECTOR

SEP 11 11 1995 PIT REMEDIATION AND CLOSURE REPORT

| | FARTY COURSE |
|---|--|
| Operator: Williams Field Services | s Telephone: 804-584-6999 |
| Address: 295 Chipeta Way Sa | lt Lake City, UT 84158 |
| Facility Or: SJ 30-5 #24 | |
| | Sec 16 T30N R5W County RIO ARRIBA |
| Pit Type: Separator Dehydrator | |
| Land Type: BLM, State _/_, Fee | , Other |
| (Actaon diagram) | ${f d}_{f X}$, other |
| Footage from refere | nce: |
| Direction from refe | rence: 80 Degrees × East North × of West South |
| Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water) | Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) 10 |
| Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) | SEP 1 9 1994 OIL CON. DIV. DIST. 3 |
| Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) | Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) |
| | RANKING SCORE (TOTAL POINTS): |

| Date Remediation St | arted: | Dated Completed: |
|--|------------------------|--|
| Remediation Method: | Excavation | |
| (Check all appropriate | Landfarmed | |
| | · | |
| | | |
| Remediation Location: Onsite Offsite | | |
| (ie. landfarmed onsite, name and location of offsite facility) | | |
| General Description | Of Remedial | Action: |
| Site Assessment in accordance with OCD and BLM guidance document. | | |
| | | |
| | | |
| | | |
| | | |
| Ground Water Encountered: No X Yes Depth | | |
| | | |
| Final Pit: Sample location Standard Triangle from pit fl Closure Sampling: | | ionStandard Triangle from pit floor. |
| (if multiple samples, attach sample results | | |
| and diagram of sample locations and depths) | Sample depth | |
| • , | Sample date | 6-14-94 Sample time 11:35am |
| | Sample Resul | ts |
| | Benzene | (ppm) |
| | Total B | TEX(ppm) |
| | Field h | eadspace(ppm) 3 |
| | ТРН | < 5.0 |
| Ground Water Sample: Yes No _x (If yes, attach sample results) | | |
| I HEREBY CERTIFY THA OF MY KNOWLEDGE AND | T THE INFORM BELIEF | ATION ABOVE IS TRUE AND COMPLETE TO THE BEST |
| DATE 9-6-84 | 2 | |
| SIGNATURE Tolban | PR AN | INTED NAME D TITLE Lee Bauerle, Environmental Spec. |



AMERICAN WEST ANALYTICAL **LABORATORIES**

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 14, 1994

Date Received: June 21, 1994

Set Description: Fifty-Four Solid Samples

Set Identification #: 18830 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: June 29, 1994

463 West 3600 South Lab Sample ID. Number:

Salt Lake City, Utah 18830-32

84115

Field Sample ID. Number:

Vulnerable Area Pits (GOB)

SJ 30-5 #24/72300

Date Analyzed: June 30, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm)

(801) 263-8686 Fax (801) 263-8687

Compound:

Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

Detection

< 5.0

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Laboratory Supervisor

Report Date 7/6/94

1 of 1