

# NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in **TRIPLICATE** to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) <b>Workover</b>	<b>XX</b>	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Farmington, New Mexico  
(Place)

August 28, 1962  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the:

**El Paso Natural Gas Co.** **Phillips State** Well No. **1** in **L**  
(Company or Operator) (Unit)  
**NW**  $\frac{1}{4}$  **SW**  $\frac{1}{4}$  of Sec. **16**, T. **30N**, R. **6W**, NMPM., **Blanco Mesa Verde** Pool  
(40-acre Subdivision)  
**Rio Arriba** County.

### FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

It is intended to re-work this well in the following manner:

**A. If Tubing can be Pulled:**

1. Clean out to 5890' and run 4 1/2" long string and cement to cover 100' inside 7" casing.
2. Run correlation log, perforate & fracture, clean out and run tubing.

**B. If Tubing cannot be Pulled:**

1. Run free point & cut tubing 50' - 100' below 7" casing shoe.
2. Set 7" cement retainer @ approximately 5300' & squeeze open hole.
3. Pressure up on retainer. If casing leaks, mud drill. If casing does not leak - gas drill.
4. Set whipstock and drill to 5890'.
5. Run long string of 4 1/2" & cement and complete as above.

Approved 8-30, 1962  
Except as follows:

**El Paso Natural Gas Company**  
Company or Operator

By N. W. Meekins  
Position **Petroleum Engineer**


Send Communications regarding well to

Approved  
OIL CONSERVATION COMMISSION

By Emery Clume  
Title **Supervisor Dist. # 3**

Name **E. S. Oberly**

Address **Box 990, Farmington, New Mexico**



STATE		NO
OIL C		MISSION
NUMBER		FILE
SANTA P		
FILE		
U.S.S.		
LAND		
TRANS	REL	
FILE	FILE	
OPEN		