(1	Feb. 19	951)		
			13	
12	·			

(SUBMIT IN TRIPLICATE)

Land Office
Losso No. Jic Cont 280
Unit

Budget Bureau No. 42-R358.4.

Form Approved.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

			445.			
NOTICE OF INTENTION TO DRILL			SUBSEQUENT F	REPORT OF WATER SI	HUT-OFF	
NOTICE OF IN	ITENTION TO CHANGE PL	ANS	SUBSEQUENT R	EPORT OF SHOOTING	G OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		R SHUT-OFF	SUBSEQUENT R	EPORT OF ALTERING	CASING.	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		R REPAIR WELL	SUBSEQUENT R	EPORT OF RE-DRILL	ING OR REPAIR	ا الاحدياد
NOTICE OF IN	NTENTION TO SHOOT OR	ACIDIZE	SUBSEQUENT R	EPORT OF ABANDON	MENT T	
NOTICE OF IN	NTENTION TO PULL OR A	TER CASING	SUPPLEMENTAR	RY WELL HISTORY	<u>u</u> u	4 6
NOTICE OF IN	TENTION TO ABANDON V	VELL				
	(INDICAT	E ABOVE BY CHECK MARK N	ATURE OF REPORT,	NOTICE, OR OTHER D	11 3 01 8 7	CIOAL by
				.	EXTIMATETO	1., 12
	* * *]	Nevember 29	, ,	19.62
	Apeche				·	
77 11 N.T	is locate	1980	$[N]_1$	2250 ($m\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{v} \end{array} \right\}$ line of sec	11
Vell No		ed it. irom	Ine and	it. iron	n ine or sec.	
ew <u>l</u> ne	₿ Sec 13	30 North 1	West N. M	. P. M.		
(½ Sec.	and Sec. No.)	(Twp.) (H	Range)	(Meridian)		
Wilde	and Sec. No.)	Rie Arr	ribe	New	Mexico	
	(Field)	(County or	Subdivision)		State or Territory)	
			S OF WORK			
rill 9"	hele to approx	ing points, and all oth cinately 95° and	ier important prop 1 set anure	osed work) Ximetaly OA	ef 7 5/8* cas	4
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction	hele te appropriately impreximately in tubing, betti	ing points, and all oth	d set apprede with Jest sing with rel product to hele pack	ximately 90° 1-mud to app 25 sacks contion is found 5/8° rods. er en 2 3/8°	of 7 5/8" cas preximately 100 nent. Drill 42 i, will run 260 If new-commerce tubing and oi	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle to a f 2 3/8" reduction racture	hele te appropriately approximately approximately approximately atthing, better is not found with approximately of Gallup	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. or 1000°. If nature hele pump and will run oper tely 500 bbls of fermation about	d set appre- ele with Je sing with ral preduct; 1 2600° ef; 2 hele pack; brude eil, 2 2200°. To	ximately 90° 1-mud to app 25 sacks contion is found 5/8° rods. er en 2 3/8°	of 7 5/8" cas preximately 100 nent. Drill 42 i, will run 260 If new-commerce tubing and oi	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle to a f 2 3/8" reduction racture xpected	hele te appropriately impreximately impreximately in tubing, better in is not found with approximately of Galluping will be 20	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. en 1000°. If nature hele pump and will run eper thely 500 bbls of fermation about 1.4° pound - J-5°	d set apprede with Jest apprede with Jest apprede to 2600° ef 1000° ef 100° ef 100° ef 100° ef 100° ef	ximately 90° 1-mud to app 25 sacks contion is found 5/8° rods. er en 2 3/8°	of 7 5/8" cas preximately 100 nent. Drill 42 i, will run 260 If new-commerce tubing and oi	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction racture xpected urface p ater str	hele te appropriates comente approximately improximately in tubing, bette in is not found with approximate of Galluping will be 20 ing will be 11	ing points, and all of cimately 95° and Drill 63/4° he 1000° 5° 0.D. en 1000°. If nature hele pump and will run oper thely 500 bbls 6 formation about 144 pound - J-55 pound - J-55 pound - J-55	d set apprede vith Jesting with rel product; a 2600° of 1 hele pack; brude eil, 2200°. To	ximately 90° 1-mud to app 25 sacks contion is found 5/8° rods. er en 2 3/8°	of 7 5/8" cas preximately 100 nent. Drill 42 i, will run 260 If new-commerce tubing and oi	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction racture xpected urface p ater str	hele te appropriates comente approximately improximately in tubing, bette in is not found with approximate of Galluping will be 20 ing will be 11	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. en 1000°. If nature hele pump and will run eper thely 500 bbls of fermation about 1.4° pound - J-5°	d set apprede vith Jesting with rel product; a 2600° of 1 hele pack; brude eil, 2200°. To	ximately 90° 1-mud to app 25 sacks contion is found 5/8° rods. er en 2 3/8°	of 7 5/8" cas preximately 100 nent. Drill 42 i, will run 260 If new-commerce tubing and oi	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle to a f 2 3/8" reduction racture xpected urface p ater strubing wi	hele te appropriates ement, approximately impreximately in tubing, better is not found with approximate of Galluping will be 20 ing will be 21 ll be 4.7 pour	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. en 1000°. If nature he le pump and will run eper rely 500 bbls 6 fermation about 144 pound - J-55° id - J-55° - 2 3/6	d set appredictions of the set appredictions o	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle to a f 2 3/8" reduction racture expected urface p ater structure ubing wi	hele te appropriates ement, approximately impreximately in tubing, better is not found with approximate of Galluping will be 20 ing will be 21 ll be 4.7 pour	ing points, and all of cimately 95° and Drill 63/4° he 1000° 5° 0.D. en 1000°. If nature hele pump and will run oper thely 500 bbls 6 formation about 144 pound - J-55 pound - J-55 pound - J-55	d set appredictions of the set appredictions o	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction racture xpected urface p ater str ubing wi	hele te appropacks coment, acks coment, approximately approximately approximately at tubing, bether is not found with approximately of Gallup approximately of Gallup approximately of Gallup approximately approxim	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. en 1000°. If nature he le pump and will run eper rely 500 bbls 6 fermation about 144 pound - J-55° id - J-55° - 2 3/6	d set appredictions of the set appredictions of the set apprediction of the se	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction racture expected urface p ater str ubing will lunderstand	hele te appropacks coment, acks coment, approximately approximately approximately at tubing, bether is not found with approximately of Gallup approximately of Gallup approximately of Gallup approximately approximately of Gallup approximately approximatel	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. en 1000° 5° 0.D. en 1000° 11° nature hole pump and is will run eper rely 500 bbls 6 fermation about 14° pound - J-55° id - J-55° - 2 3/ must receive approval in w	d set appredictions of the set appredictions of the set apprediction of the se	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle te a f 2 3/8" reduction racture xpected urface p ater str ubing wi	hele te apprenacks cement, appreximately appreximately tubing, bette in is not found with appreximate of Gallup appreximate of Gallup appreximate appreximately apprexim	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. e. 1600°. If nature hele pump and will run eper rely 500 bbls of fermation about 144 pound - J-55 in 5 p	d set appredictions of the set appredictions of the set apprediction of the se	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial
rill 9" ith 75 s nd set a cle to a f 2 3/8" reduction racture xpected urface p ator str abing will lunderstand	hele te appropacks coment, acks coment, approximately approximately approximately at tubing, bether is not found with approximately of Gallup approximately of Gallup approximately of Gallup approximately approximately of Gallup approximately approximatel	ing points, and all of cimately 95° and Drill 6 3/4° he 1000° 5° 0.D. e. 1600°. If nature hele pump and will run eper rely 500 bbls of fermation about 144 pound - J-55 in 5 p	d set appredictions of the set appredictions of the set apprediction of the se	ximately 90° l-mud to app 25 sacks contient is found 5/8° rods. or en 2 3/8° then complete	of 75/8" cas preminately 100 nent. Drill 42 i, will run 260 If non-commerce tubing and of the as above. approximately 20 NOV3 0	ing 0' " 0' ial