5 - NMOCC

1 - State Land Office
1 - L. G. Truby
1 - File NEW MEXICO OIL CONSERVATION COMMISSION

(Form C-168)

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

LOCA	AREA 640 ACE TE WELL COR	res Rectly					
PACIFIC		T PIPELINE	CORPORATION	1		San Juan	30-5
ell No			•	1/4, of Sec17	Т	30 North R	5 West , NMPM
	Blanco Me	sa Verde		Pool,	Rio	Arriba	County
							<b>East</b> lin
						•	
_							
idress	Fermingto	n Highway.	Aztec, New	Mexico		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*************************************
evation abo	ve sea level a	DERRICI	TILOOR (	6311'	The in	formation given is to	be kept confidential unt
						•	•
			OZ	l sands or zo	nes.		
1 6	5262	4-				to	
•							
, o, irom	•••••••••••••••••••••••••••••••••••••••			140. 0,	14VIII		
			IMPOI	RTANT WATER	SANDS	ا محر	
				water rose in hole		· ·	
•						2	المعار فيها
•							119 3 19 19
o. 3, from			to		•••••	feet.	r con in
o. 4, from			to			feet	<u>p:37. 2</u>
				CASING RECOR	lD		Same and the probability of the same of th
	WEIGH			KIND OF	CUT AND		
SIZE	PER FO	OT USED	AMOUNT	SHOE	PULLED FROM	PERFORATIONS	PURPOSE
10-3/4"	32.75	Nev	184°	Cod de oud	float col	law	
7-5/8"	26.40	Nev	2364.361		iner Hange		
1-1/4"		Nev	5573.851		That Dank	1 6 3302	+
<u> </u>	<u></u>	1144	19913.09	101115	<u>,, - 3,</u> ,		
			MUDDING	AND CEMENTI	NG RECORD		
BIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED		MUD PRAVITY	AMOUNT OF MUD USED
15"	10-3/4	196'	200	Pump Plug			
9-7/8"	7-5/8"	34901	200	Pump Plug			
5-3/4"	5-1/2"	5749.36	200	Pump Plgu			
	<u> </u>	l l	<u></u>	<del></del>	<u> </u>	<u> </u>	
			RECORD OF	PRODUCTION A	ND STIMULA	rion	
		(Beared the	Proper weed No	o. of Qts. or Gals	weed interval	treated or shot \	
	O -b	•	•	· <del>-</del>	_		-2): 561:-10 560
-							-24, 564-10, 560
5598, 5	592-88,	5584 <b>-</b> 58, 55	50-46 <b>,</b> 5532	-18, 5514-5 <sup>1</sup>	182, 5412-(	)4 <b>,</b> 5382-74, 5	364-40, 53 <b>3</b> 0- <b>2</b> 6,
5298-92	, 5266-6	2. Frac w/	110,000 gal	s water. Bl	500#, IP	400#, AP 400#	, MP 500#, stand
	-		60 bbls/min				
ande of D	dustion Cal-	ulation					
ssuit OI Pro	aucuon Sum	u.auon					
,	*****************		**************************	***************************************	240		***************************************
•	•••••	*******************************				Depth Cleaned C	hut5750!

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary t	ools were	used from	O¹ feet t	。 <b>5750'</b>	feet, an	d from	- <b></b>	feet to	fcet.	
								feet to		
				PRODU	CTION					
Put to P	roducing		••••	19						
	-			•						
OIL WI								uid of which		
	wa	as oil;	% was e	mulsion;	••••••	.% water	; and	% was sedin	nent. A.P.I.	
	Gi	avity	••••••••••••••••••••••••••••••							
GAS WI	ELL: T	ne productio	on during the first 24 ho	urs was 2.443.	000 N	A.C.F. p	lus		harrels of	
		•								
			arbon. Shut in Pressurct			)	•			
Length	of Time S	Shut in	days CAOF	2,526 MCF/1	•					
PLE	CASE IN	DICATE B	ELOW FORMATION	TOPS (IN CON	FORMANO	E WIT	H GEOGI	APHICAL SECTION OF	STATE):	
			Southeastern New M	Iexico				Northwestern New Me		
	•			Devonian						
			T.	Silurian				Kirtland-Fruitland 2400-		
				,				Farmington Pictured Cliffs 3075-3344		
			T.					Menefee 5242-5458		
			T.					Point Lookout5458-57		
			T.	S				· - · · · ·		
T'. San	Andres		T.	Granite				Dakota	•••••	
T. Glor	ieta		т.				т.	Morrison		
T. Drin	ıkard		T.				т.	Penn		
								*		
			T.	***************************************						
T. Miss	3	•••••••••••	Т.	FORMATIO			т.	•••••	•••••••••••••••••••••••••••••••••••••••	
	1 -	<u> </u>		FORMATIO	N RECO					
From	То	Thickness in Feet	Formation	on	From	To	Thickness in Feet	Formation		
0	2300	2300	Surface				-			
2300	2400	100	Ojo Alamo							
2400 3815	3815	415 260	Kirtland Fruitland							
301)	3017	200	Prus Chala							
3075	3342	267	Pictured Cliff	<b>'</b> \$						
3342	5145	1803	Levis			,				
5145 5242	5242 5458	97 216	Cliff House Mensfee		1	) <u>C</u> (		OLIMISS	ION	
			<i>34,28</i> 3.00			الغو	<u> </u>	SOLD DEFICE		
5458	5750	292	Point Lookout		8 9 97 17	40. Or	pies	5		
5750 5743			Total Depth	1 Dombh						
7143			Plug Back Tota	T pebcu		The state of the s	1			
						n o o o o o o o o o o o o o o o o o o o				
						Portetio	.000			
						roratio	-			
								and the state of t		
						2 30 50.				
						ranspo na	rier			
						ila	+			
							<del> </del>			
	<u>!</u>	1			11	<u> </u>	<u></u>	<u> </u>		

## ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	
	January 31st, 1958
Company or OperatorPACIFICNORTHWESTPIPELINECOR	Address 4052 W. Bdwy., Farmington, New Mexico
Name Original signed by G. H. Peppin	Position or Title District Proration Engineer