

F. Loc. 990/S; 990/W Elev. 6303 DF Spd. 6/11/53 Comp. 7/9/53 TD 5520 PB

Casing 9-5/8 @ 170 W 150 Sx. Int. @ W Sx. Pr. 7 @ 4985 W 300 Sx. T. 2 @ 5508
Csg. Perf. Prod. Stim.

Shot 1930 qts 5029-5512

I.P. 5360 ~~5360~~ MCF/D After 3 Hrs. Sic. P. 1123 PSI After 8 Days GOR Grav. 1st Del. 8/11/53 T r a n s EP

TOPS		NTTD	X	Well Log	X	TEST DATA						
						Schd.	PC	Q	PW	PD	D	AIL.
Kirtland		C-102		Plat	X							
Fruitland		C-103		Electric Log	X							
Pictured Cliffs		C-104		C-110		54	1033	1159	602	500	1296	
Cliff House	5052		X		X					517	1279	
Menefee	5180	SJU 30-6				55	1050	985	568	525	1030	
Point Lookout	5418					410.30	1030	969	583	518	1037	
Mancos												
Tocito												
Dakota												
Morrison												
Entrada												

W-320

P Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.