Fe	ь. 19	51)		
٢				
I.				
١				
ŀ				
١		ļ		
ľ			1	i

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Uvar expires a		
Land Office	Senta !	le .	
Lease No.			
	an Juan 14-08-0		

SUNDKI NOTICES	S AND REPORTS ON WELLS
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	PERCENT OF ALTERING CASING
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF BE DRILLING OR REPAIR
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF APANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	WELL HISTORY
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	Water Frec.
(INDICATE ABOVE BY CHECK	K MARK NATURE OF REPORT, NOTICE, OR OTHER DATE)
	October 30 , 19 \$
- Can (990 ft from E line of sec. 11
/ell No. 25 is located 1800 it.	from S line and 990 ft. from E line of sec. 11
3077	H.M.P.M. (Meridian)
(I/ Sec and Sec. No.) (Twp.)	(Range)
*	County or Subdivision) (State or Territory)
(Field)	
he elevation of the derrick floor above	SETALLS OF WORK
f 1	
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3970 with 89, 2000#, mex. pr. 2400#, avg. tgallons.	C.O.T.D. 3980'. If perforated intervals 3660-3688; 3730-3754; 96 gallons water and 80,000 sand. B.D.P. tr. pr. 2150 I.R. 54.1 B.B.M. Flush 4000 REFERENCE OF CONTROL OF CONT
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3970 with 89, 2000#, max. pr. 2400#, avg. t gallons.	C.O.T.D. 3980. If perforated intervals 3660-3688; 3730-3754; Obigallons water and 80,000 sand. B.D.P. tr. pr. 2150 I.R. 54.1 B.B.M. Flush 4000 REFERENCE OF CONTROL OF CONTR
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3770 with 89, 2000#, max. pr. 2400#, avs. tgallons.	C.O.T.D. 3980. If perforated intervals 3660-3688; 3730-3754; Obigallons water and 80,000 sand. B.D.P. tr. pr. 2150 I.R. 54.1 B.B.M. Flush 4000 REFERENCE OF CONTROL OF CONTR
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3770 with 89, 2000#, mex. pr. 2400#, avg. 1 gallons.	C.O.T.D. 3980. If perforated intervals 3660-3688; 3730-3754; 96 gallons water and 80,000 sand. B.D.P. Tr. pr. 2150 I.R. 54.1 B.B.M. Flush 4000 RILL CON. CON. CON. CON. CON. CON. CON. CON.
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3770 with 89, 20004, max. pr. 2400#, avg. gallons. I understand that this plan of work must receive a Company El Peso Natural Cas (Address Box 997	sport of the second series and so,000 series. But Flush 4000 tr. pr. 2150 I.R. 54 1 B.M. Flush 4000 NOV 3 1958 NOV 3 1958 OIL CON CON CON CON CON CON CONTROL OF THE SERIES OF THE SERIE
10-9-58. Total Depth 4016'. Water fractured Pictured Cliff 3816-3848; 3910-3770 with 89, 2000#, max. pr. 2400#, avg. 'gallons. I understand that this plan of work must receive a Company El Paso Natural Cas (C.O.T.D. 3980. If perforated intervals 3660-3688; 3730-3754; Oligan Signed D. W. Meehan Original Signed D. W. Meehan