## UNITED STATES

UNITED STATES	5. LEASE SF 079043
DEPARTMENT OF THE INTERIOR	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to deepen or plug back to a diffe eservoir. Use Form 9-331-C for such proposals.)	northeast branco onre
	Northeast Blanco Unit
1. oil gas well other	9. WELL NO.
2. NAME OF OPERATOR	18
Blackwood & Nichols Co., Ltd.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Blanco Mesaverde
P.O. Box 1237, Durango, Colorado 81301	11. SEC., T., R., M., OR BLK. AND SURVEY OF
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space	17 AREA
below.)	H-9-30N-7W
AT SURFACE: 1650'F/NL - 990'F/EL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same AT TOTAL DEPTH:	Rio Arriba New Mexico
Same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTI REPORT, OR OTHER DATA	·
ne only on online online	15. ELEVATIONS (SHOW DF, KDB, AND WD) 6300' GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	6300 GE
FEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE   REPAIR WELL   X	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE	
CHANGE ZONES	
(other)	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly including estimated date of starting any proposed work. If well measured and true vertical depths for all markers and zones per Pull 2 3/8" tubing, set drillable bridge p	is directionally drilled, give subsurface locations and tinent to this work.)*
locate holes in 4 1/2" casing, repair by s	squeeze cementing. Drill 4 1/2"
bridge plug, rerun 2 3/8" tubing and retur	n well to production.
	OFFI
	/ 84.71/
	MAR 2 198 CIL CON COM DIST 3
	C/L CC 2 198
	Die Coa
	ST. 3 ONL
Subsurface Safety Valve: Manu. and Type	Set @ Ft
18. hereby certify that the foregoing is true and correct	
SIGNED ASSO DELASSO LOOS TITLE DISTRICT M	lanager DATE 2-11-81
(This space for Federal or Sta	te office use)
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	APPROVE
[1] [1]	APPROVE

\*See Instructions on Reverse Side

DISTRICT OIL & GAS SUPERVISOR